



2024 GREENLINE 39 HYBRID - GREENLINE



Builder:

[GREENLINE](#)

Year Built:

2024

Model:

39 Hybrid

Price:

[See on website](#)

Location:

Seattle, United States

Max Speed:

18 Knots (20.71 MPH)

LOA:

39' 0" (11.89 mm)

Beam:

12' 0" (3.73 mm)

Min Draft:

- (0 mm)

Max Draft:

- (0 mm)

Cruising Speed:

14 Knots (16.11 MPH)

If you would like to buy a yacht **2024 GREENLINE 39 HYBRID - GREENLINE** or would like help answering any questions concerning purchasing, selling, or chartering a yacht, please call **+1(954)274-4435** or click here on <https://shestakovyachtsales.com>

TABLE OF CONTENTS

Overview 4

Specifications 5

 Basic Information 5

 Dimensions 5

 Speed, Capacities and Weight 5

 Accommodations 6

 Hull and Deck Information 6

Gallery 7

Contacts 15

OVERVIEW

2024 Greenline 39 Hybrid

No Washington Sales Tax on New Greenline Hybrids!

Currently Available at Our Docks

Check out the two fantastic videos from BoatTest.Com!

WELCOME ABOARD THE NEW HYBRID GREENLINE 39!

A SINGLE-ENGINE, DOUBLE CABIN HYBRID YACHT WITH INNOVATIVE TECHNOLOGY THAT SETS GREENLINE APART IN YACHT DESIGN.

The Greenline 39 revolutionizes contemporary yachting with its hybrid Yanmar diesel engine, complemented by a robust solar panel system and dual 13.3 kW lithium polymer battery banks. This setup allows you to enjoy extended periods on the water without frequent marina visits, except for occasional supplies. The Greenline's distinctive power system features an integrated inline electric motor/generator paired with a fuel-efficient Yanmar 4LV 250HP diesel engine, cruising comfortably at 10-16 knots and reaching a top speed of 18 knots. This engine is a collaboration between Yanmar and Kollektor. Designed by J&J Design, the GL39 boasts a super displacement low drag hybrid hull, offering unmatched efficiency (over 3 nautical miles per gallon at 7.5 knots). In diesel mode, the yacht provides constant 230 volt and 120 volt power, ensuring a fully charged battery upon arrival. The powerful rooftop solar array charges daily, eliminating the need to plug in at the dock. Cruise silently in electric Eco mode, free from fumes and engine noise, ideal for wake zones or when entering and leaving marinas or anchorages. Your fellow boaters will appreciate this. In electric eco mode, this 39-footer has a range of about 30 miles. Eco mode also serves as a backup drive if the diesel engine encounters issues. All things considered, the Greenline 39 is the most technologically advanced and environmentally conscious yacht available today.

Stepping aboard the Greenline 39, you'll be captivated by the spaciousness

and light. Key design features include a 360° panoramic view in the salon with a single-piece windshield, an aft galley that transforms into a cockpit bar for entertaining, an electric fold-down “beach club” transom, and a roomy 2-cabin layout, making it one of the most sociable and relaxing yachts on the water. Experience a new level of freedom with the Greenline 39.

Hull 39-119 is ready for immediate delivery in Seattle. It features a teak interior and is fully equipped with modern amenities such as bow and stern thrusters, reverse cycle air conditioning, forced air heating, induction cooking, a standalone refrigerator with a separate freezer, and the latest Raymarine Axiom touch screen navigation electronics. For entertainment, it includes a large pop-up TV, a powerful Fusion stereo system with a subwoofer, and blue LED underwater lights for ambiance.

SPECIFICATIONS

Basic Information

Category: Motor yachts	Sub category: Cruisers
Model Year: 2024	Year Built: 2024
Country: United States	

Dimensions

LOA: 39' 0" (11.89 mm)	Min Draft: - (0 mm)
Beam: 12	Max Draft: - (0 mm)

Speed, Capacities and Weight

Cruise Speed: 14 Knots (16.11 MPH)	Cruise Speed Range: 0 Kts.
Max Speed: 18 Knots (20.71 MPH)	Max Speed Range: 0 Kts.
Gross Tonnage: 0 Pounds	Water Capacity: 106 Gallons.
Holding Tank: 0 Gallons	Fuel Capacity: 184 Gallons

Accommodations

Total Cabins:

—

Total Berths:

—

Sleeps:

0

Total Heads:

1

Crew Cabin:

0

Crew Berths:

0

Crew Heads:

—

Hull and Deck Information

Hull Material:

N/A

Deck Material:

N/A

Hull Configuration:

N/A

Hull Designer:

N/A

Interior Designer:

N/A

Engine Information

Engines:

1

Manufacturer:

Yanmar



Engine Type:

Inboard

Fuel Type:

Diesel

GALLERY







Greenline 39 Hybrid, 55 225 HP Volvo

HP	Time	Fuel/2hrs	Range	Speed
100	2.5	0.25	100.0	10.0
150	2.8	0.37	112.5	11.2
200	3.2	0.50	125.0	12.5
250	3.5	0.62	137.5	13.7
300	3.8	0.75	150.0	15.0
350	4.2	0.87	162.5	16.2
400	4.5	1.00	175.0	17.5
450	4.8	1.12	187.5	18.7
500	5.2	1.25	200.0	20.0
550	5.5	1.37	212.5	21.2
600	5.8	1.50	225.0	22.5
650	6.2	1.62	237.5	23.7
700	6.5	1.75	250.0	25.0
750	6.8	1.87	262.5	26.2
800	7.2	2.00	275.0	27.5
850	7.5	2.12	287.5	28.7
900	7.8	2.25	300.0	30.0
950	8.2	2.37	312.5	31.2
1000	8.5	2.50	325.0	32.5
1050	8.8	2.62	337.5	33.7
1100	9.2	2.75	350.0	35.0
1150	9.5	2.87	362.5	36.2
1200	9.8	3.00	375.0	37.5
1250	10.2	3.12	387.5	38.7
1300	10.5	3.25	400.0	40.0
1350	10.8	3.37	412.5	41.2
1400	11.2	3.50	425.0	42.5
1450	11.5	3.62	437.5	43.7
1500	11.8	3.75	450.0	45.0
1550	12.2	3.87	462.5	46.2
1600	12.5	4.00	475.0	47.5
1650	12.8	4.12	487.5	48.7
1700	13.2	4.25	500.0	50.0
1750	13.5	4.37	512.5	51.2
1800	13.8	4.50	525.0	52.5
1850	14.2	4.62	537.5	53.7
1900	14.5	4.75	550.0	55.0
1950	14.8	4.87	562.5	56.2
2000	15.2	5.00	575.0	57.5
2050	15.5	5.12	587.5	58.7
2100	15.8	5.25	600.0	60.0
2150	16.2	5.37	612.5	61.2
2200	16.5	5.50	625.0	62.5
2250	16.8	5.62	637.5	63.7
2300	17.2	5.75	650.0	65.0
2350	17.5	5.87	662.5	66.2
2400	17.8	6.00	675.0	67.5
2450	18.2	6.12	687.5	68.7
2500	18.5	6.25	700.0	70.0
2550	18.8	6.37	712.5	71.2
2600	19.2	6.50	725.0	72.5
2650	19.5	6.62	737.5	73.7
2700	19.8	6.75	750.0	75.0
2750	20.2	6.87	762.5	76.2
2800	20.5	7.00	775.0	77.5
2850	20.8	7.12	787.5	78.7
2900	21.2	7.25	800.0	80.0
2950	21.5	7.37	812.5	81.2
3000	21.8	7.50	825.0	82.5
3050	22.2	7.62	837.5	83.7
3100	22.5	7.75	850.0	85.0
3150	22.8	7.87	862.5	86.2
3200	23.2	8.00	875.0	87.5
3250	23.5	8.12	887.5	88.7
3300	23.8	8.25	900.0	90.0
3350	24.2	8.37	912.5	91.2
3400	24.5	8.50	925.0	92.5
3450	24.8	8.62	937.5	93.7
3500	25.2	8.75	950.0	95.0
3550	25.5	8.87	962.5	96.2
3600	25.8	9.00	975.0	97.5
3650	26.2	9.12	987.5	98.7
3700	26.5	9.25	1000.0	100.0
3750	26.8	9.37	1012.5	101.2
3800	27.2	9.50	1025.0	102.5
3850	27.5	9.62	1037.5	103.7
3900	27.8	9.75	1050.0	105.0
3950	28.2	9.87	1062.5	106.2
4000	28.5	10.00	1075.0	107.5
4050	28.8	10.12	1087.5	108.7
4100	29.2	10.25	1100.0	110.0
4150	29.5	10.37	1112.5	111.2
4200	29.8	10.50	1125.0	112.5
4250	30.2	10.62	1137.5	113.7
4300	30.5	10.75	1150.0	115.0
4350	30.8	10.87	1162.5	116.2
4400	31.2	11.00	1175.0	117.5
4450	31.5	11.12	1187.5	118.7
4500	31.8	11.25	1200.0	120.0
4550	32.2	11.37	1212.5	121.2
4600	32.5	11.50	1225.0	122.5
4650	32.8	11.62	1237.5	123.7
4700	33.2	11.75	1250.0	125.0
4750	33.5	11.87	1262.5	126.2
4800	33.8	12.00	1275.0	127.5
4850	34.2	12.12	1287.5	128.7
4900	34.5	12.25	1300.0	130.0
4950	34.8	12.37	1312.5	131.2
5000	35.2	12.50	1325.0	132.5
5050	35.5	12.62	1337.5	133.7
5100	35.8	12.75	1350.0	135.0
5150	36.2	12.87	1362.5	136.2
5200	36.5	13.00	1375.0	137.5
5250	36.8	13.12	1387.5	138.7
5300	37.2	13.25	1400.0	140.0
5350	37.5	13.37	1412.5	141.2
5400	37.8	13.50	1425.0	142.5
5450	38.2	13.62	1437.5	143.7
5500	38.5	13.75	1450.0	145.0
5550	38.8	13.87	1462.5	146.2
5600	39.2	14.00	1475.0	147.5
5650	39.5	14.12	1487.5	148.7
5700	39.8	14.25	1500.0	150.0
5750	40.2	14.37	1512.5	151.2
5800	40.5	14.50	1525.0	152.5
5850	40.8	14.62	1537.5	153.7
5900	41.2	14.75	1550.0	155.0
5950	41.5	14.87	1562.5	156.2
6000	41.8	15.00	1575.0	157.5
6050	42.2	15.12	1587.5	158.7
6100	42.5	15.25	1600.0	160.0
6150	42.8	15.37	1612.5	161.2
6200	43.2	15.50	1625.0	162.5
6250	43.5	15.62	1637.5	163.7
6300	43.8	15.75	1650.0	165.0
6350	44.2	15.87	1662.5	166.2
6400	44.5	16.00	1675.0	167.5
6450	44.8	16.12	1687.5	168.7
6500	45.2	16.25	1700.0	170.0
6550	45.5	16.37	1712.5	171.2
6600	45.8	16.50	1725.0	172.5
6650	46.2	16.62	1737.5	173.7
6700	46.5	16.75	1750.0	175.0
6750	46.8	16.87	1762.5	176.2
6800	47.2	17.00	1775.0	177.5
6850	47.5	17.12	1787.5	178.7
6900	47.8	17.25	1800.0	180.0
6950	48.2	17.37	1812.5	181.2
7000	48.5	17.50	1825.0	182.5
7050	48.8	17.62	1837.5	183.7
7100	49.2	17.75	1850.0	185.0
7150	49.5	17.87	1862.5	186.2
7200	49.8	18.00	1875.0	187.5
7250	50.2	18.12	1887.5	188.7
7300	50.5	18.25	1900.0	190.0
7350	50.8	18.37	1912.5	191.2
7400	51.2	18.50	1925.0	192.5
7450	51.5	18.62	1937.5	193.7
7500	51.8	18.75	1950.0	195.0
7550	52.2	18.87	1962.5	196.2
7600	52.5	19.00	1975.0	197.5
7650	52.8	19.12	1987.5	198.7
7700	53.2	19.25	2000.0	200.0
7750	53.5	19.37	2012.5	201.2
7800	53.8	19.50	2025.0	202.5
7850	54.2	19.62	2037.5	203.7
7900	54.5	19.75	2050.0	205.0
7950	54.8	19.87	2062.5	206.2
8000	55.2	20.00	2075.0	207.5
8050	55.5	20.12	2087.5	208.7
8100	55.8	20.25	2100.0	210.0
8150	56.2	20.37	2112.5	211.2
8200	56.5	20.50	2125.0	212.5
8250	56.8	20.62	2137.5	213.7
8300	57.2	20.75	2150.0	215.0
8350	57.5	20.87	2162.5	216.2
8400	57.8	21.00	2175.0	217.5
8450	58.2	21.12	2187.5	218.7
8500	58.5	21.25	2200.0	220.0
8550	58.8	21.37	2212.5	221.2
8600	59.2	21.50	2225.0	222.5
8650	59.5	21.62	2237.5	223.7
8700	59.8	21.75	2250.0	225.0
8750	60.2	21.87	2262.5	226.2
8800	60.5	22.00	2275.0	227.5
8850	60.8	22.12	2287.5	228.7
8900	61.2	22.25	2300.0	230.0
8950	61.5	22.37	2312.5	231.2
9000	61.8	22.50	2325.0	232.5
9050	62.2	22.62	2337.5	233.7
9100	62.5	22.75	2350.0	235.0
9150	62.8	22.87	2362.5	236.2
9200	63.2	23.00	2375.0	237.5
9250	63.5	23.12	2387.5	238.7
9300	63.8	23.25	2400.0	240.0
9350	64.2	23.37	2412.5	241.2
9400	64.5	23.50	2425.0	242.5
9450	64.8	23.62	2437.5	243.7
9500	65.2	23.75	2450.0	245.0
9550	65.5	23.87	2462.5	246.2
9600	65.8	24.00	2475.0	247.5
9650	66.2	24.12	2487.5	248.7
9700	66.5	24.25	2500.0	250.0
9750	66.8	24.37	2512.5	251.2
9800	67.2	24.50	2525.0	252.5
9850	67.5	24.62	2537.5	253.7
9900	67.8	24.75	2550.0	255.0
9950	68.2	24.87	2562.5	256.2
10000	68.5	25.00	2575.0	257.5
10050	68.8	25.12	2587.5	258.7
10100	69.2	25.25	2600.0	260.0
10150	69.5	25.37	2612.5	261.2
10200	69.8	25.50	2625.0	262.5
10250	70.2	25.62	2637.5	263.7
10300	70.5	25.75	2650.0	265.0
10350	70.8	25.87	2662.5	266.2
10400	71.2	26.00	2675.0	267.5
10450	71.5	26.12	2687.5	268.7
10500	71.8	26.25	2700.0	270.0
10550	72.2	26.37	2712.5	271.2
10600	72.5	26.50	2725.0	272.5
10650	72.8	26.62	2737.5	273.7
10700	73.2	26.75	2750.0	275.0
10750	73.5	26.87	2762.5	276.2
10800	73.8	27.00	2775.0	277.5
10850	74.2	27.12	2787.5	278.7
10900	74.5	27.25	2800.0	280.0
10950	74.8	27.37	2812.5	281.2
11000	75.2	27.50	2825.0	282.5
11050	75.5	27.62	2837.5	283.7
11100	75.8	27.75	2850.0	285.0
11150	76.2	27.87	2862.5	286.2
11200	76.5	28.00	2875.0	287.5
11250	76.8	28.12	2887.5	288.7
11300	77.2	28.25	2900.0	290.0
11350	77.5	28.37	2912.5	291.2
11400	77.8	28.50	2925.0	292.5
11450	78.2	28.62	2937.5	293.7
11500	78.5	28.75	2950.0	295.0
11550	78.8	28.87	2962.5	296.2
11600	79.2	29.00	2975.0	297.5
11650	79.5	29.12	2987.5	298.7
11700	79.8	29.25	3000.0	300.0
11750	80.2	29.37	3012.5	301.2
11800	80.5	29.50	30	









CONTACTS

Shestakov Yacht Sales is a brokerage company specializing in the sale and service of yachts worldwide. The company offers services for buying and selling both new and used motor yachts, sailing vessels, and luxury superyachts. They also provide yacht registration, insurance, technical maintenance, crew selection, and charter organization services across the U.S., Canada, Latin America, the Caribbean, and the Bahamas.

The founder and lead broker of the company is Andrey Shestakov, a licensed and certified expert with extensive experience in marine engineering and shipbuilding.

The company has an extensive network of partnerships with major yacht manufacturers worldwide and provides services in multiple languages, including Russian, Ukrainian, Spanish, and English. The office is in Dania Beach, Florida, USA.


For more information and to view available yachts, you can visit the company's official website: <https://shestakovyachtsales.com>

Contact details

Phone: +1(954)274-4435

Email: andrey@shestakovyachtsales.com

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213,
Dania, FL 33004