

## STOCK BOAT GT60306 — HATTERAS



**Судостроитель:** HATTERAS

**Год постройки:** 2014

**Модель:** Моторная яхта

**Цена:** ЦЕНА ЯХТЫ ПО ЗАПРОСУ

**Местонахождение:** United States

**Длина общая:** 60' 0" (18.29m)

**Ширина:** 19' 0" (5.79m)

**Мин. осадка:** 4' 9" (1.45m)

Купить Stock Boat GT60306 — HATTERAS а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту Stock Boat GT60306 — HATTERAS а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

# ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Exterior Finish / Construction	6
Hardware & Miscellaneous	6
Flybridge	7
Electrical Systems	8
Engine Compartment & Bilge	8
Cockpit	10
Salon	10
Galley/Dinette	11
Master Stateroom	11
Starboard Guest Stateroom	12
Optional Fourth Stateroom	12
Bow Guest Stateroom	13
Optional/Custom Equipment (Staterooms)	13
Companionway	14
Master Head	14
Guest Heads	14
Optional/Custom Equipment (Companionway/Heads)	15
Additional Information	15

---

Исключения	15
Отказ от ответственности	15
ФОТОГРАФИИ	16
КОНТАКТЫ	17
Контактная информация	17
Телефоны	17
Время работы	17
Адрес	17

# ХАРАКТЕРИСТИКИ

## Обзор

4-Stateroom, 3-heads Open flybridge Located in Ft. Lauderdale, FL

## Основная информация

<b>Тип судна:</b> Моторная яхта	<b>Подкатегория:</b> Flybridge
<b>Модельный год:</b> 2014	<b>Год постройки:</b> 2014
<b>Страна:</b> United States	<b>Верх:</b> 2361
<b>Открытая палуба мостика:</b> Да	<b>Кубрик:</b> Да

## Размеры

<b>Длина общая:</b> 60' 0" (18.29m)	<b>Ширина:</b> 19' 0" (5.79m)
<b>Мин. осадка:</b> 4' 9" (1.45m)	<b>Длина привального бруса:</b> 59' 10" (18.24m)

## Скорость, вместимость и масса

<b>Водоизмещение:</b> 87000 Pounds	<b>Вместимость воды:</b> 200 Gallons
<b>Вместимость сточного бака:</b> 100 Gallons	<b>Объем топливного бака:</b> 1745 Gallons

## Размещение

<b>Всего кают:</b> 4	<b>Всего коек:</b> 6
<b>Спальные места:</b> 8	<b>Всего ком. состава:</b> 3

## Корпус и палуба

---

**Материал корпуса:** Fiberglass

## Информация о двигателе

---

**Двигатели:** 2

**Производитель:** Caterpillar

**Модель:** C-32

**Тип двигателя:** Inboard

**Тип топлива:** Diesel

---

# ПОДРОБНОЕ ОПИСАНИЕ

---

## Exterior Finish / Construction

---

- Isophthalic gelcoat, exterior layer, white (all areas except hull)
- Blister resistant vinylester gel coat, clear (hull)
- Hull and superstructure painted with a premium linear polyester/polyurethane
- Coating for improved cosmetics & increased durability
- Polymer/copper based anti-fouling bottom paint
- Boot stripe, linear polyester/polyurethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads
- Solid fiberglass, resin-infused hull bottom, with premium vinylester resins
- Hull sides of resin infused composite construction with PVC foam core and premium vinylester resins
- Solid fiberglass, resin-infused longitudinal stringers
- Steel reinforcement plates resin infused into longitudinal stringers at key locations to create engine foundations
- Bulkheads, athwartships and interior decks of resin-infused composite construction using PVC foam core
- Painted black mask

## Hardware & Miscellaneous

---

- Wood bulkheads, cabinetry and trim with a satin or high-gloss polyester finish in cherry or African mahogany
- All hardware in satin chrome
- Fortress FX-55 anchor, anchor line and hawse pipe
- Bow thruster tube
- Four polished stainless-steel spring line cleats with chafing strips, through bolted in aluminum backing plate
- Polished stainless-steel bow cleats and chocks with chafing strips, throughbolted in aluminum backing plate
- Two polished stainless-steel stern cleats and hawse pipes, through-bolted in aluminum backing plate
- Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- Fog bell
- Dual air horns
- Zincs on rudders and shafts
- Black braided nylon mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze dripless rudder seals

- Dripless shaft seals with spare seals
- Life jackets (8)
- Life ring
- Portable “drychem” fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Stainless-steel trim tabs
- Manganese bronze struts
- Stainless-steel rudders
- Propellers, Nibral high performance
- Reboarding steps to cockpit
- Black fenders (4)
- Deck plates for fuel and water fills and waste pump out
- Heavy-duty engine couplings
- Anchor locker on bow deck **Optional/Custom Equipment (Misc.)**
- Wiring for later installation of Windlass
- Bow deck freshwater wash down, add'l outlet

## Flybridge

---

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank  $\frac{3}{4}$  full monitor
- Icom VHF, Furuno RD30 depth and temp
- Polished anodized welded aluminum rails and stanchions
- Two bench seats with vinyl-covered polyfoam cushions
- Control station with all necessary switches and dimmable lighted instrument panel
- Compass with dimmable light
- Pod console with custom wheel and single-lever clutch and throttle controls (electronic) with emergency back-up, engine synchronization, and trolling valve control switches
- Hydraulic power-assisted steering
- Adjustable helmchair
- DC AM/FM stereo receiver with CD player and speakers
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges
- Rod storage space under port and starboard benches
- Top-loading insulated drink box
- Additional storage areas beneath seat(s) and console
- Powder-coated grab rails
  
- Optional / Custom Equipment
- Open flybridge with peninsula console and twin helmchairs
- Flybridge air conditioning blowers

- Sheltered weatherproof receptable, under helm
- Flybridge freezer, 8 cu ft top loading
- Flybridge freshwater connection for tower washdown
- Flybridge teak accent strip
- Flybridge cushions – C-Worthy, Sunbrella
- Pipewelders full tuna tower – to be installed in Florida

## Electrical Systems

---

- Two 24 volt banks of heavy-duty, 12 volt marine batteries (6) mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin-coated with insulation
- Gel/lead acid compatible 240 volt automatic battery charger, 50/60Hz
- Automatic battery paralleling system with switch at control console
- One 240 volt, 50 amp, transformer connected retractable shore cord with over-current protection (cockpit)
- One 240 volt, 50 amp, transformer connected shore cord inlet with cord and over-current protection (cockpit)
- DC LED lights and fixtures
- AC duplex outlet(s) with ground fault protection
- Battery control panel with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches
- Navigation lights
- Ground fault protection on AC receptacles and AC lighting circuits
- Air conditioning, 50,000 BTU's, with reversecycle heating
- TV antenna, omni-directional
- Ventilation fans in attic space

## Engine Compartment & Bilge

---

- Pultruded fiberglass rudder shelf
- AC fluorescent lights
- DC lights
- DC bilge blower
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals



- One 21.5kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, seawater strainer, remote start, fuel/water separator, hour meter, water lift muffler and sound enclosure.
- Polyethylene water lines
- Freshwater connection
- AC compressed air system with air line and regulator
- 24-volt DC bilge and sump pumps: three at 3700 gph, one at 500 gph, with heavy duty float switches and protective guards
- Auxiliary emergency bilge pump, 150 gpm in lazarette
- Bronze/chrome-plated ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- 230-volt AC 30-gallon electric water heater
- Integral fiberglass fuel tanks constructed with fire-retardant resin and bronze fittings, and coated with fire-retardant paint
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller
- 110-volt AC reversible oil changing system for engines, gear and generator with Hatteras patented quick disconnect
- U.L. Marine-listed fuel filter/water separator, generator
- Sealed shower sumps
- U.L. Marine-listed duplex fuel filters/water separators, engines
- Electric fuel priming pumps, engines
- Powder coated grab rails
- Painted polyurethane engine room and bilges
- United States Coast Guard type A1 U.L. Marinelisted fuel lines
- Isolated discharge sea chest
- 1" stainless-steel steering tie bar with pivoting self-aligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- DC voltmeter in battery panel
- Start / stop switches and hour meter
- Rubber deck mat between engines
- Seawater pressure system with AC pump
- Transducer well, glycol filled
  
- **Optional/Custom Equipment**
- CAT C-32A @1900 engines
- Auxiliary fuel tank - Additional 245 gallons
- Additional generator 21.5KW
- Cockpit coaming lights

- Cockpit underwater lights, Seavision 2 each
- Thru hulls and wire for later installation – Watermaker
- 

---

## Cockpit

---

- Molded fiberglass, 153 square feet including mezzanine with seating
- Seating with cushions across upper mezzanine
- Polished anodized aluminum ladder to flybridge with acrylic steps
- Transom door
- Sliding glass door to deckhouse
- Stereo speakers with volume control
- DC overhead lights under flybridge overhang
- Powder-coated grab rails on cab inside
- Hatch with chrome plated brass lock to engine compartment
- Seawater and freshwater wash down outlets
- Shore water connection with pressure reducing valve
- Bait and Tackle Center with 3 drawers, cutting board, and gaff storage covered by door
- Bait freezer, 8.0 cubic-foot
- Insulated storage box in mezzanine
- Insulated storage tub
- Two 60-inch fish boxes with macerator, flush in deck
- Storage in steps to deckhouse with chill box in top step
- Lazarette access through hatch
- Aluminum mounting plate laminated in deck for fighting chair
- Polished stainless-steel rod holders, flush-mount set of 4
- Transom hawsers
- ISO standard scuppers in cockpit and cockpit hatches

---

## Salon

---

- Carpeting
- Fabric headliner with wood accents installed on track system for service access
- Sliding glass door to cockpit
- 42" LCD TV
- Bose Lifestyle 35 home theater with AM/FM, CD/DVD, and surround sound speakers
- Ice maker
- Fixed frameless windows with tinted safety glass
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- L-shaped lounge with rod storage, loose cushions, arm rests and double needle stitching

- Throw pillows
- Carbon monoxide detector
- Smoke detector
- HVAC control
- Polished stainless-steel threshold at salon door

---

## Galley/Dinette

---

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Fixed frameless windows with tinted safety glass
- Microwave/convection oven covered by cabinet door
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Genuine wood inserts to match interior finish on appliance fascia
- Dinette with storage underneath and solid surface table with stainless steel pedestal
- Solid-surface countertops with sink and storage cabinets made of finished wood
- AC undercounter refrigerator and freezer drawer units (2)
- AC four-burner ceramic cooktop
- One-half hp continuous feed garbage disposal (n/a on 4 stateroom arrangement)
  
- **Optional/Custom Equipment (Salon & Galley)**
- Salon aft entry Amtico flooring
- Salon aft entry pneumatic sliding door
- Galley – 3rd unit, undercounter appliance
- Galley countertops – Cambria by Coastal Countertops
- Dinette table top – Release Marine
- Salon/galley hullsiding – Whisper Wall
- Custom décor – salon sofa, Salon cocktail table (Release Marine), galley bar stools, throw pillows
- All area – Headliner – Whisper Wall
  
- 

---

## Master Stateroom

---

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets

- Cedar-lined hanging locker with doors, shelf and automatic light
- Nightstands with drawers
- Dresser with drawers
- 19" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- DC LED lighting
- DC low-voltage lights under berth
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control

---

## Starboard Guest Stateroom

---

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Twin berths with storage under outer berth
- Upholstered berth base(s)
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Double cedar-lined hanging locker with doors, shelf and automatic light
- Nightstand with drawers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control
- 
- 

---

## Optional Fourth Stateroom

---

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access

- Upper/lower berths with storage under lower berth
- Upholstered berth base(s)
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Cedar-lined hanging locker with door and automatic light
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Smoke Detector
- Carbon monoxide detector
- HVAC control

---

## Bow Guest Stateroom

---

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Cedar-lined hanging/storage lockers with automatic light
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control
- Screened overhead hatch with privacy cover

---

## Optional/Custom Equipment (Staterooms)

---

- 4 SR, 3 head arrangement
- Rod storage locker, bunk stateroom
- Bow SR TV 19" LCD with DVD stereo
- Custom décor – Master SR bunkcover, pillow shams, headboard, berth keeper, berth base, throw pillows; Bow SR bunkcover, pillow shams, headboard, berth keeper, berth base, throw pillows; Starboard SR bunkcovers. Pillow shams, berth base, berth keeper, throw

pillows; Starboard FWD SR bunkcovers, berth keepers, berth base

- Mattresses – Master SR queen System 3; Bow SR queen System 3; Starboard SR twins System 1, Starboard fwd SR twins System 1

## Companionway

---

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Flush panel doors with door stops to staterooms and head(s)
- Lighted stairway to salon
- DC LED lighting
- Access to port & starboard storage, electric panels, and electric water tank gauge with DC light
- Wainscoting

## Master Head

---

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi mirror around upper cabinet
- Holding tank 3/4 full indicator lights

## Guest Heads

---

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards

- Stall shower with door and automatic sump pump
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120V AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi-mirror around upper cabinet
- Holding tank 3/4 full indicator lights

---

## Optional/Custom Equipment (Companionway/Heads)

---

- Plexi mirrored ceilings in heads – Bow, master and Stbd
- Master, port and bow head countertops – Avonite Pearl
- Custom décor – master head faucet, towel bar, tissue holder, guest head towel bars, tissue holder, all heads custom robe hooks, towel rings, upper cabinetry hardware, passage door hardware, privacy door hardware, all head showerheads, Master, starboard and bow head wallcovering.
- Companionway upper panels – Whisper Wall

---

## Additional Information

---

- All photo's are sistership photos
- Freight and make-ready additional

---

## Исключения

---

При продаже яхты исключаются личные вещи владельца.

---

## Отказ от ответственности

---

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

# ФОТОГРАФИИ





# КОНТАКТЫ

---

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

## Контактная информация

---

Email: [andrey@shestakovyachtsales.com](mailto:andrey@shestakovyachtsales.com)

Web: [shestakovyachtsales.com](http://shestakovyachtsales.com)

## Телефоны

---

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

## Время работы

---

Понедельник – Суббота: **9:00 - 21:00**  
EDT

Воскресенье: **Закрето**

## Адрес

---



Harbour Towne Marina, 850 NE 3rd St,  
STE 213, Dania, FL 33004