

SECOND CHANCE — CARVER



Builder: CARVER

Year Built: 2004

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 44' 0" (13.41m)

Beam: 13' 11" (4.24m)

Max Draft: 3' 6" (1.07m)

Cruise Speed: 20 Kts. (23 MPH)

Max Speed: 24 Kts. (28 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Second Chance — CARVER** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Second Chance — CARVER** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	4
Hull and Deck Information	4
Engine Information	5
DETAILED INFORMATION	6
Standard Equipment List	6
Optional Equipment	13
Exclusions	14
Disclaimer	14
PHOTOS	15
Carver 444 Cockpit Aft Cabin Motor Yacht	15
Carver 444 Cockpit Aft Cabin Motor Yacht	15
Cockpit	15
Cockpit	15
Flybridge Stairs and Picture Window	15
Aft Deck Seating	15
Wide Port Walkway to Bow	16
Wide Starboard Walkway to Bow	16
Companionway to Command Bridge	16
Command Bridge	16
Helm with Garmin 4210 GPS and Raymarine RL80C+	16
Command Bridge Lounge	16
Clear View of the Bow	17
Wet Bar on Command Bridge	17

Salon Sofa Starboard	17
Salon Sofa Starboard convertible	17
Salon Portside Sofa	17
Salon Portside Sofa Recliners	17
Ensuite Forward Guest Head	18
Galley	18
Companionway to Owner's Suite	18
Forward Guest Stateroom Queen	18
Owners Suite Queen Berth	19
Owner's Suite Ocean View Door	19
Owner's Ensuite Head	19
Port Engine	19
Starboard Engine	19
Kohler Generator in Sound Shield	19
CONTACTS	20
Contact details	20
Telephones	20
Office hours	20
Address	20

SPECIFICATIONS

Basic Information

Category: Motor Yacht	Sub Category: Flybridge
Model Year: 2004	Year Built: 2004
Country: United States	

Dimensions

LOA: 44' 0" (13.41m)	Beam: 13' 11" (4.24m)
Max Draft: 3' 6" (1.07m)	Clearance: 20' 0" (6.10m)
MFG Length: 46' 6" (14.17m)	

Speed, Capacities and Weight

Cruise Speed: 20 Kts. (23 MPH)	Max Speed: 24 Kts. (28 MPH)
Displacement: 33600 Pounds	Water Capacity: 90 Gallons
Holding Tank: 72 Gallons	Fuel Capacity: 404 Gallons

Accommodations

Total Cabins: 2	Total Berths: 4
Total Heads: 2	

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: Volvo

Model: Volvo

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Standard Equipment List

CONSTRUCTION

- Cabinetry, bulkheads, trim, and doors: cherry wood, throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames
- With stainless steel stanchions
- Molded fiberglass components: hand-laid, featuring composite laminate hullsides, decks, & cabintops
- Hull bottom: sandblasted in preparation for bottom paint; assures adherence and eliminates the “peeling effect”
- Stringer system: molded fiberglass
- Solid fiberglass hull bottoms: with Knytex substrates & vinylester barrier coat
- Structural engine mountings with reinforced stringer mountings, double-gusseted, angle steel plates
- Tinted, tempered safety glass: frameless window systems
- Unitized deck, cockpit, and cabintop construction with integral aluminum truss reinforcement in cabintop structure

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC voltmeters; AC ammeters
- Batteries, Engine: (4) 31 series starting batteries
- Battery, Service: dedicated 31 series, deep cycle, (12V)
- Battery charger: (1) 60 amp charger for the engines and ship service batteries
- Dockside inlet: CATV with 50' (15.2 m) of white cord
- Ground Fault Circuit Interrupt (GFCI) protection: all electrical outlets
- Shore power connector: 50 amp (32 amp 220V)
- Shore power cord: 50' (15.2 m) white
- Wiring system: tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

MECHANICAL

- Propellers: 4-blade, Manganese Water and Holding Systems
- Cutlass bearings: synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers: engines, generator
- Fresh water cooling: engines
- Fuel tanks: total 404 Gallons
- Hydraulic steering

- Internal seawater strainers
- Propeller shafts: Aquamet®, 1.5" (3.8 cm) diameter
- Rudders & struts: 421 manganese bronze
- Shaft Seals: Tides Marine® sureseal, self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs: Bennett Marine®, 24" x 9" (61 x 23 cm) plane, stainless steel, hydraulic

WATER AND HOLDING SYSTEMS

- Fresh water storage tank: (1) 70 gallons (295 L), polyethylene
- Hot & cold transom handshower
- Fresh Water System: pressurized
- Shower sump pump: (1) automatic operation
- Waste holding tank: (1) 37.5 gallons (142 L) with vent & dockside pumpout
- Water & waste lines: constructed of molecularly cross-linked polyethylene
- Water heater: 6 gallons (23 L)

SAFETY AND NAVIGATION

- Seacocks: bronze at thru-hulls on hull bottoms; marine grade composite
- At hull sides
- Anodes: zinc, sacrificial
- Battery master disconnect switches
- Battery restraint boxes
- Bilge alarm: high water
- Bilge blowers
- Bilge pumps: (4) total
- CO detectors in salon & stateroom
- Compass: flush Mount, illuminated, dual-read
- Engine alarms: temperature & oil
- Fire suppression system: automatic, with alarm and override
- Galvanic isolator/zinc saver
- Horn: dual electric (12V), trumpet
- Internal bonding system with 8 gauge size wire, ABYC compliant
- Molded nonskid surfaces: on all walk decks, diamond pattern
- Navigation lights (COLREGS)
- Spotlight: remote control
- Windlass

ENGINE ROOM

- Bilges: coated with white gelcoat
- Bulkheads: laminated to hull sides & stringers
- Catwalk: carpeted
- Insulation: acoustical & thermal, vinyl vapor barrier

- Lights: (3) on forward & aft bulk- heads

BOARDING PLATFORM

- Platform: 35 ft² (3.3 m²) approx., integral to hull & deck
- Boarding ladder: telescoping, conceals beneath boarding

DECKS

- Beverage holders: (2) fold-out, on sunpad
- Bow rail: 1.0" (2.5 cm) O.D., lineal- buffed, welded stainless steel, with additional intermediate rail forward
- Bow rail stanchions: double-welded (inside & outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats: 10" (25 cm) stainless steel: anchor (1), bow (2), spring (4), stern (2), bolted through aluminum backing plate
- Deck toe rail
- Grab rail: stainless steel, over cabin windows, runs length of cabin & above windshield
- Over-the-stem anchor roller
- Rub rail molding: heavy-duty, 1" & 3/4" 316L stainless steel insert
- (25 mm & 19 mm)
- Wing Doors: (2), clear acrylic in aluminum frame, secure open & closed, stainless steel hardware, provides access to the side decks

AFT DECK

- Access panels: (2), behind lounge backrest, provide access to helm wiring
- Aft Deck: 60 ft² (5.5 m²) approx., integral to, deck self-draining
- Beverage holders: (2), recessed, aluminum with no-slip bottoms, self- draining
- Command Bridge Stairway: integral to deck, with courtesy light and stainless steel hand rail on each side
- electronics arch: welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates: (5), corrosion-resistant polymer
- Attached with non corroding screws & waterproof sealant
- Lights, Courtesy: (2), recessed
- Lights, Overhead Recessed: (2), recessed, with exterior-mounted switch
- Lounge: with storage beneath, accommodates 6 adults
- Self-draining walk surface
- Stereo speakers (2)
- Storage locker
- Wet Bar: molded fiberglass, integral self-draining sink, cold water tap, 2 storage cabinets beneath
- Transom Door: polymer panel in platform tubular stainless steel tabbed frame, secures closed

- Clarion AM/FM/DVD Sirius Stereo Radio

HELM

- Accessory panel: provides access to wiring in the helm console
- Accessory space: for installing navigation equipment
- Adapter: 12V
- Beverage holders: (2), recessed, aluminum with no-slip bottoms, self- draining
- Companion helm seat: swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Dash: molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Displays: (1 for each engine), digital LCD; tachometer, hourmeter,
- Engine oil pressure, engine coolant temperature, engine battery
- Voltage, engine diagnostics
- Gauges: analog; fuel level and rudder angle (1 for each engine)
- Grab rails: (2) stainless steel, on either end of helm
- Helm seat: swivel pedestal, high- quality marine-grade upholstery, embroidery stitching, and arm rests
- Lights, courtesy: (3) recessed
- Rocker switch controls
- Stereo Speaker: (2)
- Storage Locker
- Tilt steering wheel
- Wet Bar: molded fiberglass, integral self-draining sink, cold water tap, wraparound stainless steel grab bar, storage cabinet beneath
- Walk Surface: self draining

COCKPIT

- Aft Deck Stairway: integral to deck, with courtesy light & stainless steel hand rail on each side
- Boarding Access from port or starboard dock
- Cockpit Size: 57 ft² (5.3 m²) approx., integral to hull & deck, self-draining
- Command Bridge Stairway: integral to deck, with stainless steel hand rails, courtesy light
- Direct access to master stateroom
- Electrical outlet
- Hatch: guttered, supported by gas shock, provides aft bilge access
- Lights, Courtesy: (4) recessed, with exterior-mounted switch
- Locker, Shore Service: recessed in transom; contains: power, water, TV, and telephone connections
- Transom door: fiberglass, secures open & closed, stainless steel hardware
- Water Systems locker: recess in transom; contains: handshower & optional washdowns

DINETTE

- Bench seats: (2), converts (with table) to double berth
- Carpet: tufted cut pile, crush- resistant, 100% nylon
- Countertops: cherry wood, with stainless steel sea rail
- curtains: décor-matched
- Dry bar cabinet: 2 shelves with sea rails & 6 barware holders, 5 stemware holders, mirrored back*
- Electrical outlet
- Lights: (2), halogen, overhead, recessed
- Rocker light switch
- Storage compartments: (2), beneath sole, with carpeted hatches
- Storage cabinet
- Storage drawers: (2)
- table: cherry wood, (with bench seats) converts to double berth
- Telephone connector

SALON

- AC & DC distribution panels
- access Hatches: (5) engine room
- Carpet: tufted cut pile, crush- resistant, 100% nylon
- chair: fabric upholstery
- Countertops: cherry wood
- Curtains: décor-matched
- Decor Package: 10-piece decorator pillow set
- Electrical outlet
- Entertainment group: 20" LCD TV (12 V) DVD/CD/MP3 Player, AM/FM/
- CD waterproof marine stereo
- Entrance door: tinted glass, aluminum frame, sliding, latch lock, secures open, with interior screen
- Fresh air System: passive, with
- Lights, Overhead Recessed: (4) halogen
- pillow set: decorator, 5-piece
- Rocker light switch
- Sofa: Flexsteel®, with stowaway bed and extension
- Stairway to Master Stateroom: cherry wood risers, carpeted treads
- Storage cabinet with 2 doors

GALLEY

- Coffee Maker
- Countertops: solid surface
- Curtains: décor-matched
- Designer décor
- Electrical outlet
- Flooring wood

- Lights: (2)* (1)** incandescent, over countertop, single-fixture
- Overhead Recessed Lights: (2)* (3)**
- Microwave oven: stainless steel, 1.2 cubic foot (20 L)
- Range: electric, 2-burner, glass top
- Refrigerator/freezer: 9.1 cubic foot (258 L), stainless steel, upright
- Rocker light switch
- Silverware tray
- Sink: stainless steel, with solid surface cover
- Storage cabinets (3)
- Storage drawers (4)
- Waste basket: 9 quart (8.5 L), round, white

MASTER STATEROOM

- Berth: double innerspring mattress
- Berth nightstands: (2) cherry wood
- Carpet: tufted cut pile, crush-resistant, 100% nylon
- Curtains: décor matched
- Designer décor
- Electrical outlet
- Entrance doors: (2) See below: cabin Door: solid cherry wood, secures closed, stainless steel hardware Cockpit Door: tinted glass in aluminum frame, sliding, locking latch, inside deadbolt with flush-mounted handle, interior screen
- Hanging lockers: (2), cedar-lined, 3 interior shelves with sea rails
- Hull portlights: (2), fixed, non-opening
- Lights, Overhead Recessed: (3)
- Mirror: on forward bulkhead, conceals anchor chain locker access
- Overhead hatch: tinted glass, lockable, inside screen
- Rocker light switch
- Shelves (2) with bolster sea rail
- Stereo speakers (2)
- Stereo drawers (2)
- Storage cabinets (3)

MASTER HEAD

- Clothes hook and towel ring
- Electrical outlet
- Entrance door solid cherry wood, secure closed, stainless steel hardware
- Hardware highlights: brass/chrome
- Hull portlight: frosted privacy glass with screen
- Lights, Vanity: (2), incandescent, over vanity, designer fixture
- Medicine cabinet: mirrored door, 2 shelves with sea rails
- Nonskid sole
- Robe hook

- Rocker light switch
- Storage cabinet: (2) shelves with sea rails, mirror doors
- Hull portlight: with screen
- Ledge top: solid surface top
- Lights, Overhead Recessed: (3)
- Lights, Sconce: (1) directable for reading
- Rocker light switch
- Shelves: (2), cherry wood, recessed
- Storage beneath mattress
- Storage cabinets: (3)
- Toilet: electric flush, pedestal
- Toilet paper holder: beneath vanity
- Towel rings (2)
- Vanity: solid surface top, stainless steel sink, storage beneath with 2 doors\

MASTER SHOWER STALL

- Bench seat: integral, with solid surface top
- Lights, Overhead Recessed: (2)
- Nonskid sole
- Shower door: clear acrylic in aluminum frame, secures closed, stainless steel hardware
- Shower head: removable for use as hand-shower

VIP STATEROOM

- Berth: double
- Carpet: tufted cut pile, crush-resistant, 100% nylon
- Countertops: cherry wood
- Curtains: décor matched
- Designer décor
- Electrical outlet
- Entrance door: solid cherry wood, secures closed, stainless steel hardware

VIP HEAD

- Clothes hook and towel ring
- Electrical outlet
- Entrance doors: (2), one to stateroom & one to galley, solid cherry wood, secure closed, stainless steel hardware
- Hardware highlights: brass/chrome
- Hull portlight: frosted privacy glass with screen
- Lights, Vanity: (2), incandescent, over vanity, designer fixture
- Medicine cabinet: mirrored door, 2 shelves with sea rails
- Nonskid sole
- Robe hook

- Rocker light switch
- Storage cabinet: (2) shelves with sea rails, mirror doors
- Hull portlight: with screen
- Ledge top: solid surface top
- Lights, Overhead Recessed: (3)
- Lights, Sconce: (1) directable for reading
- Rocker light switch
- Shelves: (2), cherry wood, recessed
- Storage beneath mattress
- Storage cabinets: (3)
- Toilet: electric flush, pedestal
- Toilet paper holder: beneath vanity
- Towel rings (2)
- Vanity: solid surface top, stainless steel sink, storage beneath with 2 doors

SHOWER STALL

- Bench seat: integral, with solid surface top
- Lights, Overhead Recessed: (2)
- Nonskid sole
- Shower door: clear acrylic in aluminum frame, secures closed, stainless steel hardware
- Shower head: removable for use as hand-shower

Optional Equipment

OWNER PREFERENCES

- Volvo Penta® TAMD63P 370hp

MECHANICAL:

- Engine oil change system

ELECTRICAL:

- Air conditioning: 3-zone, 34,000 BTU; with reverse cycle heat
- Generator (with sound shield, dedicated 31 series battery and 10 amp battery charger)
- Kohler® 9 kw 60 Hz diesel

WATER & HOLDING SYSTEMS:

- Aft tank overboard discharge system with pump
- Grey water holding system
- Transom & Bow washdowns
- Both fresh & seawater

SAFETY & NAVIGATION:

- Fender racks
- Ground tackle - 35 lb. (16 kg) anchor 125'
- (38 m) of 5/16" (8 mm) chain, shackle and line with snap hook

NAVIGATION ELECTRONICS PACKAGE

- Raymarine® RL80C+ multifunction navigation display
- Garmin GPS Map 4210
- Raymarine Auto Pilot
- Raymarine Navigator
- ACR Remote Control Searchlight

AMENITIES:

- Bridge Storage and Icemaker
- Prestige full canvas with carpet
- Canvas color Toast
- Underwater lighting
- Salon Central vacuum system
- Master stateroom 13" TV & DVD/CD Player
- Vip stateroom TV & DVD/CD player

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

Carver 444 Cockpit Aft Cabin Motor Yacht



Carver 444 Cockpit Aft Cabin Motor Yacht




Cockpit



Cockpit



Flybridge Stairs and Picture Window



Aft Deck Seating



Wide Port Walkway to Bow



Wide Starboard Walkway to Bow



Companionway to Command Bridge



Command Bridge



Command Bridge Lounge



Helm with Garmin 4210 GPS and Raymarine RL80C+



Clear View of the Bow



Wet Bar on Command Bridge



Salon Sofa Starboard



Salon Sofa Starboard convertible



Salon Portside Sofa



Salon Portside Sofa Recliners



Galley



Ensuite Forward Guest Head



Forward Guest Stateroom Queen



Companionway to Owner's Suite



Owners Suite Queen Berth



Owner's Suite Ocean View Door



Owner's Ensuite Head



Port Engine



Starboard Engine



Kohler Generator in Sound Shield



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00 EDT**

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004