

JESSICA — VICEM



Builder: <u>VICEM</u> **LOA**: 58' 0" (17.68m)

Year Built: 2007 **Beam**: 16' 7" (5.05m)

Model: Cruiser Min Draft: 4' 8" (1.42m)

Price: PRICE ON APPLICATION Cruise Speed: 25 Kts. (29 MPH)

Location: United States **Max Speed**: 30 Kts. (35 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs Jessica — VICEM from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Jessica** — **VICEM** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

Jessica — VICEM

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	4
Hull and Deck Information	4
Engine Information	5
DETAILED INFORMATION	6
Layout	6
Saloon/ Bar/Dining Area/Helm Station	6
Galley	6
Master Stateroom & Master Head	7
VIP Guest Stateroom & Head	7
Common Interior Features	8
Construction	9
Mechanical & Plumbing	10
Electrical Systems & Equipment	12
Exterior Outfit, Deck Hardware and Carpentry	13
Exclusions	15
Disclaimer	15
PHOTOS	16
Aft Running Shot	16
Bow Facing Running Shot	16
Overhead Running Shot	16
Starboard Running Shot	16
Aft Shot With Canvas	17
Jessica At Dock	17

	<u></u>	
	Aft View Looking Forward	17
	Aft Cockpit Seating	17
	Salon U Shape Sette to Port Side	18
	Salon View	18
	Office Work Station on Deck	18
	Helm Veiew	18
	Galley 2	18
	Galley	18
	Guest Head	19
	Guest Stateroom	19
	Master Shower	19
	Master Stateroom	19
	Master Head	20
	Engine Shaft 1	20
	Engine Shaft 2	20
	Generator	20
	Engine Room View	21
	Engine Room	21
	Starboard Engine	21
	Port Engine	21
С	ONTACTS	22
	Contact details	22
	Telephones	22
	Office hours	22
	Address	22

Jessica — VICEM Page 4 of 22

SPECIFICATIONS

Basic Information

Category: Cruiser Sub Category: Express

Model Year: 2007 Year Built: 2007

Country: United States

Dimensions

LOA: 58' 0" (17.68m) **LWL**: 54' 0" (16.46m)

Beam: 16' 7" (5.05m) **Min Draft**: 4' 8" (1.42m)

Speed, Capacities and Weight

Cruise Speed: 25 Kts. (29 MPH) Max Speed: 30 Kts. (35 MPH)

Displacement: 50600 Pounds Water Capacity: 220 Gallons

Holding Tank: 120 Gallons Fuel Capacity: 1000 Gallons

Accommodations

Total Cabins: 2 Total Berths: 2

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Jessica — VICEM Page 5 of 22

Engine Information

Engines: 2 Manufacturer: MAN

Model: CR V8 Engine Type: Inboard

Fuel Type: Diesel

Jessica — VICEM Page 6 of 22

DETAILED INFORMATION

Layout

The Vicem 58 has a wonderful and useful layout. She is a two cabin two head layout (with twoshowers). The galley is down and gives you a huge feeling of open space with the forwardwindshields acting as overhead sky lights. Open and warm salon with two large aft doors tocockpit. Satin African mahogany wood work is top notch! She has an old world feel with all high end equipment.

Saloon/ Bar/Dining Area/Helm Station

- Bottle and glass storage.
- · Chairs, lounge, dining.
- Coffee table, wood, with high low mechanism.
- Controls at helm, full range for all yacht functions.
- Electronics console, removable.
- · Helm console.
- Helm outlet, 12 vdc.
- Helm seat, wood, for two persons.
- Indicators at helm; engine panels.
- Settee, straight, twin with storage.

Galley

- Cooktop, 4 burner
- Countertop lockers.
- Countertop, Corian
- Drawers, cutlery and storage.
- Faucet, single lever, chrome.
- Icemaker

Jessica — VICEM Page 7 of 22

- Microwave oven, stainless steel, convection, gourmet, 110 vac.
- Plate storage in lockers.
- Range hood, stainless steel, vented, vdc
- Refrigerator/Freezer apartment size, vac/vdc
- Sink, stainless steel, polished.
- Trash container, slide out plastic bin.

Master Stateroom & Master Head

- Berth, island queen with lift up storage, headboard.
- · Countertop, Corian, for head.
- Faucet, sink, single lever, pop up drain and P-trap, chrome.
- Hanging lockers, lined with shelves and micro switch for LED closet light.
- Mattress foam, premium quality.
- · Mirror, premium décor, glass.
- · Night stands with storage.
- Shower stall, with wood framed tempered glass door, painted cold molded epoxy.
- Shower with drain pump, 24 vdc.
- Sink, stainless steel, under counter mount.
- Storage in head, with lockers, drawers.
- Toilet accessories, paper holder, towel rack, rings, hooks, chrome.
- Toilet, marine, electric, 24 vdc.

VIP Guest Stateroom & Head

- Berth, island gueen with lift up storage, headboard.
- Countertop, Corian, for head.
- Faucet, sink, single lever, pop up drain and P-trap, chrome.

Jessica — VICEM Page 8 of 22

Hanging lockers, lined with shelves and micro switch for LED closet light.

- Mattress foam, premium quality.
- Mirror, premium décor glass.
- Night stands with storage.
- Overhead hatch.
- Shower stall, with wood framed tempered glass door, painted cold molded epoxy.
- Shower with drain pump, 24 vdc.
- Sink, stainless steel, under counter mount.
- Storage in head, with lockers, drawers.
- Toilet accessories, paper holder, towel rack, rings, hooks, chrome.
- Toilet, marine, electric, 24 vdc.

Common Interior Features

- Cabin doors, veneered panels with solid frame, chrome door hardware, door stops.
- Décor curtains for staterooms.
- Décor curtains, on main salon windows.
- Décor package, bedspreads, pillow shams, pillows for staterooms.
- Décor package, fabrics, seats, settees, throw pillows for salon and staterooms.
- Drawers, veneer panel with frames, slides, self closing stops.
- Fiddles, galley, stainless steel.
- Grab rails, wood.
- Hardware, stainless steel and chrome.
- Headlining, painted formed panels, removable.
- Insect screens, removable for opening port lights.
- Lighting, down lights, accent lights, spot lights, indirect, 24 vdc.
- Lights, reading over berths, 24 vdc.

Jessica — VICEM Page 9 of 22

- Locker door, veneered panels, positive locker.
- Owner's operation and maintenance manual.
- Painted interior, hidden surface areas below lockers, berth and furniture.
- Port Lights, stainless steel, with screens, deck only
- Sole, laid iroko flooring, wenge border inlay, satin finish.
- Spare parts kit, general.
- Stainless steel fiddles.
- Steps, with clear non-skid varnish.
- Varnish, marine varnish, matt finish.
- Wall coverings, veneer, painted panels.
- Watch Set clock/tide clock/barometer
- · Wood, mahogany

Construction

- Deck and house top structure, with mahogany framing and beams. Carbon w/ epoxy located at high load areas.
- Deck exterior small parts: Wood and plywood cold molded parts for deck.
- Deck hull joint, fully glued and mechanically fastened.
- Deck lamination and sheathing, fabrics for hull and deck sheathing to be E-glass biaxial; 1 ply, with epoxy coating and lamination.
- Deck Painting, superstructure and deck, epoxy undercoating, epoxy fairing compound, priming and polyurethane coating for all deck and deck parts' surfaces, choice of white or cream.
- Deck, main and superstructure: Wood and marine plywood cold molded deck, with epoxy.
- General, epoxy cold molded, hard chine, planing hull and cold molded plywood decks, superstructure and housetop.
- Hull lamination, fabrics for hull and deck sheathing to be E-glass biaxial; 2 ply, with epoxy coating and lamination.
- Hull Painting, boot-top, priming and polyurethane coating for boot top, choice of colors.

Jessica — VICEM Page 10 of 22

• Hull Painting, bottom, epoxy undercoating, epoxy fairing compound, epoxy barrier coating, anti fouling paint for all bottom surfaces.

- Hull Painting, topsides, epoxy undercoating, epoxy fairing compound, priming and polyurethane coating for all hull topside surfaces, choice of colors.
- Hull guarter guards and rub rails, laminated teak and bolted with stainless strikers.
- Hull structure, mahogany and hard wood stringers, framing, keelson, sheer, clamps, chine clamps, longitudinal stringers.
- Hull, general, wooden cold molded hull with epoxy; Strip and cross planked mahogany hull skin.
- Soles, structural, laminated marine plywood.
- Structual and watertight bulkheads, composite marine plywood with sound proofing for bulkheads and panels.
- Structural engine bed structure, cold molded mahogany, laminated.

Mechanical & Plumbing

- Air conditioning total 60,000 BTU.
- Air-conditioning, condensation drain with pumps.
- Air-conditioning, direct expansion.
- Bilge pump, manual.
- Bilge pumps, zoned, automatic, 24 vdc.
- · Bow thruster.
- Dampeners, for engine room intakes, mechanical.
- Discharge pumps, black/gray water tanks, 24 vdc, with level indicator.
- Engine instrumentation at helm, start/stop with electronic digital/analog displays.
- Engine mounts, heavy duty isolation mounts.
- Engine room exhaust and intake blowers 24 vdc.
- Engine room faucet, fresh water.
- Engine throttle and gear shift controls, single station, electronic, with synchronizers, trolling

Jessica — VICEM Page 11 of 22

valve control.

Engine, marine gear trolling valves.

- Engines, marine reduction gears.
- Exhaust system, twin risers, with FRP tubing, high temperature silicon rubber connectors, isolation mounted, discharge underwater.
- Exhaust, generator system with gas water separator.
- Fire extinguishers for galley, engine room and staterooms.
- Fresh water pump, variable pressure, 24 vdc.
- Fresh water regulator, city water.
- Fresh water system, engineered plastic piping and fittings.
- Fresh water wash down in bow and cockpit.
- Fuel filters, single water separators for each engine.
- Fuel hose, fill, supply, return, approved Type A1 and A2.
- Propeller shafts, HS stainless steel, with tapered coupling, direct connection.
- Propellers, fixed pitch, 4 blade, NiBral.
- Propellers, nickel-aluminum-bronze.
- Seacocks on thru-hulls below waterline with double clamped hoses.
- Seacocks, bronze and stainless steel with exterior hull strainers for engines, air conditioning, generator.
- Seacocks, raw water strainers for pumps and intakes.
- Seacocks, valves on thru-hulls above waterline with double clamped hoses.
- Shaft brackets, stainless steel with rubber bearings.
- Shaft seals, drip-less lip seals, spare seal installed.
- Steering rudders, stainless steel with stainless shaft and bronze tiller arms with connecting rod, composite tube with bearings.
- Steering wheel, varnished teak with stainless steel bars.
- Steering, power assisted hydraulic with autopilot connection points.

Jessica — VICEM Page 12 of 22

- Tank fills, for fuel, water, grey and black, stainless steel.
- Tank gauges for fuel and water 24 vdc.
- Tank, vents for fuel, water, grey, black tanks.
- Tanks, fresh water, baffled in HDPE stainless steel 304.
- Tanks, fuel, baffled in stainless steel 316L.
- Tanks, black/grey water, baffled in high density polyethylene HDPE.
- Toilets, 24vdc electric.
- Trim tabs, stainless steel with twin actuators, single station, with indicators.
- Ventilation, showers, 24 vdc.
- Water heater, 11 gals/40 lts, vac.
- Water hose, reinforced rubber hose for drainage, discharge and supply.

Electrical Systems & Equipment

- AC electrical system, 110-240 vac, 50 or 60 Hz.
- Air horn, dual trumpet, 24 vdc.
- Alternator, engines, 24 vdc-120 amp.
- Alternator, generator, 12 vdc-60 amps.
- Batteries, AGM, 2 each 200 Ah for bow thruster.
- Batteries, AGM, 2 each 200 aH for engine starting. AGM 1 each 90 aH for generator.
- Batteries, AGM, 4 each 200 aH for house for 400 ah service.
- Battery boxes, hold down straps and covers.
- Battery charger, 100 amp 24V.
- Battery condition indicator.
- Battery management panel, at AC ship's systems panel.
- Battery switch, emergency paralleling.
- Bonding system, all metal parts below waterline.

Jessica — VICEM Page 13 of 22

- Bonding system, zinc anodes.
- Carbon Monoxide detector, each stateroom and salon, 24 vdc.
- Circuit breaker panel.
- Circuit breakers, 12-24 vdc, 110-240 vac.
- Cockpit lights, 24 vdc.
- Compass (1), 5 degree card, located at helm console.
- Courtesy lights, LED 24 vdc.
- DC electrical system, 12 vdc, 24 vdc.
- Engine room, lazarette lights, 24 vdc.
- · Galvanic isolator.
- Interior lighting, spot, overhead, reading, mood lighting, 24 vdc.
- Light Switches, 12 vdc or 24 vdc, modular with décor cover plates.
- Navigation lights, LED, 24 vdc.
- Outlets, 110 vac, modular with décor cover plates.
- Outlets, GFCI Sockets in heads and galley.
- Searchlight, 24 vdc, remote.
- Shore power cable and inlet 50 amp with 50 ft. cable, yellow.
- Spare parts kit, electrical.
- Windshield wipers, triple, 24 vdc with speed control, auto parking and fresh water wash.
- Wire fittings, marine grade, terminals, connectors, fuses, fittings and conduit.
- Wiring, marine-grade, tinned copper.

Exterior Outfit, Deck Hardware and Carpentry

- All hardware chromed brass or stainless steel.
- Anchor chain locker, self draining, with access hatch.
- Anchor chain, with swivel.

Jessica — VICEM Page 14 of 22

- Anchor roller, for single anchor storage, stainless steel.
- · Anchor, stainless steel.
- Anchoring equipment, chain stopper, hawser, snubber, deck chafe plate.
- · Boat Hook, varnished mahogany.
- Chocks, stainless steel cast.
- Cleats, mooring, stainless steel.
- Company Brand mark, on deck, stainless steel.
- Cushions and seating, soft foam and fabric.
- Docking euipment, lines fenders, fender covers.
- Engine room air intake / discharge vents.
- Engine room entrance.
- Engine room, sound insulation, composite panels of dampening, barrier and absorption layers.
- Flagstaff holders, bow and stern, stainless steel.
- Flagstaff, bow burgee and stern ensign, stainless steel for bow, varnished teak for cockpit.
- · Grab rails, mahogany.
- Hatch, deck, aluminum, tinted acrylic (3).
- Hatches, teak, flush, in cockpit deck to lazerette, anchor locker
- Hull identification mark (HIN).
- Ladders, lazarette, stainless steel
- Lockers, aft deck storage.
- Quarter guard, laminated teak with stainless steel half round.
- Rub rail, mahagony with stainless steel half round.
- Scuppers, stainless steel.
- Settee, with storage.
- Shower, cockpit shower, recessed.
- Skylight hatches on forward cabin top.

Jessica — VICEM Page 15 of 22

- Swim ladder, stainless steel.
- Swim platform, laminated teak mounted with stainless steel fitting.
- Teak decking in cockpit.
- · Transom door.
- Transom shower, hot and cold with retractable hose.
- Windlass, dual function for chain and rode, 24 vdc.
- Windows, direct glazed.
- Windows, forward clear, side tinted.
- Windows, tempered.

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

Jessica — VICEM Page 16 of 22

PHOTOS

Aft Running Shot



Overhead Running Shot



Bow Facing Running Shot



Starboard Running Shot



Jessica — VICEM Page 17 of 22

Jessica At Dock



Aft Shot With Canvas



Aft View Looking Forward





Jessica — VICEM Page 18 of 22

Salon View



Salon U Shape Sette to Port Side



Office Work Station on Deck



Helm Veiew



Galley



Galley 2



Jessica — VICEM Page 19 of 22

Guest Stateroom



Guest Head



Master Stateroom



Master Shower



Jessica — VICEM Page 20 of 22

Master Head



Engine Shaft 1



Engine Shaft 2



Generator



Jessica — VICEM Page 21 of 22

Engine Room



Engine Room View



Starboard Engine



Port Engine



Jessica — VICEM Page 22 of 22

CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004