

EQUINOX — X YACHTS



Судостроитель: X YACHTS

Год постройки: 2008

Модель: Cruising/Racing Sailboat

Цена: **ЦЕНА ЯХТЫ ПО ЗАПРОСУ**

Местонахождение: United Kingdom

Длина общая: 50' 9" (15.47m)

Ширина: 14' 0" (4.27m)

Мин. осадка: 8' 10" (2.69m)

Купить **EQUINOX — X YACHTS** а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **EQUINOX — X YACHTS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Broker's Comments	6
Construction	6
Machinery	6
Electrical Systems	7
Plumbing Systems	10
Tankage	10
Navigation Equipment	11
Domestic Equipment	13
Accommodation	14
Deck Equipment	18
Исключения	23
Отказ от ответственности	23
ФОТОГРАФИИ	24
КОНТАКТЫ	27
Контактная информация	27
Телефоны	27
Время работы	27
Адрес	27

ХАРАКТЕРИСТИКИ

Обзор

A pretty and slippery X-50 that turns heads wherever she sails. In superb order and fastidiously maintained.

Основная информация

Тип судна: Cruising/Racing Sailboat

Подкатегория: Крейсерская яхта

Модельный год: 2008

Год постройки: 2008

Страна: United Kingdom

Размеры

Длина общая: 50' 9" (15.47m)

Длина по ватерлинии: 45' 5" (13.84m)

Ширина: 14' 0" (4.27m)

Мин. осадка: 8' 10" (2.69m)

Скорость, вместимость и масса

Водоизмещение: 34612.575134 Pounds

Вместимость воды: 129.708477532
Gallons

Объем топливного бака: 91.667702044
Gallons

Размещение

Всего кают: 4

Всего коек: 8

Всего ком. состава: 3

Корпус и палуба

Материал корпуса: GRP

Материал палубы: Teak

Отделка корпуса: Stainless Steel

Дизайнер корпуса: Niels Jeppesen

Информация о двигателе

Двигатели: 1

Производитель: Volvo Penta

Модель: D2-75C

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Broker's Comments

The X-50 is not only a beautiful yacht but also an absolute delight to sail in all weather conditions. EQUINOX has been meticulously looked after in her ownership and offers an excellent opportunity to purchase for the season.

Construction

HIN: DK-XYA50044J707

Classification: X-50 #50 – Official Number: 05050

RCD Status: The yacht conforms with the essential safety requirements of Directive 94/25EC (Recreational Craft Directive) and is categorised A – “Ocean”

Hull, Deck & Superstructure Construction:

- White coloured hull - vinylester and isotalic polyester resin sandwich and biaxial E-glass fabric.
- Teak in cockpit seats, floor, coamings, bathing platform, coachroof, deck.
- Integrated galvanised steel girder system, accepting loads from the keel and rig (laminated to bulkheads).
- Bottom treatment, 3*epoxy/2*anti foul (International Trilux) - osmosis guarantee.

Keel & Rudder:

- Steel keel with bulb encapsulated and faired in GRP.
- Alternative keel - draft 2.7m.

Machinery

Engine & Gearboxes:

- 1 x Volvo Penta D2-75C 75HP diesel engine, Sail Drive 75HP 55kw
- Fresh Water system 9.8l.
- 1 x Soundproof compartment with 2 lights and Rule in-line blower electric fan extraction, hot air to port cockpit rope locker.
- 1 x Transmission S-Drive. New spacing disc kit fitted after general recall Aug 2009 under warranty.
- 1 x Hardi Electronic Fuel Pump.
- Jabsco Diesel Refuelling Transfer Pumps, from bulk tanks to consumption tank.
- 1 x Osculati Marfilt Marine Diesel Fuel Filter/Water Separator.

Maintenance & Performance:

- Max RPM: 3650.
- Fuel Consumption: 1800 rpm (max torque) 4l/hr, 5l/hr @ 2000 rpm (approx 7.5 knots in calm conditions with clean bottom), 7.5l/hr @ 2300rpm, 10.0l/hr @ 2600 rpm, 18.0l/hr @ 3000rpm (max power).
- Cruising speed 1800-2500 rpm. Rated rpm 3185rpm.

Propulsion & Steering:

- 2 x Jefa 1100 mm SS tandem spoke wheels (with leather cover).
- 2 x Jefa twin wheel WP 800 race pedestal 12° version.
- Teleflex TX Controls B700 engine control mechanism with Teleflex 3300 Universal throttle.
- Jefa SS single lever engine and gear lever control.
- Flex-o-fold folding 3 blade 20"x14" anti-clockwise (fwd) propeller, cast Nickel/Aluminium/Bronze (82% copper for antifouling).
- 1 x Bowthruster - Max Power - Composite base - 9.5HP thrust, duo propellers, vertically retracting.

Electrical Systems

Voltage Systems:

- 12 x DC Distribution.
- 1 x X-Yachts DC fuse panel.
- 1 x DC switchboard.
- 1 x AC fuse panel, with 3-way power source (shore/generator/off), trip switches to Mass Combi Charger, Aircon, Hot Water immersion heater, AC sockets.
- Wiring "tinned" to reduce corrosion.
- All fuses are automatic circuit breaker type.
- All cables terminated in a "dry" GRP box at chart table.
- 6 x 230 V AC plugs, Nav area, Galley, owner's cabin *2 (extra), one in each aft cabin.
- 1 x 12V Cigarette lighter socket 10A.
- 1 x Bulgin Buccaneer 900 series DC 12V.

Battery Banks:

- 6 x 140Ah Domestic 12V 900 En batteries replaced May 2012.
- 1 x Exide Maxxima Deep Cycle Starter battery 12V 55AH 900Amp.
- 4 x Osculati marine battery isolator switch.

Battery Chargers:

- 1 x Mastervolt Battery Mate 1602 battery charging monitor.
- 1 x Cristec CPS3/12-60 60A 855W battery charger (back up charger, fitted 11/2010).

Alternators:

- 1 x Volvo Penta Alternator 110AH smart charger (max 115A) with internal regulator.

Generator:

- Fischer Panda Manual Remote Control.
- 1 x Fischer Panda Icemaster P 8000NE PMS diesel generator 6.5kW 50 Hz.
- 1 x Additional soundproofing generator compartment with light and automatic electric fan + in soundproof container.
- 1 x Fischer Panda external Cooling Water Expansion Tank.
- 1 x Vetus Sea Water Strainer.
- 1 x Lucas CAV Delphi Diesel Genset external fuel pre filter fitted 5/2010.
- 4 x Generator fuses 10A, 20A, 30A + 30A slow blow.

Shore Power:

- 1 x Marinco 30Amp shorepower socket and intake plug, various wharf plug connectors.
- 1 x 32Amp 15m AC three pin shore power cable + 15m extension.
- 1 x Shore Power main fuse 10A trip switch.
- 1 x Auto switch from shore power/genset to Inverter with circuit breakers for aircon.
- 1 x Shore power connection 32 Amp and lead (10 amp trip/fuse box inside SS aft deck locker).

Other Electrical:

- 3 x Analogue VDO Marine Solutions Ocean Line water (3 way), fuel tank (3 way), volt gauge (2 way) c/w 12v VDO Instrument halogen 1.2w bulbs (1.2W Red).
- 1 x Hager Residual Current Device.
- 1 x Mastervolt Combi 12/2000 2000W Mass Sine Inverter + IVO 100 Amp battery charger (replaced 2013)
- 1 x Mastervolt Mass Inverter Charger Control panel.
- 1 x Genius Power 600W 10 - 15V DC to 230V/50Hz AC Inverter (Modified Sine Wave).
- 1 x Alfatronix DD Series 12Vdc-24Vdc 168 converter power input for Simrad screen Input 8.4-15.6V, Output 27.2V 7 Amp 168 Watt.
- 1 x Invatec switch mode 12VDC/14VDC converter 7 Amps no 16.

Plumbing Systems

Fresh Water & Water Heating System:

- 1 x Hot and cold pressurised water system 15mm (1/2" bore) fresh water food grade hoses.
- 1 x Jabsco water constant pressure pump.
- ATI Boat Boiler 45 litre hot water tank.
- 1 x Whale Mk 5 Universal pump.

Watermaker:

- Dessalator watermaker/desalinator 60L/Hr D60 32Amp 12V DC Freedom with auto fresh water rinsing plumbed to fresh water system.
- 1 x Watermaker Fuse - AC panel.

Bilge Pumps:

- Jabsco manual bilge pump cockpit thru deck.
- Jabsco PAR BILGE PUMP 12V Electric.
- Rule 3 Way Rocker Panel Bilge pump Switch with built in fuse holder (15Amp glass fuse).
- 1 x Jabsco automatic switch for keel bilge pump.

Tankage

Fuel:

- 1 x Mastpol diesel tank aluminium bulk (105 ltrs).
- 1 x Mastpol diesel aluminium consumption tank (70 ltrs) with Kingstate low level buzzer alarm and yellow warning light.
- 1 x Mastpol additional diesel tank 172 ltrs (Total yacht capacity = 347ltrs).

Fresh water:

- 4 x Fresh water tanks SS capacity: 491 ltrs.

Note: 5 x Deck outlets, fuel (port and stbd), water (port), holding tanks.

Navigation Equipment

- 1 x Jefa SB crash bar for 12" E120 plotter , wireless remote holder on SB side of box.
- 2 x Raymarine VHF 430E cradle/connection with extension cable to SB Binnacle.
- 1 x Jefa Port crash bar with SUUNTO 116 compass and Raymarine ST8001 auto pilot control head.
- Instrument console for ST 70 instruments over hatchway.
- 1 x MaxPower Bowthruster Control.
- 1 x Raymarine VHF DSC Radio.
- 1 x VHF Fixed radio licence.
- 1 x Raymarine Ray 240 handset connection and cradle.
- 3 x Raymarine Ray 240E Handset.
- 2 x Raymarine VHF speakers (chart table and cockpit).
- 1 x R-R VHF/FM antenna inc Windex.
- 1 x Simrad AIS transponder (Class B active).
- 1 x SD card to store AIS data log.
- 1 x Actisense Multiplexer with AIS configuration.
- 1 x SeaMe Active Radar Reflector at mast with chart table control.
- 1 x Furuno Navtex NX 300-D with screen at chart table.
- 1 x SIMRAD 15" Glassbridge Flat Screen Monitor.
- 1 x Digital Yacht AquaMedia PC ultra rugged marine PCMedia Centre, 320GB hard drive fitted in anti-vibration mount, 4 GB of RAM, AMD Fusion E-350 X86 dual core processor with AMD Radeon HD6310 graphics chip, HDMI and VGA ports allowing the system to drive up to two compatible LCD monitors. Consumes just 35W. Supplied with Windows 7 (32bit) Home Premium SP1 and DC-DC converter that allows direct connection to the boat's 12v DC supply.

Blu Ray drive with pre-installed PowerDVD, Blue Ray movie playback software; True HD 1080P video playback; Compact - measures just 30 x 27 x 7cm; 4 x USB 2.0 and 2 x USB 3.0 Ports.

- 1 x Airlive WL-1600 High Power 802.11G USB Adapter WiFi antenna boost access system connected to PC via USB at chart table, range up to 2km.
- 1 x Keysonic wireless mini-keyboard (incl mouse).
- 1 x Raymarine E120 plotter with software upgrade to v 5.69.
- 1 x Raymarine DSM 300 HD Digital Echo sounder/fishfinder/depth with separate switch at chart table.
- 1 x Raymarine Smartpilot S3G.
- 1 x Raymarine ST8002 Display Head (Rotary Control) autopilot controller fitted.
- 1 x Raymarine SeaTalkHS Network Switch linking E120, DSM 300, PC monitor and navigation functions between E-Series displays with SeaTalk hs.
- 1 x Raymarine Fluxgate Compass transducer.
- 1 x Raymarine Rudder position sensor.
- 1 x Raymarine Smart Controller Wireless RF.
- 4 x Raymarine ST 70 instrument and Seataalk NG backbone kits
- 1 x Inclinometer.
- 1 x Raymarine Airmar speed and temp transducer .
- 1 x Raymarine ST70 speed + temp transducer pod.
- 1 x Raymarine ST70 wind transducer pod.
- 1 x Raymarine forward looking long wind vane transducer.
- 2 x Raystar 125 SDGPS antenna.
- 1 x Raytech 6.2 loaded on PC.
- 1 x Raymarine Radome 2 KW 18" radar 28W (9W standby) Max range 24m.
- 1 x MaxPower bowthruster control.

Note: All manuals (standard paper) most in soft copy form on computer (upgrade).

Domestic Equipment

Fridges:

- 1 x Isotherm 180L top opening coolbox.
- 1 x Isotherm 85L front opened fridge (with ice box) ASU with smart controller.

Galley:

- 2 x SS sinks, corian worktops.
- 1 x ENO Gasogne 3 burner gas stove, oven with grill.
- 1 x Manual gas switch under cooker.
- BEP 600-gd gas detector (under sink), Truma remote electric cut off switch (by cooker) to turn off at gas locker and gas alarm control (chart table).
- 2 x Butane Camping Gaz bottle 2.3kg/ 6 lbs.
- 2 x Teak cutting boards for sinks in galley.
- 1 x Teak kitchen paper towel roll holder.
- 1 x Teak spice rack.
- 1 x Shurflo Waterguard Water Filter System Model.
- 2 x Shurflo - RV-5C2-A 5" Water Filter Replacement Cartridge.

Heads/Showers:

- 3 x Jabsco Toilet RH manual small, compact size bowl.
- 1 x Barka Shower with hot/cold freshwater at cockpit, push button white shower head.

Heating & Ventilation:

- 1 x HFL Coolmaxx Aircon compact 10000 BTU in saloon.
- 1 x HFL Coolmaxx Aircon compact 6000 BTU in owners.
- 1 x HFL Stuart AirCon Sea Water Pump.

- Eberspacher Airtronic with 7 outlets(aft cabins x2, saloon x2, owner's cabin x1, owner's heads x1 + SS aft heads x1. Dealer serviced 11/2013.
- Eberspacher EasyStart T diagnostic control panel.
- Eberspacher fuse 25A

Entertainment:

- 1 x JVC tuner/DVD MP3 comp 2 speakers in saloon.
- 2 x BOSE 131 Loudspeaker set, waterproof, in cockpit.
- 1 x iPod interface adapter and teak iPod holder.
- 1 x NEC DVD-ROM Reader.

Lighting:

- 2 x "Lowers" Aqua Signal 41 Separate port and stbd nav lights on pulpit angle 112,5° red and 112,5° green.
- 1 x Aqua Signal 41 Stern light angle 135°.
- 1 x Hella Model 8504 White combined Deck Light.
- 1 x "Uppers" Aqua Signal 40 Combined Masthead tricolor light.
- Internal lighting: Halogen.

Accommodation

Summary of Accommodation:

- X-50 Classic 3 Cabin version with forepeak split centre berth.
- 1 x Main hatch with Dirak lock.
- 1 x SS internal hatch locking peg.
- Interior wood work finished in teak with hand polished satin finish.
- Blue Alsace covers in saloon; Aron Beige in cabins.

*Description of layout:**Owner's Cabin:*

- Double full width V shaped berth on dual density mattresses with batten system for ventilation and comfort with storage under.
- 1 x Double wardrobe, 1 single wardrobe, and 6 small lockers and shelves.
- 4 x Reading lights.
- 1 x Infill between berths.
- 1 x Sofa with storage under.
- 4 x Drawers.
- 1 x Heating outlet.
- 1 x Lee cloth.
- 2 x Extra AC plug (1 std).
- 2 x Extra shelves.
- 1 x Access to Raymarine Airmar speed, temperature and depth transducers below floor boards + sea cock for drainage from fwd deck locker.
- 2 x BSI Offshore Moonlight R36 Ocean hatches, with Oceanair units (curtains/flyscreens) below hatches.
- 1 x Tall locker by mast.

Forward Heads Compartment:

- 1 x Heating outlet.
- 1 x Shower head - white mixer tap base + shower head holder; glass fold back shower screen.
- 1 x Whale Gulper 220 Diaphragm Pump shower out pump.
- 1 x Jabsco Toilet RH manual small, compact size bowl.
- 1 x TekTank Holding tank 56 litres with gravity outlet feed, deck outlet, vent.

- 1 x Tankwatch electronic holding tank level indicator.
- 6 x Hull mounted bronze seacocks: Heads in, holding tank out, sink out, shower out (auto), aircon out x 2.
- 1 x Overflow for fresh water filler emptying into basin.
- 1 x BSI Offshore Moonlight R36 Ocean hatches, with Oceanair units (curtains/flyscreens) below hatches.

Saloon:

- 2 x Heating outlets.
- 1 x Double middle sofa with storage and access to bilge pump, sump and filter under.
- 1 x SB sofa with lee cloth.
- 2 x Fiddles on central shelves both sides.
- 1 x Shelves/racking in cupboard behind chart table.
- 6 x Cushions.
- 2 x BSI Offshore Moonlight R36 Ocean hatches, with Oceanair units (curtains/flyscreens) below hatches.
- 2 x BSI Moonlight assymetric opening portlights with aluminium inner frame.
- 2 x Additional fly screens (homemade).
- 2 x BSI Moonlight rectangular opening portlights with aluminium inner frame.
- 2 x Additional fly screens (homemade).
- 4 x BSI Moonlight rectangular opening portlights with aluminium inner frame (with flyscreens).
- 4 x Clip on fly screens Moonlight.

Port Aft Cabin:

- 1 x Double berth on dual density mattresses with batten system for ventilation and comfort.
- 1 x Wardrobe.

- 1 x Heating outlet.
- 1 x Sea berth pipe cot.
- 1 x Lee cloth (blue).
- 1 x AC 2 pin socket with 3 pin UK converter.
- 1 x Panel for Dessalator Watermaker.
- 6 x Bronze seacocks: WM in, WM out, Gen in, Gen out, Air con in with filter, life raft well out.
- 2 x Access to generator and engine compartments.
- 1 x BSI Moonlight rectangular opening portlight with aluminium inner frame.
- 1 x Clip on fly screen Moonlight.
- 1 x BSI Moonlight rectangular opening portlight with aluminium inner frame.
- 1 x Additional fly screen (homemade).

Port Aft Heads Compartment:

- 1 x Shower head - white mixer tap base.
- 1 x Jabsco Toilet RH manual small, compact size bowl.
- 1 x TekTank Holding tank 56 litres with gravity outlet feed, deck outlet, vent.
- 1 x Tankwatch electronic holding tank level indicator.
- 1 x Whale Gulper 220 Diaphragm Pump shower out pump.
- 4 x Flush hull mounted bronze seacocks: Heads in, holding tank out, sink out, shower out (auto drain).
- 1 x BSI Moonlight rectangular opening portlight with aluminium inner frame.
- 1 x Additional fly screen (homemade).

Starboard Aft Cabin:

- 1 x Double berth on dual density mattresses with batten system for ventilation and comfort.
- 1 x Wardrobe, containing Fire Extinguisher and compass transducer.

- 1 x Sea berth pipe cot.
- 1 x Lee cloth (blue).
- 1 x AC 2 pin socket with 3 pin UK converter.
- 1 x Wood guard for battery isolator switches (2x+ve + 2x-ve).
- Access to generator raw water filter.
- Access to generator fuel filter.
- 2 x Access to generator and engine compartments.
- 1 x BSI Moonlight rectangular opening portlight with aluminium inner frame.
- 1 x Clip on fly screen Moonlight.
- 1 x BSI Moonlight rectangular opening portlight with aluminium inner frame.
- 1 x Additional fly screen (homemade).

Starboard Aft Heads Compartment:

- 1 x Heating outlet.
- 1 x Clothes hangar bar (stored behind door).
- 1 x Shower head - white mixer tap base
- 1 x Jabsco Toilet RH manual small, compact size bowl.
- 1 x Whale Gulper 220 Diaphragm Pump shower out.
- 1 x TekTank Holding tank 56 litres with gravity outlet feed, deck outlet, vent.
- 1 x Tankwatch electronic holding tank level indicator.
- 4 x Hull mounted bronze seacocks: Heads in, holding tank out, sink out, shower out (auto drain).
- 1 x BSI Moonlight rectangular opening portlight with aluminium inner frame.
- Additional fly screen (homemade).

Deck Equipment

Rig:

- Underdeck halyards (10mm) and control lines leading to the cockpit.
- 9 x Spinlock jammers.
- Underdeck German mainsheet system 10mm (led to port and stbd aft winches in cockpit).
- Reckmann Genoa underdeck furler system.
- 2 x Ronstan Frederiksen genoa cars.
- 2 x Jackstays.
- 2 x X-Yachts cockpit rope bags.
- Running rigging in Spectra.
- Navtec hydraulic backstay.
- Navtec hydraulic vang.
- Navtec system 50 Multi function panel with pump and pressure gauge in cockpit.
- 2 x Ronstan Frederiksen mainsheet traveller.
- 4 x Halyards (1 genoa + 1 main + 2 gennaker) Spectra 12mm.
- 1 x Backstay flag halyard.
- 1 x John Mast Triple spreader mast.
- 4 x Mast Steps Folding.
- 1 x Set of mast fittings for spinnaker pole.
- Discontinuous SS rod rigging.
- Ronstan Frederiksen track and car system.
- Ronstan Frederiksen ballslide Batten System.
- Furlerboom T25 infusion moulded carbon/glassfibre, Colour light grey; new mandrel, guard and rope fitted May 2012.
- 1 Walder Boom Brake.
- 1 x Backstay SS Rod.

Winches:

- Andersen 68.2 STE 12V.
- 2 x Andersen 58.2 ST manual mainsheet winches.
- 1 x Andersen 52 STE 12V - FS compact electric halyard winch.
- 1 x Andersen 52 STFS manual halyard winch.
- 4 x Harken Winch handles 10" handles with lock (3 handles are standard).
- 2 x Mini winch handle (for lockers).

Sails and Related Equipment:

- 1 x North 3DL Marathon mainsail, 5 full battens - 77.0 m² P=19.70m E=6.80m J=5.63m IG=20.50m (2008).
- 1 x North 3DL Marathon Furling Jib #3 108% + uv strip on stbd side & sail bag (2008).
- Spare battens.
- 1 x North Gennaker assymetric - 1.5oz - broad wind range cut 194.4 m² + sail bag 2008.
- 1 x North carbon gennaker snuffer.
- Gennaker Equipment: 2 x Ronstan Frederiksen Single Foot spinnaker block 75mm with jammers RF79151; 2 x Ronstan Frederiksen 75mm single Orbit spinnaker blocks RF79100; 1 x Ronstan Frederiksen High Load 50mm all purpose block RF51100 for gennaker tack; 2 x Genoa sheets 14mm spectra with Wichard quick release shackles; 2 x Harken rubberised 'Snap On' block high load.
- North NorDac #4 Storm jib & sail bag (2003).
- North 3DL #3 Genoa with single sided taffeta film & sail bag (2003).

General:

- Gates in lifelines with pelican hooks.
- 1 x Table locker, containing folding teak deck table and 2 legs + 4 pcs cork to hold table open.
- 1 x Cockpit table teak.

- 1 x Teak cup and binocular holder.
- 1 x Multiplex carbon passerelle, lines, clips + cover, hinged or full length (modification).
- 1 x SS flag pole socket.
- 1 x SS flag pole.
- 2 x Mug holders.
- 1 x SS bathing ladder on transom with rounded teak steps.
- 3 SS Pushpit Port, Stbd and Centre.
- Forward deck locker with large hatch, light, SS steps and containing bowthrustrer housing and access to capstan oil sump. Gas spring strut. Drainage to seacock in owner's cabin below floorboards leading to bilge sump.
- Aft PS deck locker, containing Eberspacher heater, steering gear + access to deck shower, shore power socket and VHF socket. Suitable for fender storage. Gas spring strut. Drainage to flush hull mounted bronze seacock. Insulated protector for heater piping.
- Aft SB deck locker, containing steering gear + access to engine, bowthrustrer and hydraulic rig controls. Gas spring strut.
- SB deck locker with gas spring strut.
- PS deck locker with warm air vent from engine compartment, suitable as dryer for rope locker. Gas spring strut.
- Cockpit recess below hatchway stowing halyard and control line tails.

Anchoring & Mooring Equipment:

- 6 x Nomen type 300mm foldable mooring cleats with ss chamfer rails with maintenance free upgrade sets.
- 1 x Anchor locker with hatch and gas spring strut, containing anchor gear, windlass and control socket, self draining.
- 1 x Standard SS anchor bow roller fixture.
- 1 x Anchor SS Bruce Trefoil/Claw 20kg with pick up buoy, SS swivel.
- 10mm 50m galvanised anchor chain, colour rubber markers every 5m, colours annotated on locker lid, secured to chain with SS swivel.

- 30m Multiplait 16mm rope spliced to chain and attached inboard by rope with swivel.
- 3 x Chain snubbers, hooks and 2m lines (one ss chain grab hook and one chain gripper shackle 10mm + rubber snubber), bow plate filled and fared to stop wear.
- Lofrans Project S3 low profile electric anchor capstan 1500w, recovery 18-24m/min 90-130 Amps with finger kit for holding chain and/or rope to capstan.
- 2 x Lofrans wired handset remote controller with upgraded ECS 3mm plug and socket.
- 1 x Lofrans Anchor winch handle.
- Ankarolina 56m * 25mm webbing 2500 kg load anchor line on reel.
- 14 x Fenders (4 Fenders are std), 9 large, 2 small, 1 medium stern fender, 4 large round, 1 small round, 1 small.
- 2 x Warps 20m*16mm.
- 2 x Warps 18mm*15m.
- 2 x Warps 16mm*22m.
- 2 x Douglas Marine #2 Springs with warps 16m*20mm.

Covers, Canvas & Cushions:

- 8 x Double navy/navy & white striped cushions.
- 1 x North forestay genoa cover (beige). Reinforced by North Split 5/2010.
- 1 x Schultz-Kalecher Boom mainsail cover.
- 2 x Schultz-Kalecher Wheel and instrument box covers, Markilux-Maritime.
- 6 x Schultz-Kalecher Winch covers.
- 1 x Schultz-Kalecher Bimini, beige canvas + cover.
- 1 x Over boom (white canvas) sun awning with 2 battens.
- 1 x Schultz-Kalecher sprayhood SS hoop and cover, leather edge, beige canvas standard with centre window in sprayhood zipper for ventilation.
- 1 x Bimini extension 1.7sqm.

Tender & Outboard:

- 1 x Teak bracket for outboard fixture; outboard not included.

Safety Equipment:

- 5 x Wichard padeyes for safety harnesses etc.
- 1 x Liferaft locker.

Fire-fighting equipment:

- 3 x Gloridan A/S.
- 1 x Fire access point to engine compartment.

Исключения

При продаже яхты исключаются личные вещи владельца.


Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ







КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрыто**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004