

KIWI CACHE — MARINE MAGIC



Builder: MARINE MAGIC

Year Built: 2000

Model: Catamaran

Price: PRICE ON APPLICATION

Location: United States

LOA: 46' 0" (14.02m)

Beam: 19' 11" (6.07m)

Max Draft: 3' 3" (0.99m)

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 18 Kts. (21 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **KIWI CACHE — MARINE MAGIC** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **KIWI CACHE — MARINE MAGIC** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Hull and Deck Information	3
Engine Information	3
DETAILED INFORMATION	4
Accommodations	4
Galley/Dining	4
Master Cabin - Aft Starboard	4
Guest Cabin - Aft Port	5
Electronics and Navigation	5
Electrical Equipment	6
Safety & Mooring Equipment	6
Deck and Hull	7
Plumbing	7
Exterior Features and Hardware	8
Engine and Mechanical	9
Exclusions	10
Disclaimer	10
PHOTOS	11
CONTACTS	16
Contact details	16
Telephones	16
Office hours	16
Address	16

SPECIFICATIONS

Basic Information

Category: Catamaran

Model Year: 2000

Year Built: 2000

Country: United States

Dimensions

LOA: 46' 0" (14.02m)

Beam: 19' 11" (6.07m)

Max Draft: 3' 3" (0.99m)

Speed, Capacities and Weight

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 18 Kts. (21 MPH)

Displacement: 32000 Pounds

Water Capacity: 150 Gallons

Holding Tank: 120 Gallons

Fuel Capacity: 3120 Gallons

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: Yamaha

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Accommodations

Accommodations include identical (rare) port and starboard staterooms with two twin berths in each. Berths convert to Queen berth utilizing a matching padded insert. Each hull has a head compartment with stall shower forward. The dining & galley have Corian countertops and a large settee with folding leaf, hi-lo table. The wheelhouse has twin settees with the helm forward to starboard. Interior cabinetry and paneling features varnished Anigre wood. The KIWI CACHE is a good example of the dramatic increased interior volume available in a Catamaran design, her large comfortable salon and cathedral-like, awesome galley and dining area give her the feel of a yacht twice her length.

Galley/Dining

- Corian countertops
- Drawers
- Overhead cabinets
- 12V front load refrigerator
- 12V, top load freezer
- Ice Machine
- Stainless steel sink with Corian cover board
- Sharp Carousel convection oven
- Plastimo 2-burner stainless steel stove with oven
- Settee with hi-lo table

Master Cabin - Aft Starboard

- (2) Twin berths which convert to a Queen berth with an matching insert
- 3 layered foam mattress – 150mm
- Hanging locker
- Opening port
- Carpet
- Headliner – vinyl covered
- Storage under berth
- Lighting – halogen lights
- Sitting area

Master Head:

- Entry door
- Separate shower

- Cultured vanity top
- Raritan toilet system
- Vanity cabinet & mirror
- Toilet paper holder
- Halogen dome light
- Porthole

Guest Cabin - Aft Port

- (2) Twin berths which convert to a Queen berth with a matching insert
- 3 layered foam mattress – 150mm
- Hanging locker
- Opening port
- Headliner – vinyl covered
- Storage under berth
- Lighting – halogen lights

Guest Head - Starboard:

- Entry door
- Separate shower
- Cultured vanity top
- Raritan toilet system
- Vanity cabinet & mirror
- Towel rail
- Toilet paper holder
- Halogen dome light
- Porthole

Electronics and Navigation

- Raymarine E120 Display
- Raymarine Raystar 125 GPS
- Raymarine RD424 Radar
- Raymarine SR100 Sirius Weather System
- Raymarine AIS500 Class B AIS Transceiver
- Raytheon ST60 Wind
- (4) Raytheon ST60 Depth (2 x pilot house, 1 forward station, 1 upper station)
- Three (3) Raytheon ST60 Depth
- Simrad AP20 autopilot - with 2remotes (forward & upper station)
- Horizon Intrepid VHF
- Horizon VHF with RAM microphone
- Horizon VLH-3000 Hailer

- Ritchie magnetic Powerdamp compass at helm
- Antennas located on radar mast
- Port and starboard navigation lights
- Stern navigation light
- Masthead light and anchor light mounted on radar mast
- (2) Flood lights on radar mast
- ACR RCL-75 Remote controlled searchlight
- Lights under aft deck canopy
- Recessed lights throughout interior with red night lights
- Sirius Satellite Radio SIR-CL3
- CruiseNet CN2000 high speed data/internet connection with built in router
- West Marine WM4000 AM/FM/XM/MP3/Bluetooth Radio
- 32" HDTV
- Wired for DISH Tailgater System

Electrical Equipment

- 7.6 kW Westerbeke generator (port engine room) - 1408 hours
- (3) Batteries 12V AGM in wood box in starboard engine room
- Energy Monitor II battery monitor
- Shore power inlet 50A 125/250V with 50' cord and Cablemaster on foredeck
- 110V power outlets throughout vessel
- All circuits are protected from overload at the main fuse panels located on starboard stateroom and salon
- Circuit breaker on genset
- Circuit breaker at shore power inlet
- Vapor proof switches in starboard stateroom
- Distribution panels with circuit breakers AC & DC
- Inverter charger system 2000 watt
- Lights: anchor, navigation, engine room, cockpit, deckhead, Halogen DC lighting
- (2) Ample power 12V/55A converter

Safety & Mooring Equipment

- (8) Adult PFD's
- Winslow 4 person emergency life raft
- Orion Marine Distress signal kit, exp 10/04
- (4) 3A40BC portable fire extinguishers - Current USCG inspection tags
- Oil discharge plaque in each engine room
- Trash discharge plaque in galley
- Fireboy FE-241 in each engine room (no tags)
- 30" life ring (no life line or light)

- Gas detector with electric solenoid valve for LPG bottles
- 2 Anchors (1 Bruce; 1 Plow)
- 4 Dock lines
- 4 Fenders

Deck and Hull

10'2" 2007 West Marine Inflatable dinghy with 6 hp Tohatsu outboard with 15" short shaft

- Molded fiberglass with foam core composite construction, symmetrical hulls
- Opening ports and one escape hatch in each hull
- Molded keels recessed into keel pockets
- Molded fiberglass shaft struts
- Scoop transom with integral steps
- Molded bridge deck with deck and locker drains
- Ground plates under both engine rooms
- All hardware stainless steel, chromed brass, or polished alloy
- SEALITE 12 LED On-Hull underwater lights – aft port and starboard hulls
- Zinc anode
- 7 x 250mm (10") mooring
- 2 x 250mm (10") pop up cleats on swim platforms
- UV stable rubbing strip on hull and swim platforms
- Anchor bridle gear
- Anchor winch overload protection circuit breaker
- Maxwell VWC anchor winch
- Self loading anchor roller (1 roller)
- Plow anchor 27kg with 100m " chain
- Sand anchor 20kg with 10m " chain & 100m 16mm rope
- Stainless steel bow rails with side rails aft
- Stainless steel rail around aft combing
- Polyurethane non skid on all traffic areas
- Hand laid with knitted fabrics and polyester LSE resin
- Engine room hatches (large enough to remove motors)
- All deck hatches and lockers with drains
- Storage lockers in aft combing for ropes and fenders

Plumbing

- (4) Fiberglass diesel tanks under cabin soles for 780 total gallons
- Level indicators located on helm console
- Suction and return manifolds in each engine room
- Fuel rated hose

- Fuel fill plates on deck (port & starboard)
- Tanks vents overboard
- Fuel transfer/polishing pump in starboard engine room
- Water fiberglass tank located under salon sole for 150 total gallons
- Water level indicator on helm console
- 12V water pressure pump with accumulator, filters with faucet at each sink
- 110V water heater in port engine room with engine by-pass
- Spectra 600 GPD, 12V water maker under settee in galley
- (2) 30 gallon fiberglass holding tanks, one in each forepeak
- 12V discharge pump
- (2) Raritan Atlantes 12V heads
- Blackwater Headhunter Tank Sentry meter and pump control
- Fresh water dockside hose
- Comb-o-matic Washer Dryer
- Fuel filters/water separator
- Fuel tanks – vinylester
- Propellers bronze 4 blade
- Raw water intake grills
- Raw water intake strainers
- 2 x Rudders – foil
- Stainless steel shafts
- Shaft struts – cast bronze
- Shaft glands – flexible type water-cooled – p.s.s.
- Steering – hydraulic
- Steering tillers – bronze
- Fresh water pressure system
- Fresh water tank with gauge
- Salt water pressure system with foredeck & cockpit outlets
- Water heater – heat exchanger/AC/50 litre stainless steel
- 1 x shower drain pumps
- Swim platform hand shower

Exterior Features and Hardware

- (7) Lewmar opening deck hatches
- Opening ports in hulls
- Lewmar escape hatch through wet deck from galley
- Solar vent in each shower
- Three lockers in foredeck, four in aft deck, one in each transom
- Welded stainless steel railings with port and starboard side & transom gates
- (2) Flush mount rod holders in cockpit washboards

- Stainless steel LPG BBQ
- Stainless steel hand rails on wheelhouse canopy
- Braided nylon tow/anchor bridal shackled to pad eyes
- Fiberglass dinghy davits on transom with 12V winches
- Swim ladder bracket on transom platform, ladder stowed in forepeak locker
- Radar/signal mast, molded fiberglass
- Port and starboard fuel fill deck plates
- Sun screens over galley windows
- Dockside water connector
- Phone/TV inlet
- Shore power inlet with Cablemaster
- Simpson Lawrence Horizon 1500 anchor windlass with wildcat & gypsy head
- (2) foot-switches & remote control
- Access hatch to chain locker
- Seawater wash down in foredeck locker
- 1 Swim step ladder

Engine and Mechanical

- Twin Yanmar Diesel, 240 HP @ 3300 rpm
- 7.6 kW Westerbeke generator
- 3 Cylinder diesel - 1800 RPM
- Iron riser, lift type, fiberglass muffler
- (Sound shield)
- Racor fuel filter
- Xantrex inverter
- Gears: ZF HSW 630 A1
- Cooled water exhaust
- Fiberglass mufflers
- Racor primary filters 75-500MAX
- 1.75" Stainless steel shafts
- Molded fiberglass engine beds
- Bilge under engines
- Dripless flex stuffing box
- Zincs on transoms, rudders and shafts
- Hydraulic and hand hydraulic steering
- Cast iron risers
- 21x24x4-blade with cup propellers
- Isolator mounts
- Fiberglass shaft log
- Strut w/ bronze single arm with cutlass
- Bilge alarm system

- Micro Commander Engine controls
- Kortz Twin Engine Sync
- (6) 12V automatic bilge pumps
- 12V shower sump pump in each hull
- 4.8 gpm fresh water pressure pump
- 12V Seawater wash down pump
- 12V water maker pumps
- 12V black water pump in each hull
- 12V Fuel prime pump in each engine room
- 12V fuel transfer / polishing pump in starboard engine room
- 115/230V air conditioning seawater cooling pump in starboard engine room
- (2) Cruise Air 24,000BTU direct expansion units, 240V
- Seawater pump with basket strainer
- (2) Hepworth Windshield Wipers - fresh water wash system
- Ball valves on all through hull fittings on or below waterline
- Engine rooms flow coated white
- Exhaust- GRP water lift mufflers

Exclusions


Owner's personal belongings.


Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS











CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004