

ANNDRIANNA — OCEAN ALEXANDER



Судостроитель: OCEAN ALEXANDER

Год постройки: 2005

Модель: Моторная яхта

Цена: **ЦЕНА ЯХТЫ ПО ЗАПРОСУ**

Местонахождение: United States

Длина общая: 78' 0" (23.77m)

Ширина: 21' 0" (6.40m)

Макс. осадка: 5' 2" (1.57m)

Крейс. скорость: 19 Kts. (22 MPH)

Макс. скорость: 24 Kts. (28 MPH)

Купить Anndrianna — OCEAN ALEXANDER а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту Anndrianna — OCEAN ALEXANDER а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Accommodations	6
Galley	6
Plumbing & Tanks	6
Generators and Shore Power	6
Hull Superstructure & Decks	7
Exterior Hardware & Fittings	7
Engine/Mechanical Equipment	7
Heating, Venting, AC, Hydraulic Systems	8
Electrical System	8
Pilothouse Electronics	9
Fuel Burn	9
Исключения	9
Отказ от ответственности	9
ФОТОГРАФИИ	10
КОНТАКТЫ	15
Контактная информация	15
Телефоны	15
Время работы	15

Адрес

15

ХАРАКТЕРИСТИКИ

Обзор

78' 2005 Ocean Alexander Enclosed Skylounge. Just returned from a 4000 mile trip. The owner is very motivated to sell and anxious for larger boat. 2000 service currently being done so Anndrianna is ready for Fall & Winter.

Основная информация

Тип судна: Моторная яхта	Подкатегория: Sky Lounge
Модельный год: 2005	Год постройки: 2005
Страна: United States	Верх: Enclosed Pilothouse

Размеры

Длина общая: 78' 0" (23.77m)	Ширина: 21' 0" (6.40m)
Макс. осадка: 5' 2" (1.57m)	

Скорость, вместимость и масса

Крейс. скорость: 19 Kts. (22 MPH)	Макс. скорость: 24 Kts. (28 MPH)
Чистый вес: 160890 Pounds	Вместимость воды: 430 Gallons
Вместимость сточного бака: 218 Gallons	Объем топливного бака: 2268 Gallons

Размещение

Всего кают: 4	Спальные места: 8
Всего ком. состава: 3	Каюты экипажа: 1
Койки экипажа: 2	Спальных мест экипажа: 2

Корпус и палуба

Материал корпуса: Fiberglass

Материал палубы: Fiberglass

Комплектация корпуса: Modified V-Hull

Информация о двигателе

Двигатели: 2

Производитель: MTU

Модель: 12v2000 M91

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Accommodations

High gloss varnish for interior finish Burlwood cabin door with stained teak trim Central vacuum system Full height washer/dryer under fwd. stairway AquaAir chilled water air conditioning system

Galley

Teak plank flooring with ebony border Cherry panel and cabinetry Bronze mirror with paint trim and decorative ceiling in center Granite or marble countertops Franke Double sink w/ tap Tube light under counter Exhaust blower 24V halogen lighting Oversized Air Conditioning dedicated for Galley Overhead dish locker fwd and aft 27" Gaggenau CK260-604 electric cooktop 24" Gaggenau EB271-600 Oven 36" Sub-Zero side-by-side refrigerator #650/S 24" wide Fisher and Paykel DD603SS Dishwasher 12" wide Broan 1052B Trash Compactor GE GFC320F-00 Garbage Disposal GE JVM1490SD003 Microwave Oven U-Line ULN-15BWC-00 Wine Cooler GE PTC22SBMARBS Refrigerator Sub-Zero Cockpit Refrigerator 249R-RH U-Line P/H Refrigerator U-CO29B-0

Plumbing & Tanks

(2) Headhunter Mach 5 115VAC water system pumps Hot water circulation pump, Grunofos 115VAC 30-gallon water heaters Watermaker Village Marine Tech, STW 800, 800 GPD, 33 GPH approx. includes Media Filter for extended operation Fuel System manifold allows operation from any of the (3) fuel tanks. Separate transfer and polishing systems are independent of main fuel supply system. Lube oil system manifold for oil changes from each main and each generator. Main holding tank 200 gallons, services all but crew toilet. Crew 18 gallon tank on completely different system Vacuum Pump Manufacture: Sealand Holding Tank Pump Manufacture: Sealand Holding Tank Indicators: (2) Sealand Tankwatch Toilets: Main: (5) Sealand Vacuflush, Magnum Opus. Crew: (1) Vacuflush Gray Water and Drains: Sump Pump Sea Water System: Seawater washdowns located at anchor windlass and California deck (FW washdowns too) Sea Water Pump: Headhunter Stingray Tank List: Main Fuel Tank: 1612 gallon. Wing Fuel Tanks: 328 gallons each. Water Tank: (1) @ 184 g. (1) @ 237 g. Main Holding Tank: 200 gallon. Crew Holding Tank: 18 gal. Tank Gauges: Tank Tender: Hart 5-tank Tender for (3) fuel and (2) water. Located in crew quarters.

Generators and Shore Power

Northern Lights 30 kw and 22 kw with 1150 hours each Includes Charles Model 93 120/240V Isolation Transformer and Isolation Booster, along with Automatic A-B Shorepower switching 50-

Amp input port and starboard forward and port and starboard aft.

Hull Superstructure & Decks

Carbon fiber-infused composite hull and decks Longitudinal and lateral fiberglass stringer w/ high density foam Fiberglass hand-laid with "vacuum bag technology" AL600 sandwich construction above waterline Tempered and safety glass Transom gate and side boarding gates 3M thinsulate system for sound/temp Deck, superstructure and skylounge with AL600, aluminum I-beam reinforcements Interior structural components all bonded to hull Reinforced collision bulkhead Interprotect epoxy based anti-osmosis system White non-skid fiberglass decks Teak swimstep and cockpit Swimming ladder Convenience lights, lower deck & boat deck

Exterior Hardware & Fittings

Hardware chrome and S/S 2 in. elliptical S/S handrails & stanchions, main deck and 1in. on FB S/S cleats and hawse pipe Scupper, side cockpit S/S oval port lights Sea/freshwater wash down, fwd. deck Windlass, Maxwell VWC3500C hydraulic S/S swivel anchor light bracket Water-tight hatch for chaining locker Oversized drains to common drain pipe (4) U-shaped rails on swimstep w/ extra set of placement holes for when one rail is moved Heavy duty Exalto variable speed windshield wipers Water-tight doors at PH Fiberglass settee at aft deck with fixed height sliding dining table and inlaid wood S/S DCS Barbeque w/ cabinet Fiberglass stairwell from cockpit to boat deck Propeller shafts, Aquatech 22HS High performance computer designed and machined class S propellers Teak bow and stern flag shafts Stidd bench helm seat in Skylounge Chrome latches on exterior cabinets Aft deck shower, dock-side water (one unit) TV Phone inlet Highly polished S/S 130 lb. CQR anchor

Engine/Mechanical Equipment

(2) 12V2000M91 MTU's 1500HP (stbd 1200 hrs / port 800 hrs) Port engine was replaced Headhunter Mach 5 M5-115/60 pressure freshwater system Headhunter pressure seawater system (2) 30-gallon water heaters Aluminum fuel tanks with sight gauges S/S water tanks with sight gauges holding tank plumbed dockside for overboard discharge Sylomer floating floor system Common drainage system for sink, shower, bilge and exterior deck Color-coded piping for fuel, water and hydraulic systems Electric bilge pumps, 24V auto and manual switch, sumped when available Rule 3700 manual bilge pump High water bilge alarm in engine room (2) Rule 2000, 98 24V shower sump pumps Lighted bilge Hart S60-5 Tank Tender holding tank gauge Both side fillers for fuel tanks Fuel polishing system S/S cap on transverse stringer in central walkway Detailed stringers in engine room and lazarette Dry bilge area center of engine room Sea-Fire FM-200 Fire extinguisher w/ engine-shutdown Oil change system engines and gensets Tank tender Sea cocks and raw water strainers on all intakes Quash and 3M sound and heat insulated materials Complete Delta T engine room positive pressure system with pressure sensors, logic computer and variable speed fans Engine isolation switches Herone rubber

flooring engine room AC outlet 110V fluorescent lights or wiring only for 220V/50HZ system
 Freshwater outlet with hose for engines and generator Underwater exhaust system 24V ceiling
 lights with anti-explosion type in engine room Dripless engine shaft seal logs Generators with
 gas/water separator 3-valve steering system for autopilot Toilet discharge vented to overboard
 Dual Racor filters with gauges for engines and generators Spare conduit running from engine
 room to PH, engine room to FB and engine room to FB overhang Dripless seal for rudder post
 Headhunter system for heads Emergency engine-driven bilge pump ZF Engine Gear ZF2150A
 Northern Lights Generator M984K.3 (33KW), M844LK2.3 (20KW) Keypower Stabilizer KPRS6SF
 Kobelt Power Steering System 7005-AL Delta "T" Ventilation Control System 600-P/T2 Torrid
 Water Heater MV-30 Kahlenberg Air Horn T-OA Exalto Windshield Wiper 223BD Racor Fuel
 Filter 75/1000 FHX, 75/500 FGX Separ Fuel Filter SWK 2000/10 MS Amtrol Extrol Expansion
 Tanks Groco Fuel Transfer PSRO/24v Groco Oil Change Pump CMX3-80/24v Grundfos Hot
 Water Circulate Pump UP 15-18 SU Gulf Coast Filters Fuel Polishing F-1 Sealand Holding Tank
 Indicator Tankwatch 4 Headhunter Head SBS-3 C, SBS-9, NCS-3 Superior PLC System D32LT
 Maxwell Windlass VWC3500-Hydraulic

Heating, Venting, AC, Hydraulic Systems

AC: Aqua-Air AC System, 3-stage 12 ton Chiller System Delta T Engine Room Ventilation
 System: Variable speed AC motors automatically keep pressure and temperature of engine room
 within acceptable limits. Bow and Stern Thrusters: Thrusters have proportional controls on
 wheelhouse and positive on remote. Keypower Fin Stabilizers: Active Fin Stabilizer system. 9
 square foot fins. Keypower Anchor Windlass: Maxwell VWC3500C Davit: Steelhead SM3000R

Electrical System

Inverter System Batteries (16) Trojan deep cycle, type L16, 6 VDC wired for 25 VDC. Total 1400
 AH @ 24 VDC (located under E.R. walkway, forward end) Main and Generator Batteries: (4)
 Lifeline AGM8D, type GPL-8DP 225AH ea, 12 VDC, wired for 24 VDC (located under E.R.
 walkway, aft left end. Engine Controls Batteries: (4) Lifeline AGM8D, type GPL-8DP, 225AH ea.,
 12 VDC, wired for 24 VDC (located under forward stateroom). Wheelhouse Navigation Battery:
 (1) Lifeline AGM4D type, GPL-4DL, 210AH, 12 VDC (located under console). Battery Monitor:
 Heart Interface Link-10 Battery Chargers: (2) Promatic 35-3 (24v) Underwater Lights: (2) 24VDC
 underwater lights located in the transom for night viewing. (16) new batteries Dec. '09 DCS
 Barbecue BGA26-BQL GE Washer & Dryer WSM2420TCWW CrewSplendide Washer & Dryer
 Combo-Matic 6100 Nutone Vacuum System CV-350W Sharp LC-20E1UBM LCD Color TV
 (Dining) Sharp LC-15S2U-S LCD Color TV (Port Guest/Crew) Samsung SPN4235 Plasma
 Display (Salon) Samsung LTN325W LCD TV (Master) Trace (Xantrex) SW4024MC2 Inverter w/
 Battery Charger DC Converter/New Mar/ 32-12-50 Malibu Low Voltage Lighting - ML44T,
 ML88T, ML121TW, ML200RTW, ML300RTW, ML600TW Underwater Lights S2510-V5W6
 Charles Isolation Boosting 93-ISOBOOST50-A Glendinning Cablemaster CM-7

Pilothouse Electronics

Icom VHF Transceiver IC-M602 Simrad Depth/Speed/Trip Tridata Instrument IS15 Combi Simrad Wind System IS15 Simrad Autopilot System AP20 Furuno Network Sounder ETR-6-10N Furuno GPS/Navigator GP-37 Furuno Radar 1943C/NT View Sonic VP171b Computer Monitor VLCDS25972-2W Sony Compact AV System DAV-FC7 Sony Power Speaker System SS-WS5 Sony CD/DVD Player DVP-NS575P Sony Super Audio CD/DVD Receiver AVD-C700ES Pinnacle AV Surround Receiver Subsonic Polk Audio Speakers RC65i Panasonic Telecommunications System KX-TA624, KX-T7735-B

Fuel Burn

•RPM KNOTS •1000 9.5 •1250 10 •1500 14 •1800 15.6 •2000 19.1 •2375 25.2 •LOAD FUEL •
•26% 8.5 •40% 24 •42 •61% 74 •70% 98 •100% 175

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.



ФОТОГРАФИИ











КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрито**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004