

HATTERAS 60 MOTOR YACHT — HATTERAS



Судостроитель: HATTERAS

Год постройки: 2015

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 60' 0" (18.29m)

Ширина: 18' 2" (5.54m)

Макс. осадка: 4' 6" (1.37m)

Купить Hatteras 60 Motor Yacht — HATTERAS а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту Hatteras 60 Motor Yacht — HATTERAS а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	4
Информация о двигателе	4
ПОДРОБНОЕ ОПИСАНИЕ	5
Exterior Finish & Construction	5
Hardware & Miscellaneous	5
Engine Compartment & Bilge	5
Electrical Systems	6
Flybridge & Bridge Deck	6
Optional Lower Helm	7
Aft Deck	7
Sport Deck	7
Salon	7
Master Stateroom	8
Bow Guest Stateroom	8
Port Guest Stateroom	8
Master Head	8
Guest Heads	8
Optional Crew Stateroom	8
Optional Crew Head	9
Storage/Utility Room	9
Provisioning Items	9
Исключения	9

Отказ от ответственности	9
ФОТОГРАФИИ	10
КОНТАКТЫ	14
Контактная информация	14
Телефоны	14
Время работы	14
Адрес	14

ХАРАКТЕРИСТИКИ

Основная информация

Тип судна: Моторная яхта	Подкатегория: Flybridge
Модельный год: 2015	Год постройки: 2015
Страна: United States	Верх: Hardtop

Размеры

Длина общая: 60' 0" (18.29m)	Ширина: 18' 2" (5.54m)
Макс. осадка: 4' 6" (1.37m)	Трапы: 19' 9" (6.02m)

Скорость, вместимость и масса

Водоизмещение: 87700 Pounds	Вместимость воды: 250 Gallons
Вместимость сточного бака: 100 Gallons	Объем топливного бака: 1000 Gallons

Размещение

Всего кают: 3	Всего ком. состава: 3
---------------	-----------------------

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2	Производитель: Caterpillar
Модель: Caterpillar C-18	Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Exterior Finish & Construction

• Isophthalic / NPG gelcoat, exterior layer, white (all areas except hull) • Blister resistant vinylester gel coat, clear (hull) • Hull and superstructure painted with a premium linear polyester/polyurethane coating for improved cosmetics & increased durability • Polymer/copper based anti-fouling bottom paint • Boot stripe, linear polyester/polyurethane coating • Decks, non-skid surface, polyurethane paint with polymeric beads • Solid fiberglass, resin-infused hull bottom, with premium vinylester resins • Hull sides of resin infused composite construction with PVC foam core and premium vinylester resins • Solid fiberglass, resin-infused longitudinal stringers • Steel resin infused into longitudinal stringers at key locations to create engine foundations • Bulkheads, athwartships and interior decks of resin-infused composite construction using PVC foam core

Hardware & Miscellaneous

• Wood cabinetry with a satin polyester finish in African mahogany and wenge trim • Fabric headliner installed on track system for service access • Fabric covered hullside(s) and bulkhead(s) installed on track system for service access • Fixed frameless windows with tinted safety glass • All hardware polished chrome with satin chrome in galley • Welded and polished stainless-steel anchor chute and roller • 60-pound plow anchor and deck hawse pipe • Windlass, Maxwell RC10 with 25 feet of acculoy hot dipped galvanized chain and 300 feet of rope with deck mounted control switches • Bow Thruster, 26 hp electric, with a single 24 volt bank of heavy-duty, 12 volt marine batteries (2) and charger • Two polished stainless steel springline cleats with chafing strips, through bolted in aluminum backing plates • Polished stainless-steel bow cleats, through bolted in aluminum backing plates • Polished stainless-steel stern cleats, through bolted in aluminum backing plates • Welded and polished stainless-steel rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates • Fog bell • Horn • Zincs on rudders and shafts • Alloy 22 high-strength propeller shafts • Manganese bronze dripless rudder seals • Dripless shaft seals • Portable “drychem” fire extinguishers in compliance with United States Coast Guard and ABYC standards • Stainless steel trim tabs • Manganese bronze struts • Stainless-steel rudders • Propellers, Nibral high performance • Sea stairs with dedicated storage brackets • Walk around side decks • Stainless steel deck plates for fuel fill, water fill, and waste pump-out • Engine exhaust exits through hull side near transom • Anchor locker on bow deck

Engine Compartment & Bilge

• Water manifold with centralized shut-off valve for sinks and showers • Pultruded fiberglass rudder shelf • AC fluorescent lights • DC lights • DC ventilation blower • Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust

silencers, engine hour meters, alternators, fuel filters and seawater strainers • FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals • One 21.5 kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, sound enclosure, seawater strainer, remote start, fuel/water separator, hour meter and water lift muffler • Polyethylene water lines • Freshwater connection • Dockside water inlet with pressure regulating valve • 24-volt DC bilge and sump pumps: two at 2000 gph and three at 3700 gph, with heavy-duty float switches and protective guards • Bronze/chrome ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout • Pressurized 230 volt AC freshwater pump • 230 volt AC 20 Gallon electric water heater • Aluminum fuel tank • Polyethylene water tank • Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller • Fuel filter/water separator, generator • Sealed shower sump, one each • Fuel filter/water separator, engines • Electric fuel priming pumps, engines • United States Coast Guard approved fuel lines • 1" stainless-steel steering tie bar with pivoting self-aligning ball joint connection at all cylinder and tie bar connections • Insulation in deck • Pick-up sea chests • DC voltmeter in battery panel • Start / stop switches and hour meter

Electrical Systems

• Two 24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes • Tin-coated wiring with insulation, labeled and color coded • Gel/lead acid compatible 240 volt automatic battery charger, 50/60Hz • Automatic battery paralleling system with switch at control console • Two 120/240 volt, 50 amp, shore cord inlets and cords with over-current protection • DC LED lights and fixtures • AC duplex outlet(s) with ground fault protection • Battery control panel with fuses and isolation switches • DC electronics panel with magnetic circuit breakers • AC and DC distribution panels with magnetic circuit breakers • AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches • Navigation lights • Ground fault protection on AC receptacles and AC lighting circuits • Air conditioning, 64,000 BTU, with reverse-cycle heating • TV antenna, omni-directional • Carbon monoxide detectors, throughout • Smoke detectors, throughout

Flybridge & Bridge Deck

• Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank 3/4 full monitor • Icom VHF, Furuno depth and temp • Welded and polished stainless-steel grab rails and stanchions • Lounge with vinyl-covered polyfoam cushions and storage underneath • Framed glass windshield • Control station with all necessary switches and dimmable lighted instruments • Painted aluminum radar arch with masthead light and anchor light • Compass with dimmable light • Single-lever clutch and throttle

controls (electronic) with emergency back-up and engine synchronization • Hydraulic power assisted steering • Two (2) adjustable helmchairs • DC AM/FM stereo receiver with CD player and speakers • Molded-in stairs to aft deck • DC low level lights • Neutral interlock switches allowing engine to start in neutral only • Fuel level gauges

Optional Lower Helm

• Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank 3/4 full monitor • Control station with all necessary switches and dimmable lighted instruments • Integrated controls (electronic) and engine synchronization • Compass with dimmable light • Hydraulic power assisted steering • Intermittent electric windshield wipers/washers with controls • Defogger • Helm Seat

Aft Deck

• Molded bench seating with cushions and cover • Molded fiberglass steps to flybridge • Molded fiberglass steps with lights to sport deck, port and starboard • Chain gates from aft deck to swim deck steps • Amplifier, speakers, and volume control integrated with Bose salon stereo • AC duplex outlet(s) with ground fault protection • DC lighting in hardtop • Electrically actuated access hatch to utility and engine compartment • Freshwater wash down outlet

Sport Deck

• Freshwater wash down outlet with hose connection • Molded-in fiberglass steps with DC lights to aft deck • Pop-up cleats (2) • Swim platform with stainless steel re-boarding ladder • Watertight door to utility room and engine room Galley • Amtico flooring • Microwave / convection oven • Dinette with storage underneath and solid-surface table with wooden pedestal • Pantograph door with lock, starboard, to side deck • solid-surface countertops with sink and storage cabinets made of finished wood • AC undercounter refrigerator and freezer drawer units (2) • AC four-burner ceramic cooktop • One-half hp continuous feed garbage disposal

Salon

• Inlaid carpeting with 6" Amtico border • Privacy blinds • Welded and polished stainless-steel sliding door to aft deck • 37" LCD TV • BOSE LS-V35 system with AM/FM, iPod Dock, and surround sound speakers • Blue Ray disc player • Custom sofa with storage • Throw pillows • End table • One club chair • HVAC control Companionway • Carpeting • Flush panel doors with door stops to staterooms and head(s) • Lighted stairway to galley • Storage cabinets outboard

Master Stateroom

• Carpeting • King-sized berth with upholstered headboard and cedar-lined storage underneath • Upholstered berth base • HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets • Cedar-lined hanging/storage lockers with automatic light • Nightstands with drawers • Dresser with drawers, port and starboard • 32" LCD TV • BOSE LS-235 system with AM/FM, iPod Dock, and speakers • Blue Ray disc player • Full-length mirror • Private access to head • Privacy blinds • HVAC control • Portlights, port and starboard • Vanity with stool

Bow Guest Stateroom

• Carpeting • Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath • Upholstered berth base • HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets • Cedar-lined hanging/storage locker with automatic light • Nightstands, port and starboard • DC AM/FM stereo receiver with CD player and speakers • Full-length mirror • Private access to head • HVAC control • Screened overhead hatch with privacy cover

Port Guest Stateroom

• Carpeting • Criss / cross berths with storage under lower berth • HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets • Cedar-lined hanging/storage locker with automatic light • Full-length mirror • HVAC control

Master Head

• Amtico flooring • Wallcovering • Solid-surface countertop, backsplash, and side splash with integral sink • Hardwood baseboards • Stall shower with frameless door and automatic sump pump • Storage cabinet with mirror above sink • Base cabinet with storage • Towel bar • Freshwater toilet • 120 volt AC air freshener blower • Plexi-mirror around upper cabinet • Holding tank 3/4 full indicator light

Guest Heads

• Amtico flooring • Wallcovering • Solid-surface countertop, backsplash, and side splash with integral sink • Hardwood baseboards • Stall shower with door and automatic sump pump • Storage cabinet with mirror • Base cabinet with storage • Towel bar • Freshwater toilet • 120 volt AC air freshener blower • Holding tank 3/4 full indicator lights

Optional Crew Stateroom

• Amtico flooring • Single berth • Upholstered berth base • HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets • HVAC control

Optional Crew Head

• Sink • Stall shower with door and automatic sump pump • Mirror • Towel bar • Freshwater toilet
• Holding tank 3/4 full indicator light

Storage/Utility Room

• Ladder from aft deck • Door to engine room • Watertight door from swim platform

Provisioning Items

• Stern staffs with ensign • Black braided mooring lines (6) • Black fenders (3) • Life jackets (6) • Life ring Hatteras

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ









КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**


США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004