

TWO — ALIA YACHTS



Builder: ALIA YACHTS

Year Built: 2011

Model: Cruising/Racing Sailboat

Price: PRICE ON APPLICATION

Location: United States

LOA: 81' 0" (24.69m)

Beam: 19' 8" (5.99m)

Min Draft: 7' 7" (2.31m)

Max Draft: 13' 5" (4.09m)

Cruise Speed: 9 Kts. (10 MPH)

Max Speed: 11 Kts. (13 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs TWO — ALIA YACHTS from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht TWO — ALIA YACHTS or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TWO — ALIA YACHTS Page 2 of 21

TABLE OF CONTENTS

2
5
5
5
5
5
6
6
7
7
7
8
8
9
9
10
10
10
10
10
10
11
11
11
11
11
12
12

Р	HOTOS	13
	Port Profile	13
	Under Sail	13
	Boarding & Platform Davits	13
	Stern Boarding	13
	Transom Locker	13
	Aft Deck	13
	Covered Cockpits	14
	Port Helm Station	14
	Helm Station Controls	14
	Guest Cockpit Starboard	14
	Guest Cockpit Forward	14
	Guest Cockpit Port	14
	Side Decks	15
	Foredeck	15
	Recessed Furler	15
	Foredeck Aft	15
	Side Deck Aft	15
	Carbon Anchor Arm	15
	Custom SS Hatches	16
	Pilothouse Forward	16
	Pilothouse Starboard	16
	Pilothouse Helm	16
	Salon Dining	16
	Library Open to Salon	16
	Library-Stateroom	17
	Library as Stateroom	17
	Office Service Area	17
	Owner's Stateroom	17

	Owner's Stateroom Stbd	17
	Owner's Stateroom Port	17
	Port Stateroom	18
	Port Stateroom Fwd	18
	Starboard Stateroom	18
	Starboard Stateroom Fwd	18
	Engine Room	18
	Professional Galley	18
	Crew Stateroom	19
	Galley Starboard	19
	Crew Head	19
	Crew Stateroom Aft	19
	Under Sail	20
	Under Sail	20
	Under Sail	20
	Night Lights	20
С	ONTACTS	21
	Contact details	21
	Telephones	21
	Office hours	21
	Address	21

TWO — ALIA YACHTS Page 5 of 21

SPECIFICATIONS

Basic Information

Category: Cruising/Racing Sailboat Model Year: 2011

Year Built: 2011 Country: United States

Cockpit: Yes

Dimensions

LOA: 81' 0" (24.69m) **Beam**: 19' 8" (5.99m)

Min Draft: 7' 7" (2.31m) **Max Draft**: 13' 5" (4.09m)

Speed, Capacities and Weight

Cruise Speed: 9 Kts. (10 MPH) Max Speed: 11 Kts. (13 MPH)

Displacement: 109128.81969 Pounds Gross Tonnage: 44180 Pounds

Water Capacity: 220 Gallons Fuel Capacity: 440 Gallons

Accommodations

Total Cabins: 4 Total Berths: 10

Sleeps: 8 Total Heads: 4

Captain Cabin: True Crew Cabin: 1

Crew Berths: 2 Crew Sleeps: 2

Crew Heads: 1

TWO — ALIA YACHTS Page 6 of 21

Hull and Deck Information

Hull Material: Composite Deck Material: Teak

Hull Configuration: Other Hull Color: Black

Hull Designer: Alan Warwick Exterior Designer: Alan Warwick

Engine Information

Engines: 1 Manufacturer: Volvo

Model: D4 HS63AE Engine Type: Inboard

Fuel Type: Diesel

TWO — ALIA YACHTS Page 7 of 21

DETAILED INFORMATION

Vessel Overview

"TWO" is hull #2 of the Alia 82 Series, designed by Alan Warwick as an ultimately fast and easily handled world voyager, with all amenities for gracious living aboard in port, or far at sea. The versatile layout offers owner and guest accommodations and comfort comparable with a far larger yacht. Handling her powerful carbon rig is simple and fully automatic, with hydraulic inboom and headsail furling, power winches and bow and stern thrusters. Her retractable lift keel offers access to ports normally inaccessible to yachts of with these performance capabilities. TWO's innovative, seawise design is evident in every detail of her engineering and construction. She can easily be run by a couple, with room for professional crew as desired. The yacht is fully "in class" for MCA Small Yacht Commercial Code for vessels less than 24M.

Accommodations

The interior layout aboard this Alia 82 sets a new standard for form and function in a yacht of this size. Matched grain varnished mahogany joinerwork is blended with teak trim, accented by upholstered panels for a crisp, contemporary décor throughout. Her three large owner and guest staterooms aft are complimented by a convertible library/fourth stateroom adjoining but separate from the raised salon, which is an elegant blend of comfortable entertaining and dining spaces with purposeful communication, navigation and inside control stations as well. Her galley and crew accommodations are separate and forward with private deck access. The Raised Pilothouse Salon is a full width entertaining area with unrestricted 360 degree line of sight visibility to the horizon, a full dining area and settee for 6-8 to port and two comfortable rotating lounge chairs and entertainment equipment to starboard. The forward end table to starboard folds open, housing complete controls for piloting the yacht from inside. The aft end table seconds as the navigation/communication station. A stairway leads aft to the guest accommodations, where the Master Suite is located fully aft, with a gueen size centerline berth and side tables, leather couch outboard to starboard, full office desk with phone, internet & printer, and large bureau to port. There is an abundance of natural light and ventilation, via overhead opening ports and large hull ports on each side. The ensuite head is large and well appointed with a full stall shower as well. Moving forward there are two comfortable guest staterooms, each with hull ports and opening ports to deck level, night stand, hanging locker and ensuite heads. The Port Guest Stateroom has a double berth and larger head with full stall shower. The Starboard Guest Stateroom has twin beds that can be converted into a double. All staterooms have individual AC and entertainment controls. Forward of the raised pilothouse, four steps lead down to a well detailed utility area with rotating leather top stools for working at the full length side table outboard, which houses several drawers of auxiliary "Sub Zero" refrigerator/freezers. This area doubles as an elegant serving space that adjoins the galley, immediately forward. A further function allows conversion of the side table to a wide single berth with cushions as an additional sleeping cabin. Two frosted and beveled glass doors separate the utility area from the Fourth Stateroom or Library to port, which has a full "L" shaped settee

TWO — ALIA YACHTS Page 8 of 21

outboard to starboard that converts to a wide single berth, coffee table, pop-up television forward and an automatically opening window into the galley, for service. This area is exceptionally well lit by the forward salon windows above, however a ceiling automatically deploys for privacy conversion when used as a stateroom. The level of dual purpose engineering in this regard is absolutely in a class of its own! The Galley is next forward, beautifully finished in burnished stainless, with an abundance of cabinet and counter space. The galley is fitted with the following equipment: •Miele 4 burner gas cook top with convection oven and grill •Miele Microwave •Fischer and Paykel DD6051 Double Dishwasher drawers •In-Sinkerator ISE 55 waste disposal •Broan garbage compactor •Miele CVA3660 Nespresso coffee machine •Blanco BRST60X Inbuilt range hood •Miele WT2670 Front load wash/ Dry machine •4 x Sub Zero refrigerator drawers •2 x Sub Zero Freezer drawers •Isotherm under floor freezer •U-line Ice Maker Immediately forward of the galley on centerline, a ladder companionway provides private deck access for the crew. The Crew Head and shower is next forward, adjoining the Crew Cabin, which has a large double berth, hull ports, opening hatch to the foredeck and ample storage in drawers and lockers.

Entertaining Cockpit, Helm Stations & Deck Layout

Adjoining the pilothouse salon aft, the Entertaining Cockpit has folding convertible varnished teak tables and "U" shaped settees port and starboard, fully protected from the elements by a full width dodger with opening window forward and a fixed bimini cover above. Dual Helm Stations are immediately aft, also protected by bimini covers and with custom control pedestals, carbon steering wheels, and complete controls for all operation, navigation and sail handling functions. Cushioned aft facing seats port and starboard are at the forward end of the sail handling and trimming area, with hydraulic Harken winches port and starboard. Fully aft, the stern rail and transom opens hydraulically to create a Full Swim Platform with well-lit steps to deck level, shower, swim platform, access to lazarette stowage and automatically adjusting dinghy davits. Side decks are wide and uncluttered with staysail sheets led below decks, and waterproof lockers for sail and fender stowage, propane and fueling ports. The Foredeck is also clear with the hydraulic furling headstay, windlass and swing-out carbon arm for anchor deployment, all stowed below deck level for an exceptionally clean deck layout.

Construction

The Alia 82's are built to German Lloyds Letter of Compliance covering hull, deck, superstructure and enclosures. She is fully certified MCA Commercial Code for small yachts. Hull, deck and all structures are constructed of epoxy resins with selected E-Glass and carbon laminates over variable density foam cores. Hull and deck are built over male molds with vacuum bagged laminates. Hull and superstructure are post cured and painted with approved epoxy systems and finished with Awlgrip. WATERTIGHT BULKHEADS: TWO has watertight bulkheads in four locations, plus a collision bulkhead forward of the crew cabin. RUDDER: Composite rudder blade is bonded to the carbon rudder stock, laminate over a mandrel with provision for an emergency tiller outlet at deck level and JP3 bearings at top & bottom and below deck quadrant.

TWO — ALIA YACHTS Page 9 of 21

KEEL: The lifting fin keel is fabricated of high tensile steel, suitably painted and faired for underwater use, with the cast lead bulb keel bolted and glass la-p joined. Two custom internal hydraulic cylinders control the lifting keel and a lock cylinder is also included to lock the keel in the up position. Draft with keel up is 2.3M (7.7') and keel down, 4.1M (13'5"). HATCHES & CLOSURES: Stainless Down Under water tight deck hatches, Gebo opening port lights and custom hull ports throughout. The windscreen is four curved panes of 12mm chemically-toughened glass. Pilothouse side glazing, three panels per side, is of the same material. TEAK DECKING: The complete deck area; entertaining & steering cockpit, side decks, foredeck and inside the opening transom are sheathed in 14mm X 50m quarter sawn teak planks with no visible fastenings, and margin boards surrounding bulwards, cockpit and cabin structures. DECK FITTINGS: Deck fittings include polished stainless bow and stern pulpits, stanchions and dodger/bimini framework, with many custom fairleads and other hardware including a number of pop-up docking/mooring cleats. Deck Hardware, tracks and blocks are all Harken, with a carbon Passerelle by Exit Engineering, with custom ss and teak boarding steps and.

Mechanical Systems

ENGINE & DRIVE TRAIN: Volvo D4, 260 hp marine diesel, drives a 3 blade feathering "Max Prop". ZF-63A – 2.8:1 Reduction gear and Aquadrive thrust bearing and propeller shaft, fitted with line cutters. BOW AND STERN THRUSTERS: Max Power 34 HP retractable bow and stern thrusters, hydraulic. AIR CONDITIONING: Webasto A/C system with 84,000 BTU capacity and nine air handlers throughout the yacht and controls in each cabin PUMPS AND PIPEWORK: All pipe work is MCA approved and insulated where required. Reinforced plastic fresh water piping is used throughout with dual Head Hunter pressure water pumps fitted. All bilge pumps are Johnson pumps, with an additional engine driven bilge/firefighting pump as well. HYDRAULICS: By Max Power, from the power takeoff (PTO) on the generator or DC power pack, the system is supplied by reservoir and all SS piping. All controls are via logic control and touch panels at the helm stations. Systems include: • Transom door, davits & swim platform • Carbon anchor arm & Maxwell windlass • Bow & Stern thrusters • Headsail furler & main boom furler • Main halyard and main sheet captive reel winches • Six Harken deck winches • Keel control

Electrical System

24 & 12 VOLT DC SYSTEMS: (12) 2 volt Mastervolt MVSV-1200 Gell Cell batteries in series for 1,240 amp. hours (3) Mastervolt Mass 24/100, three step chargers 175 amp engine driven alternator Separate "Buffer" battery bank of (2) Mastervolt AGM-70, 12 Volt gel cells, supplying 12V lighting, navigation lights and equipment. 12 Volt navigation/communication system, (1) Mastervolt MVG-140, 12V gel cell 12 Volt Engine/Generator start batteries, (2) Mastervolt MVG-160, 12V gel cells w/parallel switch. 220 VOLT AC SYSTEM: (2) Mastervolt Mass 24 inverters; 2.5 and 5.0 KWH 25 KVH Whisper Power generator 50 hz shore power system A Sea ___ KWH shore power conditioner

TWO — ALIA YACHTS Page 10 of 21

Monitoring System

Free Technics touch screen monitoring system for all systems aboard, w/Audible alarms •All tankage •Bilge & pumps •Hydraulic system •Electrical system •Fire system

Entertainment Equipment

• (6) Samsung Series 6 LCD TV's in each cabin plus upper and lower salon • Upper salon TV mounted on custom lift in starboard console • Kalidescope 4TB media server • Ratel RKB 650 Amplifier • Bose B&W speakers throughout including (4) outdoor speakers • Crestron control system and remote touchscreens in each cabin

Navigation and Communication Equipment

• (3) B&G Zeus 12" chart plotters; navigation station and both helms • Simrad Class "B" AIS • B&G 24 mile radar • B&G H3000 processors with GFD displays at both helms, owner & captain cabins • B&G ACP01 Autopilot and GPD displays at each helm station • B&G Remote vision • B&G carbon masthead unit, thru hull sensors, barometer, compass, etc.. • Simrad VHF, Icom HF and handheld radios • Sailor 250 Fleet broadband system for email/internet/phone • Mast and engine room video cameras • 3G Wi-Fi system with onboard wireless network & printer • (2) Jabsco searchlights w/control at helm stations

Spars and Rigging

Carbon Fiber mast with four sets of aft swept spreaders by Hall Spars, with a Hall "OceanFurl" hydraulic furling boom. Navtec rod standing rigging to Navtec tensioners. • Carbon spinnaker and jockey pole by Hall Spars • Navtec boomvang and backstay hydraulics • Custom spreader antenna mounts • Custom running rigging package

Sails

Carbon Spectra Mainsail w/carbon battens, custom anti-chafe end caps & UV protection strip
Carbon Spectra heavy AP jib with vertical battens for furling and UV protection
Spectra A3 reaching asymmetric spinnaker w/snuffer
Storm sails
Sail repair kit

Anchoring Gear

70 kg custom stainless CQR Manson anchor is housed below deck on a carbon fibre anchor arm, hydraulically deployed and locking into the stem head fitting. Maxwell HWC 3500 hydraulic

TWO — ALIA YACHTS Page 11 of 21

powered windlass and 100M of galvanized chain.

Safety Equipment

Full MCA Class 2 safety gear in included and supplied from Ocean Safety UK. TWO is MCA compliant and ready for transfer of title to Commercial registry. • ACR 406 EPIRB • (17) auto inflate lifejacket/harness/tethers • (2) children auto inflate jackets • (2) Jon Buoy MOB recovery modules on stern rails • (8) Firefly personal strobe/torches and rescue knives • (2) 8 man self-righting liferafts with "grab bags". • MCA Class fire extinguishers • Fire blanket and LPG gas detector in galley w/auto shutoff • (4) waterproof emergency escape torches • Class approved flare kit • Class approved first aid kit • Fog horn, signal mirror, anchor ball, Echomax radar reflector, hand bearing compass Fortress secondary anchor stowed in chocks in the foredeck locker w/20mm anchor rode and 10M anchor chain.

Firefighting

Automated fire detection and extinguishing system is fitted to the engine room. Smoke detectors are fitted in each cabin, living space and machinery space, with portable extinguishers distributed throughout the vessel.

Tender and Outboard

AB 13VS hard bottom inflatable tender with custom console and 50hp Evinrude outboard, fuel tank, steering wheel, throttle control & start battery. Tender is stored on a custom davits incorporated into the transom door for automatic deployment, or in custom chocks on the foredeck.

Additional Equipment

 Custom running rigging • Mooring lines & fenders • Dive compressor mounts, power supply and tank storage racks in lazarette • Complete deck canvas; Bimini, Dodger & Helm sun awnings • Deck cushions • Tender chocks and cover • Exit Engineering carbon Passerelle and storage bag. • Mechanical spares • Basic tools, rigging & sail repair kit

Comments

'TWO' is a remarkable yacht indeed, the result of years of collaboration between Alan Warwick and a very experienced Owner, beginning with a brief that listed all the attributes required for his ideal high performance global cruising yacht. On initial review, her designer determined that the description was for an elegant, 125' sailing yacht. Over the next eight years, the envelope was reduced in size without sacrifice of any key features, by a number of ingenious design and

TWO — ALIA YACHTS Page 12 of 21

engineering innovations and dual-purpose applicability in all aspects of her layout, sail handling systems and engineering. The quality of construction from Alia Yachts is of the highest order in all respects. Her sistership, AIYANA, has been cruising non-stop since her initial launch in late 2010 and has completed three summers in the Mediterranean, four Caribbean winters, a New England summer and this year she's cruising South America with intention to transit the Panama Canal in the fall. She has performed flawlessly. With only 450 hours on her engine and less than 400 hours on her generator, TWO remains in essentially new condition. She is a yacht that lives like a palace and sails like a dream. Without a doubt, she represents an exceptional value on today's brokerage market.

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

TWO — ALIA YACHTS Page 13 of 21

PHOTOS

Port Profile



Under Sail



Boarding & Platform Davits



Stern Boarding



Transom Locker



Aft Deck



TWO — ALIA YACHTS Page 14 of 21

Covered Cockpits



Port Helm Station



Helm Station Controls



Guest Cockpit Starboard



Guest Cockpit Forward



Guest Cockpit Port



TWO — ALIA YACHTS Page 15 of 21

Side Decks



Foredeck



Recessed Furler



Foredeck Aft



Side Deck Aft



Carbon Anchor Arm



TWO — ALIA YACHTS Page 16 of 21

Custom SS Hatches




Pilothouse Forward




Pilothouse Starboard



Pilothouse Helm



Salon Dining



Library Open to Salon



TWO — ALIA YACHTS Page 17 of 21

Library-Stateroom



Library as Stateroom



Office Service Area



Owner's Stateroom



Owner's Stateroom Stbd



Owner's Stateroom Port



TWO — ALIA YACHTS Page 18 of 21

Port Stateroom



Port Stateroom Fwd



Starboard Stateroom



Starboard Stateroom Fwd



Engine Room



Professional Galley



TWO — ALIA YACHTS Page 19 of 21

Galley Starboard



Crew Stateroom



Crew Stateroom Aft



Crew Head



TWO — ALIA YACHTS Page 20 of 21

Under Sail



Under Sail



Under Sail



Night Lights



TWO — ALIA YACHTS Page 21 of 21

CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004