

# 47FT 2003 CABO YACHTS 47 FLYBRIDGE R — CABO



**Судостроитель:** CABO

**Год постройки:** 2003

**Модель:** Катер для спортивной рыбалки

**Цена:** ЦЕНА ЯХТЫ ПО ЗАПРОСУ

**Местонахождение:** United States

**Длина общая:** 47' 0" (14.33m)

**Ширина:** 15' 8" (4.78m)

**Макс. осадка:** 4' 0" (1.22m)

Купить 47ft 2003 Cabo Yachts 47 Flybridge Repowered CRM — CABO а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту 47ft 2003 Cabo Yachts 47 Flybridge Repowered CRM — CABO а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

# ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	4
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Manufacturer Provided Description	6
Equipment List	6
Исключения	8
Отказ от ответственности	8
ФОТОГРАФИИ	9
Cockpit	9
L shaped seating	9
galley 1	9
galley 2	9
Subzeros	9
Guest Stateroom	10
Entertainment	10
Breaker panel	10
Frwd stateroom	10
Best wiring in the Business	10
Engine room Aft	11
Head	11
Helm Chairs	11
Stairs	12

---

Galley	12
Digital display COMMON RAIL MANNES	12
Engine Replaced 2011 Mans	12
port engine	12
starboard engine	12
flybridge	13
Bow aft	13
Helm frwd	14
Aft	14
Helm	14
Layout	14
Manufacturer Provided Image	14
Manufacturer Provided Image	15
КОНТАКТЫ	16
Контактная информация	16
Телефоны	16
Время работы	16
Адрес	16

# ХАРАКТЕРИСТИКИ

## Основная информация

**Тип судна:** Катер для спортивной рыбалки

**Модельный год:** 2003

**Год постройки:** 2003

**Страна:** United States

## Размеры

**Длина общая:** 47' 0" (14.33m)

**Ширина:** 15' 8" (4.78m)

**Макс. осадка:** 4' 0" (1.22m)

## Скорость, вместимость и масса

**Водоизмещение:** 42000 Pounds

**Вместимость воды:** 100 Gallons

**Объем топливного бака:** 900 Gallons

## Размещение

**Всего кают:** 2

**Всего коек:** 5

**Всего ком. состава:** 2

## Корпус и палуба

**Материал корпуса:** Fiberglass

## Информация о двигателе

---

**Двигатели:** 2

**Производитель:** MAN

**Модель:** MAN Common Rail

**Тип двигателя:** Inboard

**Тип топлива:** Diesel

# ПОДРОБНОЕ ОПИСАНИЕ

## Manufacturer Provided Description

No commentary provided for the Cabo 47 Flybridge Sportfisher.

## Equipment List

Cabo 47 Flybridge Sportfisher Specifications - Standard Equipment Hull - Molded fiberglass construction with superior ISO - NPG gelcoat finish and premium vinylester resins throughout - Bi-axial stitched fabric reinforcement - Solid fiberglass bottom construction - Core-cell foam core from upper chine to sheer, vacuum bagged - Hull finished inside with white polyester gel coat - Stainless steel rub strip on face of white high density rubrail - Bottom paint, complete preparation - 2 coats epoxy, 2 coats anti-fouling paint, black standard - Boot stripe - choice of colors Deck - Molded fiberglass using polyester resin, bi-axial stitched fabric reinforcement and vacuum bagged core-cell foam construction - Premium quality molded-in white gelcoat finish - Molded-in non-skid surface - Custom anchor roller assembly - Windlass, electric 24V, 25 foot 3-8" HT chain, 250 foot nylon rope, 35 lb FX37 Fortress anchor. - Custom deck rails, aluminum, East Coast style - Custom spring line cleats (4) - Stern cleats, stainless steel - Stern hawse pipes, stainless steel - Storage boxes under gunwale Cockpit - Aluminum reinforcing plate installed for mounting fighting chair - Bait prep center port side includes sink, rigging board and tackle storage, fitted with custom lid, gas spring actuator, full length stainless steel piano hinge and custom latch - Locking door to engine room with ladder from cockpit - Lighting under gunwales - Fish boxes, large capacity, insulated with macerator pump-out system - Gunwale padding, high density foam, white vinyl covered, mounted on tough 1-2 inch polyethylene backing board. - Bait tank, 50 gallons molded, into transom. - Hatches, lazarette and two fish boxes, heavy duty with gaskets and piano hinges. - Rod-gaff racks port and starboard. - Rod holders (5) - Cockpit scuppers - Transom door with top gate, extreme duty polished stainless steel hardware - Quick disconnect wash down: freshwater, starboard side; salt water, port side; salt water, fore deck - Dockside fresh water inlet Flybridge - Tournament configuration - Bench seat forward to console with cushions and storage - Aluminum bridge ladder with safety rails to match deck rails, custom welded with 5 rocket launchers - Compass with light, flush mounted - Complete custom engine instrument panel with audible warning system - Custom switch panel - Single level engine controls - Fire and bilge water level alarms, audible - Forward storage lockers - Large electronics console, custom molded - Pedestal mounted helm and companion chairs, adjustable - Stainless steel helm wheel - Storage cabinet at helm Mechanical - Aircraft type braided fuel lines - Electric fuel priming pumps - Bilge, bright white gel-coated finish - Bilge pumps, three 24V automatic - manual and one 24V - Bonding system with transom zinc plate - Double hose clamps on all hose fittings where possible, stainless steel - Double constant torque stainless steel clamps - Oil change system, mains, generator and transmission - Engine alarm system. - Engine hour meters (2) - Engine room sound insulation, high density barrier and foam. - Dual engine room ventilation fans, 110V - Bilge blowers (2), 24 VDC. - Fire extinguishing system, automatic - Fresh water cooling on main engines - High water bilge alarms (3) - Holding tank, with gauge, macerator,

overboard and dockside discharge - Water heater, stainless steel, 220 VAC - Propeller shafts, high strength stainless steel, double taper couplers - Propellers, 4 blade nibral. - Rudders, high strength bronze installed with high-load bearings ensuring low friction and precise control - Stuffing boxes, drip-less lip seal type - Sea cocks, UL approved for marine application, bronze, fitted on all through-hulls below water line - Sea water strainers, bronze (2) - Trim tabs, fully recessed - Electronic controls with back-up cables, engine synchronizer and trolling valves - Emergency Y-valve bilge pump on engine - Power steering Electrical - 10 kW freshwater-cooled diesel generator with sea-water strainer, remote start and gauge panel, water lift muffler, safety shut down system and dedicated battery. Generator is not intended to supply power for all standard optional equipment. Load must be limited to generator output. - Custom AC electrical distribution panel with line voltage and load meter, reverse polarity light and main breakers that trip when reverse polarity - Custom DC electrical distribution panel with battery voltage and load meters - Entertainment Center with TV - VCR and Bose AM-FM - CD stereo system - Washer and Dryer. - Ice Maker - Battery on-off switches, vapor proof - Bonded electrical system - 50 amp, 24V battery charger, automatic, 220 VAC - 50 foot shorepower cord, retractable Glendinning cord master, 220V, 50 amp - Engine room lights, 24 VDC and 120 VAC - Horn, air trumpet - Navigation lights, International - DC fuses with uninterrupted power to bilge pump, fire and bilge flood monitors - Electronics supply at helm, 24 VDC - Ground fault circuit interrupter receptacles in galley and head - Interior lighting, 24 VDC and 24 VAC - Cable television system with cable connection - Telephone jack with shore connection - Central vacuum Main Cabin - Access hatch in galley to below-deck equipment space - Upgraded ultra nylon fabrics on saloon settee - Lighting, 24 VDC and 120 VAC - Air Conditioning and Heat, dual zone - Central vacuum cleaning system - Interior teak superbly joined and finished in satin varnish - Positive latches used on cabinet doors and drawers - Deep pile carpet - 120 VAC duplex outlets GFI protected Galley - Cook top, two burner electric, recessed with Corian cover - Corian counter top with custom Corian sea rails - Corian sink - Water gauge - Counter top lighting is recessed halogen - Microwave - convection oven - Positive latches used on cabinet doors and drawers - Refrigerator, AC with freezer - Storage compartments and drawers throughout - 120 VAC duplex outlet GFI protected - Trash compactor Forward Stateroom - Access to anchor rope locker - Island double bed with 5-inch mattress and coverlets - Fore deck hatch with retractable shade - Hanging lockers, port and starboard - Positive latches used on cabinet doors and drawers - Recessed halogen lights - Custom built-in TV - VCR - Storage compartments and large drawers below bed - 120 VAC duplex outlet GFI protected - Port and starboard rod storage locker for up to 8 rods Guest Stateroom - Bedspreads, 1 double berth and 1 single berth - Reading lights, 24 VDC - Drawers under berth. - Hanging locker, cedar lined - Pillow shams (2) - Vinyl headliner - Custom carpeting Head Compartment - Master - Corian counter top, custom - Custom vanity with storage cabinet - Head, Sealand Vacuflush electric - Overhead lighting, 24 VAC - Positive latches used on cabinet doors and drawers - Separate stall shower with automatic shower sump pump - Toiletry storage cabinet, Corian framed with sliding mirror doors - 120 VAC duplex outlet GFI protected - Vanity lighting, 24 VDC Head Compartment - Guest - Corian counter top, custom - Custom vanity with storage cabinet - Head, Sealand Vacuflush electric - Overhead lighting, 24 VAC - Positive latches used on cabinet doors and drawers - Separate stall shower with automatic shower sump pump - Toiletry storage cabinet, Corian framed with sliding mirror doors - 120 VAC duplex outlet GFI protected - Vanity lighting, 24 VDC Safety Equipment - Anchor, 25-

foot chain, 250-foot rode, life jackets, throwable PFD, fire extinguisher, dock lines, fenders, distress signaling device, flashlight, emergency horn, first aid kit Cabo 47 Flybridge Sportfisher

Optional Equipment General Options - Hull color other than white (warranty does not cover or extend to any gelcoat finishes; colored gelcoat finishes are susceptible to fading) - Rails, west coast style (polished stainless or aluminum) - Rails, east coast style (polished stainless, aluminum - standard) - Swim platform (fiberglass) - Swim platform, ladder, stainless steel Diesel Options - Twin MAN 2848LE 401, 680 hp - Twin MAN 2848LE 403, 800 hp - Twin MAN 2840LE, 1050 hp Interior Options - Teak and holly sole in lieu of carpet - Alternate color Corian countertop - Interior Fabric Upgrades - Leather (finest full grain) Sportsfishing Options - Bait Tank, 72 gallons, center cockpit mount - Freezer plates, 110V system, in cockpit ice box - Freezer plates, 110V system, installed in cockpit fish box - Eskimo ice machine plumbed to portside fish box - Four additional rocket launchers on bridge rail, totaling nine (aluminum or stainless steel) Generator Upgrade - 12 kW Westerbeke freshwater-cooled diesel generator with seawater strainer, remote start and gauge panel, water muffler, safety shut down system with sound shield - 15 kW Westerbeke freshwater-cooled diesel generator with seawater strainer, remote start and gauge panel, water muffler, safety shutdown with sound shield. - Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating. Mechanical and Miscellaneous Equipment - Shipping cradle and straps - Shrink wrap for export - Hot and cold hand-held shower in cockpit - Sea Recovery 600 gallon per day reverse osmosis watermaker. - Engine room gauge box consisting of stop, prime, oil pressure, transmission temperature, water temperature, volts and tach - Auxiliary 12V distribution panel for electronics

## Исключения

---

При продаже яхты исключаются личные вещи владельца.

## Отказ от ответственности

---

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.



# ФОТОГРАФИИ

**Cockpit**



**L shaped seating**



**galley 1**



**galley 2**



**Subzeros**



**Entertainment**



**Guest Stateroom**



**Frwd stateroom**



**Breaker panel**



**Best wiring in the Business**




### Engine room Aft



### Head




### Helm Chairs



**Stairs**



**Galley**



**Digital display COMMON RAIL MANNES**



**Engine Replaced 2011 Mans**



**port engine**



**starboard engine**






**flybridge**



**Bow aft**



**Helm frwd**




**Aft**

**Helm**



**Layout**



**Manufacturer Provided Image**



### Manufacturer Provided Image



# КОНТАКТЫ

---

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

## Контактная информация

---

Email: [andrey@shestakovyachtsales.com](mailto:andrey@shestakovyachtsales.com)

Web: [shestakovyachtsales.com](http://shestakovyachtsales.com)

## Телефоны

---

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

## Время работы

---

Понедельник – Суббота: **9:00 - 21:00**  
EDT

Воскресенье: **Закрето**

## Адрес

---



Harbour Towne Marina, 850 NE 3rd St,  
STE 213, Dania, FL 33004