

RESTLESS — OYSTER MARINE LTD



Builder: OYSTER MARINE LTD

Year Built: 2008

Model: Cruising Sailboat

Price: PRICE ON APPLICATION

Location: United States

LOA: 65' 0" (19.81m)

Beam: 18' 5" (5.61m)

Max Draft: 9' 7" (2.92m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **RESTLESS — OYSTER MARINE LTD** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **RESTLESS — OYSTER MARINE LTD** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	5
Overview	5
Basic Information	5
Dimensions	5
Speed, Capacities and Weight	5
Accommodations	5
Hull and Deck Information	6
Engine Information	6
DETAILED INFORMATION	7
REMARKS	7
CONSTRUCTION	7
DECK	7
ACCOMMODATIONS	8
LAYOUT (from forward)	8
ENTERTAINMENT EQUIPMENT	10
DECK EQUIPMENT	11
RIG AND SAIL HANDLING	12
MACHINERY	12
TANKAGE AND PLUMBING	13
ELECTRICAL SYSTEM	14
NAVIGATION and COMMUNICATION EQUIPMENT	15
SAFETY EQUIPMENT	17
EXCLUSIONS	18
Exclusions	18
Disclaimer	18
PHOTOS	19
Saloon	19

Saloon Dining Table	19
Port Saloon	19
Saloon Aft	19
Master Cabin	19
Guest Cabin	19
Starboard Guest Head	20
Double Cabin	20
Port Guest/Day Head	20
Galley	20
Nav Station	21
Service Panel	21
Door to Engine Room	21
Windlass Furlers	21
Foredeck	21
Saloon Deck	21
Mast Base	22
Gooseneck	22
Side Deck	22
Cockpit	22
Wheels and Cockpit	23
Port Helm	23
Starboard Helm	23
Aft Quarter	23
Pushpit Seating	23
Electric Davits	23
On Mooring	24
Under Sail	24
Layout	24
CONTACTS	25

Contact details	25
Telephones	25
Office hours	25
Address	25

SPECIFICATIONS

Overview

RESTLESS is the owner's fourth Oyster. He chose the 655 because it is large enough to accommodate crew when needed, yet easy enough to handle as an owner/operator. Unlike newer Oysters with cored hull construction, the Oyster 655 is solid single-skin layup of E-Glass, carbon and Kevlar. The modern performance design of narrow-entry forward and wide sections aft make her a powerful, stable and quick-cruising platform, capable of taking her passengers and payload anywhere in speed, comfort and safety. Seller will reimburse cost of first-class airfare to Buyer upon closing. *Not for sale or charter to U.S. residents while in U.S. waters.*

Basic Information

Category: Cruising Sailboat

Sub Category: Deck Saloon

Model Year: 2008

Year Built: 2008

Country: United States

Vessel Top: Bimini Top

Dimensions

LOA: 65' 0" (19.81m)

LWL: 59' 6" (18.14m)

Beam: 18' 5" (5.61m)

Max Draft: 9' 7" (2.92m)

Speed, Capacities and Weight

Displacement: 82673 Pounds

Water Capacity: 423 Gallons

Fuel Capacity: 476 Gallons

Accommodations

Total Cabins: 4

Total Berths: 6

Sleeps: 12

Total Heads: 3

Hull and Deck Information

Hull Material: Fiberglass

Deck Material: Teak

Hull Configuration: Bulb Keel

Hull Color: White

Hull Finish: Fiberglass

Hull Designer: Rob Humphreys/Oyster
Design Group

Engine Information

Engines: 1

Manufacturer: Perkins

Model: M185C

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

REMARKS

RESTLESS is the owner's fourth Oyster. He chose the 655 because it is large enough to accommodate crew when needed, but easy enough to handle as an owner/operator. Unlike newer Oysters with cored hull construction, the Oyster 655 is solid single-skin layup of E-Glass, carbon and Kevlar. Her modern performance design of narrow-entry forward and wide sections aft make her a powerful, stable and quick-cruising platform, capable of taking her passengers and payload anywhere in speed, comfort and safety. Seller will reimburse cost of first-class airfare to Buyer upon closing. *Not for sale or charter to U.S. residents while in U.S. waters.*

CONSTRUCTION

HULL:

The fiberglass hull is laid-up single skin with structural stringers and floors to Lloyds-approved design specifications. Her outer hull laminate incorporates Kevlar and carbon fiber, built to comply with the requirements stipulated in the European Union's recreational craft directive (EURCD) to meet design category A – 'Ocean.'

HULL COLOR:

White with Oyster Blue cove line and double boot top lines. Stern design incorporates a swim platform, finished in laid teak and molded fiberglass steps trimmed with teak, for access to the stern deck.

KEEL:

High performance bulb (HPB) external lead keel

RUDDER:

Fully protected skeg-hung rudder

DECK

- Oyster deck saloon with 'G5' styling and 'eyebrow' feature
- The cockpit is split into separate steering and guest/crew areas
- Aft cockpit has a clear central walkway between twin wheels, providing excellent access to the aft deck
- Main guest cockpit has a large high-gloss varnished central table with folding leaves and integral refrigerator with stainless steel baskets

- Teak-laid decks
- Deck edge incorporates a bulwark, allowing relatively flat side decks
- Top of bulwark is clean fiberglass with a new, modern and stylishly rolled edge
- Ample C-Quip stainless steel folding mooring cleats
- Stainless steel pulpit, pushpit and gateway midship stanchions
- Stainless steel, hinged boarding ladders close to form side gates
- Gate to pushpit
- Stainless steel grab rails atop deck saloon
- Life raft stowage built into pushpit quarter seats
- Stern quarter pushpit seats crafted of teak and stainless steel
- Stainless steel pole (6.5') at stern for navigation/communications antennae
- Raymarine camera with link to E-Series plotter at chart table and swiveling aft deck flood light
- Removable partition located at top part of recessed anchor locker for kedge warp and chain stowage
- Lazarette locker with twin stainless steel gas struts
- Stainless steel rail for rope stowage
- Gas locker for 28 lb. propane cylinder

STEERING:

- Twin pedestals with 46" Mini-Maxi stainless steel wheels
- (2) Brown suede leather wheel covers
- Stainless steel mug rack on each pedestal

ACCOMMODATIONS

GENERAL DESCRIPTION:

Eight berths in four cabins, excluding the saloon. Interior joinery finished in teak. Essential features include sculpted fiddles and grab rails, 'shadow-gap' joints between panels and Oyster custom knobs for lockers and drawers. Routed teak cabin sole. Surfaces in galley are 'Tusk' Avonite. Surfaces in heads are 'Night Pearl' Avonite. Headlining in off-white vinyl. Alcantara 'Amber Glow' upholstery. Lee screens on sea berths. Roman blind systems all cabins. OceanAir skyscreens on all deck hatches. Flyscreens on all opening hull and coach roof ports. Six fans located in galley, each cabin and chart table.

LAYOUT (from forward)

SAIL LOCKER:

Access via deck hatch with stainless steel ladder

TWIN CABIN:

To port, with upper and lower berths. Lockers beneath lower berth. Hanging locker. Private door into day head.

DAY HEADS/EN SUITE CREW HEAD:

Accessed from forward passageway and shared by occupants of port crew cabin. Jabsco PAR manual toilet, separate shower and basin.

DOUBLE CABIN WITH EN SUITE HEAD:

To starboard with double berth, locker, drawers, hanging locker and under-berth lockers. Jabsco Quiet-Flush electric toilet, wash basin and separate shower.

MAIN SALOON:

Her main living space features a large, curved L-shaped settee to starboard around a fixed teak table trimmed with black Avonite. There is a shorter settee to port, plus (2) loose, folding Astron chairs. The central table pedestal, with sliding, fold-out extension of burred elm veneer, incorporates a locker with shelf and bottle storage, ice maker and veneered handhold cut-outs on corners. Small saloon locker to port for champagne and wine glasses and large locker to starboard for wine glasses and tumblers. Bosch WVF2000 washer/dryer.

GALLEY:

The U-shaped galley is located aft of the saloon to port. There is a stainless steel, gimballed Force 10 gas stove with four burners, grill and oven; twin sinks and plentiful lockers are built in. Two front-opening fridges with brushed stainless steel doors and top-opening freezer box. Panasonic NNV673S 900W stainless steel combination microwave oven. Drainage grooves. Aft bulkhead is faced with a brushed stainless steel-reinforced mica sheet. All surfaces and upstands in Avonite.

NAVIGATION AREA:

To starboard with chart table, locker and bookshelf. Upholstered seat. Electrical service panel located aft of nav seat.

PASSAGEWAY:

Steps lead down from navigation area into passageway with access to engine room and draining wet locker below companionway.

ENGINE ROOM:

Sound-insulated with 24 V lighting and three electric extractor fans. Accessed via double-hinged doors from passageway. Storage racks on inside of doors.

TWIN GUEST CABIN:

To starboard, off passageway with upper and lower berths. Hanging locker, drawers and lockers.

OWNER'S STATEROOM:

Aft cabin has a double berth offset to port of the centerline with under-berth drawers, dressing table and a pair of large hanging lockers. Twin bookshelves. Private companionway hatch entrance from aft deck with stainless steel ladder to starboard. Slide-out fly screen with blackout shade.

EN-SUITE HEAD:

From aft cabin to port. Separately-lit shower stall, Jabsco Quiet-Flush electric toilet and wash basin.

ENTERTAINMENT EQUIPMENT

FORWARD STARBOARD GUEST CABIN:

- Alpine CD/tuner with iPod interface
- (2) Headliner speakers
- Magic eye for Alpine in headliner

FORWARD PORT GUEST CABIN:

- Alpine CD/tuner with iPod interface
- (2) Headliner speakers
- Magic Eye for Alpine in headliner

MAIN SALOON:

- 32" Toshiba TV with electric lift system
- Alpine DVD player and changer
- iPod interface
- Black box tuner and system control unit
- Alpine 6.5" touch screen monitor
- Alpine CD/tuner to run cockpit audio with waterproof remote at helm and (2) waterproof Alpine speakers
- Alpine 5-way theatre amp
- Subwoofer and amp
- (5) Anthony Gallo speakers
- Magic Eye for Alpine
- Socket for PlayStation/camcorder

DECK EQUIPMENT

ANCHORING:

- 105 lb. Main anchor with 390' calibrated, galvanized chain
- 66 lb. Spade kedge anchor with 328' x 18 mm Octoplait nylon warp and 32' x 12 mm chain tail
- Lewmar 3000 vertical gypsy/drum electric anchor windlass with foot switch
- 600' Warp and para anchor
- 300' Warp for sea anchor/drogue
- Aluminum Fortress anchor

HATCHES:

- Rondal flush hatch in foredeck
- (7) Lewmar alloy-framed deck hatches
- Gebo alloy-framed portlights in coaming
- Gebo opening hullports
- Deck saloon opening windows with gas struts

WINCHES (all Lewmar self-tailing):

- (2) 77 CEST 3-speed electric primaries
- (2) 64 CST 2-speed manual secondaries
- 64 CEST 2-speed electric mainsheet
- 44 CST 2-speed manual traveller control
- 54 CST 2-speed manual reefing control line on aft face of mast
- 64 CEST 2-speed manual mainsail halyard
- 64 CST 2-speed manual genoa and staysail halyard fitted on mast

DAVITS:

- Simpson Series 7 S300 electric davits - 660 lb. max load

CANVAS (All Sunbrella "Dune"):

- Spray hood
- Bimini
- Covers for cockpit table, pedestals and wheels
- Dinghy cover
- Winch covers

DECK EQUIPMENT – GENERAL:

- Cockpit table – gloss-varnished teak with Frigomatic refrigerated cool box
- Acrylic-covered cockpit cushions with closed cell foam
- Multiplex 3.2 m carbon passerelle with brace lines and padded bag – socket on transom

step

- Topping lift upgraded to act as passerelle and back-up main halyard
- Removable stainless steel passerelle fitting to stemhead
- Hot and cold freshwater deck shower in transom locker
- Freshwater washdown outlet in anchor locker
- Oyster custom drop-down washboard system
- (4) Stainless steel drink holders on pushpit seats
- Stainless steel BBQ grill on pushpit rail

RIG AND SAIL HANDLING

MAST AND RIGGING:

- Cutter rig
- Hall Spars white painted aluminum mast with hydraulic in-mast furling
- Navtec A320-MF-02S two-function manual backstay adjuster with remote hydraulic control panel at pedestal
- (2) Folding mast steps at masthead
- (2) 'No strike' ion dissipators at masthead
- Jumper strut
- Stainless steel rod rigging
- Preventer lines fixed on boom for attachment to lazy pole downhaul guy

HEADSAIL FURLING:

- Reckmann hydraulic headsail furler
- Reckmann hydraulic staysail furler
- MPS CRUISING CHUTE GEAR:
- Package including Hall Spars carbon pole vertically stowed on mast with line drive
- Additional halyard

SAILS:

- Doyle Stratis GPC Mainsail, Yankee, Staysail
- Doyle Stratis GPC Dacron Gennaker with furler
- Custom-built stainless steel bowsprit

MACHINERY

ENGINE:

- Perkins/Sabre, Model M185C, 6-cylinder, 187 hp with 24 V start, 2,250 hours (10/14)
- Parallel plumb engine and genset Racor filters (to allow both to run off of a single unit)
- Racor filters installed over stainless steel drip tray

PROPELLER:

- MaxProp 3-blade feathering propeller
- Ambassador AM20 rope cutter on prop shaft

ALTERNATORS:

- Perkins 40 A, 24 V alternator for starting/battery charging
- Second Mastervolt 150 A, 24 V high-output alternator for domestic battery charging

GENERATOR:

- Onan 17.5 kVA generator – 220V @ 50Hz, 2,770 hours (10/14)

BOW THRUSTER:

- Maxpower CT325, 18 hp hydraulic tunnel bow thruster

HYDRAULICS:

- Lewmar 400 Commander 4-function system for headsail and staysail furling, mainsail furling and outhaul

AIR CONDITIONING:

220 V Cruisair reverse-cycle system, incorporating (2) 16,000 BTU condenser units: (1) in engine room for aft cabins, (1) forward in saloon for forward cabins; (2) Stowaway, self-contained 6,000 BTU units (for saloon and galley) and (3) remote air-handler units: (1) 16,000 BTU for owner's cabin ducted through to aft, starboard guest cabins, (1) 7,000 BTU for forward port crew cabin and (1) 10,000 BTU for forward starboard guest cabin

REFRIGERATION:

- Frigomatic K50 F, 24 V DC twin compressors with twin plate for direct-water cooled freezer compressors
- Frigomatic cockpit refrigeration

WATERMAKER:

- Seafresh 206A – 220 V AC watermaker with Seafresh auto-flush system producing approx. 25 gallons/hour
- High-pressure pump motor and salinity reject valve
- Second stage raw water filter and hour meter
- Additional membrane tube added to increase total output to 61 gallons/hour. Membranes can be isolated in the event of failure

TANKAGE AND PLUMBING

FUEL:

- (2) Fiberglass tanks, 476 gallons total
- Fuel polishing system
- Seagull purifier water system in galley with dedicated separate tap

WATER:

- (2) Fiberglass tanks, 423 gallons total
- Seagull purifier water system in galley with dedicated separate tap
- Backup fresh water pump installed

TANK TENDER GAUGES:

- Tank tender system for fuel and water tanks, plus dipsticks

HOT WATER:

- Insulated 19 gallon tank dually heated by the engine's heat exchanger and by thermostatically-controlled 220 V, 1.35 kW immersion heater

HOLDING TANKS:

- (3) Gravity discharge polypropylene toilet holding tanks with Wema gauge and fittings for deck pump-out systems

ELECTRICAL SYSTEM

SHIP'S DC SUPPLY:

- 12 V OR 24 V

RINGMAIN:

- 220 V AC ring main with (8) double, 3-pin Vimar outlet sockets located as appropriate within the layout

OTHER ELECTRICAL SOCKETS:

- 12 V cigar lighter at chart table

BATTERIES:

- Domestic: Mastervolt AGM, 1,200 Ah
- Spiral-wound Optima Red Top RT-S 4.2 batteries for engine start, generator start and bow thruster

BATTERY MANAGEMENT:

- (2) Mastervolt MASS 24/100 A chargers, including temperature sensors
- Mastervolt BTM1 battery monitor
- Engine start to domestic batteries emergency link

INVERTERS:

- Mastervolt 220 V MASS Sine Inverter 24/2500 W for powering domestic sockets, microwave and PC

SHORE POWER:

- 30 A dockside power cable. Hubbell socket in transom
- Second 220 V/30 A shore power cable and socket for air conditioning

INTERIOR LIGHTING:

- LED lights with polished chrome finish, down-lights over reading areas
- Fluorescent lights and down-lights in each head, as well as over galley work surfaces
- Cantalupi Life lampshade-style reading lights on aft cabin bulkhead
- Additional reading lights throughout
- Automatic light to drinks locker
- Red “courtesy” footlights at deck saloon steps
- Dimmer to upper saloon and aft cabin
- Red halogen light at chart table
- Red overhead lights at galley and chart table

EXTERIOR LIGHTING:

- Boom light with dimmer switch over cockpit table
- Dimmer control at pedestal
- Spreader lights – uplights to all and downlights to lower shrouds only, separately switched at pedestal
- Lopolight LED tri-white anchor/navigation light at masthead
- Lopolight LED steaming light on mast
- Hella low-level deck lighting in cockpit and aft walkway, switched at pedestal
- Transom courtesy light, switched with cockpit lights
- Dolphin Marine key fob remote for antenna pole and cockpit/ transom lights
- Aft deck swiveling floodlight on antenna pole

NAVIGATION and COMMUNICATION EQUIPMENT

COMPASS:

- SIRS Marine Major 150 mm diameter compass

SAILING INSTRUMENTS

(Raymarine ST60 Plus as follows):

- Companionway Console
- Speed, depth, analogue wind

PORT PEDESTAL:

- ST60 Graphic and speed, depth, analogue wind
- ST6001 Plus autopilot control head

STARBOARD PEDESTAL:

- ST60 Graphic and speed, depth, analogue wind

CHART TABLE:

- ST60 graphic and speed, depth, analogue wind

OWNER'S CABIN:

- ST60 graphic and speed, depth, analogue wind

GPS:

- Raymarine E Series Hybrid Touch 12" radar and GPS at nav station and starboard helm
- AIS transponder and MarineTrack vessel tracker

AUTOPILOT:

- Raymarine ST7000 autopilot

WINDEX:

- At masthead

NAVTEX:

- Furuno NX300 with antenna

VHF RADIO:

- Raymarine 24E VHF
- Second VHF station at port pedestal
- Icom M71 handheld with 12V DC charging cradle at chart table
- Hailer/horn function with hailer on mast

SSB RADIO:

- Furuno 1570 SSB radio including DSC antenna
- Wide copper strip and twin large ground plates
- Backstay insulator as aerial for SSB

SATELLITE PHONE:

- KVH V3

PC:

- iMAC Mini with remote keyboard and screen

SAFETY EQUIPMENT

LIFERAFT:

- (2) 4-person canister-packed Lifeguard life rafts with Solas B pack
- Hydrostatic auto-release devices for life raft stowage, port and starboard

EPIRB:

- (2) McCurdo Smartfind GPS

RADAR REFLECTOR:

- Sea-Me radar target enhancer/transponder at masthead

BILGE PUMPS:

- Par electric bilge pump with Par hydro air switch. Backup bilge pump installed
- Henderson Mk V manual bilge pump

DECK SAFETY:

- Horseshoe lifebuoy
- JonBuoy on pushpit
- Webbing jackstays with Wichard padeyes, fore and aft bolted through deck
- MOB button on port pedestal
- Emergency tiller stowed in lazarette locker
- Hailer/horn function on mast

FIRE EXTINGUISHERS:

- Various, including automatic fire extinguisher in engine bay
- Fire blanket
- Fire shutters to engine compartment air intake/discharge ducts

ALARMS:

- Bilge-level audible alarm at cockpit
- Gas

ADDITIONAL EQUIPMENT:

- Carib 12 ft. RIB
- Yamaha 25 hp, 2-stroke outboard
- Warps and fenders
- Oyster customized Sheffield stainless steel cutlery
- Spares and manuals
- Spare pumps, motors and autopilot equipment
- Dive compressor installed in lazarette
- EIS ship tracking system

EXCLUSIONS

All personal belongings and all other items not expressly listed in the above inventory are excluded from the sale. *Not for sale or charter to U.S. residents while in U.S. waters.*

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

Saloon



Saloon Dining Table



Port Saloon



Saloon Aft



Master Cabin



Guest Cabin



Starboard Guest Head



Double Cabin



Port Guest/Day Head



Galley



Nav Station



Service Panel



Door to Engine Room



Windlass Furlers



Foredeck



Saloon Deck



Mast Base



Gooseneck



Side Deck



Cockpit



Wheels and Cockpit



Port Helm



Starboard Helm



Aft Quarter



Pushpit Seating



Electric Davits




On Mooring



Under Sail



Layout



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004