

RESTLESS — OYSTER MARINE LTD



Cудостроитель: OYSTER MARINE LTD

Год постройки: 2008

Модель: Крейсерская яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 65' 0" (19.81m)

Ширина: 18' 5" (5.61m)

Макс. осадка: 9' 7" (2.92m)

Купить RESTLESS — OYSTER MARINE LTD а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту RESTLESS — OYSTER MARINE LTD а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону +7(918)465-66-44.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	5
Обзор	5
Основная информация	5
Размеры	5
Скорость, вместимость и масса	5
Размещение	5
Корпус и палуба	6
Информация о двигателе	6
ПОДРОБНОЕ ОПИСАНИЕ	7
REMARKS	7
CONSTRUCTION	7
DECK	7
ACCOMMODATIONS	8
LAYOUT (from forward)	8
ENTERTAINMANT EQUIPMENT	10
DECK EQUIPMENT	11
RIG AND SAIL HANDLING	12
MACHINERY	12
TANKAGE AND PLUMBING	13
ELECTRICAL SYSTEM	14
NAVIGATION and COMUNICATION EQUIPMENT	15
SAFETY EQUIPMENT	17
EXCLUSIONS	18
Исключения	18
Отказ от ответственности	18
ФОТОГРАФИИ	19
Saloon	19

Saloon Dining Table	19
Port Saloon	19
Saloon Aft	19
Master Cabin	19
Guest Cabin	19
Starboard Guest Head	20
Double Cabin	20
Port Guest/Day Head	20
Galley	20
Nav Station	21
Service Panel	21
Door to Engine Room	21
Windlass Furlers	21
Foredeck	21
Saloon Deck	21
Mast Base	22
Gooseneck	22
Side Deck	22
Cockpit	22
Wheels and Cockpit	23
Port Helm	23
Starboard Helm	23
Aft Quarter	23
Pushpit Seating	23
Electric Davits	23
On Mooring	24
Under Sail	24
Layout	24
КОНТАКТЫ	25

Контактная информация	25
Телефоны	25
Время работы	25
Адрес	25

ХАРАКТЕРИСТИКИ

Обзор

RESTLESS is the owner's fourth Oyster. He chose the 655 because it is large enough to accommodate crew when needed, yet easy enough to handle as an owner/operator. Unlike newer Oysters with cored hull construction, the Oyster 655 is solid single-skin layup of E-Glass, carbon and Kevlar. The modern performance design of narrow-entry forward and wide sections aft make her a powerful, stable and quick-cruising platform, capable of taking her passengers and payload anywhere in speed, comfort and safety. Seller will reimburse cost of first-class airfare to Buyer upon closing. *Not for sale or charter to U.S. residents while in U.S. waters.*

Основная информация

Тип судна: Крейсерская яхта Подкатегория: Палубный парусник

Модельный год: 2008 Год постройки: 2008

Страна: United States **Верх**: Вітіпі Тор

Размеры

Длина общая: 65' 0" (19.81m) **Длина по ватерлинии**: 59' 6" (18.14m)

Ширина: 18' 5" (5.61m) **Макс. осадка**: 9' 7" (2.92m)

Скорость, вместимость и масса

Водоизмещение: 82673 Pounds **Вместимость воды**: 423 Gallons

Объем топливного бака: 476 Gallons

Размещение

Всего кают: 4 Всего коек: 6

Спальные места: 12 Всего ком. состава: 3

Корпус и палуба

Материал корпуса: Fiberglass **Материал палубы**: Teak

Комплектация корпуса: Bulb Keel **Цвет корпуса**: White

Отделка корпуса: Fiberglass Дизайнер корпуса: Rob

Humphreys/Oyster Design Group

Информация о двигателе

Двигатели: 1 Производитель: Perkins

Модель: M185C Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

REMARKS

RESTLESS is the owner's fourth Oyster. He chose the 655 because it is large enough to accommodate crew when needed, but easy enough to handle as an owner/operator. Unlike newer Oysters with cored hull construction, the Oyster 655 is solid single-skin layup of E-Glass, carbon and Kevlar. Her modern performance design of narrow-entry forward and wide sections aft make her a powerful, stable and quick-cruising platform, capable of taking her passengers and payload anywhere in speed, comfort and safety. Seller will reimburse cost of first-class airfare to Buyer upon closing. *Not for sale or charter to U.S. residents while in U.S. waters*.

CONSTRUCTION

HULL:

The fiberglass hull is laid-up single skin with structural stringers and floors to Lloyds-approved design specifications. Her outer hull laminate incorporates Kevlar and carbon fiber, built to comply with the requirements stipulated in the European Union's recreational craft directive (EURCD) to meet design category A – 'Ocean.'

HULL COLOR:

White with Oyster Blue cove line and double boot top lines. Stern design incorporates a swim platform, finished in laid teak and molded fiberglass steps trimmed with teak, for access to the stern deck.

KEEL:

High performance bulb (HPB) external lead keel

RUDDER:

Fully protected skeg-hung rudder

DECK

- Oyster deck saloon with 'G5' styling and 'eyebrow' feature
- The cockpit is split into separate steering and guest/crew areas
- Aft cockpit has a clear central walkway between twin wheels, providing excellent access to the aft deck
- Main guest cockpit has a large high-gloss varnished central table with folding leaves and integral refrigerator with stainless steel baskets

- Teak-laid decks
- Deck edge incorporates a bulwark, allowing relatively flat side decks
- Top of bulwark is clean fiberglass with a new, modern and stylishly rolled edge
- Ample C-Quip stainless steel folding mooring cleats
- Stainless steel pulpit, pushpit and gateway midship stanchions
- Stainless steel, hinged boarding ladders close to form side gates
- Gate to pushpit
- Stainless steel grab rails atop deck saloon
- Life raft stowage built into pushpit quarter seats
- Stern quarter pushpit seats crafted of teak and stainless steel
- Stainless steel pole (6.5') at stern for navigation/communications antennae
- Raymarine camera with link to E-Series plotter at chart table and swiveling aft deck flood light
- Removable partition located at top part of recessed anchor locker for kedge warp and chain stowage
- · Lazarette locker with twin stainless steel gas struts
- Stainless steel rail for rope stowage
- Gas locker for 28 lb. propane cylinder

STEERING:

- Twin pedestals with 46" Mini-Maxi stainless steel wheels
- (2) Brown suede leather wheel covers
- Stainless steel mug rack on each pedestal

ACCOMMODATIONS

GENERAL DESCRIPTION:

Eight berths in four cabins, excluding the saloon. Interior joinery finished in teak. Essential features include sculpted fiddles and grab rails, 'shadow-gap' joints between panels and Oyster custom knobs for lockers and drawers. Routered teak cabin sole. Surfaces in galley are 'Tusk' Avonite. Surfaces in heads are 'Night Pearl' Avonite. Headlining in off-white vinyl. Alcantara 'Amber Glow' upholstery. Lee screens on sea berths. Roman blind systems all cabins. OceanAir skyscreens on all deck hatches. Flyscreens on all opening hull and coach roof ports. Six fans located in galley, each cabin and chart table.

LAYOUT (from forward)

SAIL LOCKER:

Access via deck hatch with stainless steel ladder

TWIN CABIN:

To port, with upper and lower berths. Lockers beneath lower berth. Hanging locker. Private door into day head.

DAY HEADS/EN SUITE CREW HEAD:

Accessed from forward passageway and shared by occupants of port crew cabin. Jabsco PAR manual toilet, separate shower and basin.

DOUBLE CABIN WITH EN SUITE HEAD:

To starboard with double berth, locker, drawers, hanging locker and under-berth lockers. Jabsco Quiet-Flush electric toilet, wash basin and separate shower.

MAIN SALOON:

Her main living space features a large, curved L-shaped settee to starboard around a fixed teak table trimmed with black Avonite. There is a shorter settee to port, plus (2) loose, folding Astron chairs. The central table pedestal, with sliding, fold-out extension of burred elm veneer, incorporates a locker with shelf and bottle storage, ice maker and veneered handhold cut-outs on corners. Small saloon locker to port for champagne and wine glasses and large locker to starboard for wine glasses and tumblers. Bosch WVF2000 washer/dryer.

GALLEY:

The U-shaped galley is located aft of the saloon to port. There is a stainless steel, gimballed Force 10 gas stove with four burners, grill and oven; twin sinks and plentiful lockers are built in. Two front-opening fridges with brushed stainless steel doors and top-opening freezer box. Panasonic NNV673S 900W stainless steel combination microwave oven. Drainage grooves. Aft bulkhead is faced with a brushed stainless steel-reinforced mica sheet. All surfaces and upstands in Avonite.

NAVIGATION AREA:

To starboard with chart table, locker and bookshelf. Upholstered seat. Electrical service panel located aft of nav seat.

PASSAGEWAY:

Steps lead down from navigation area into passageway with access to engine room and draining wet locker below companionway.

ENGINE ROOM:

Sound-insulated with 24 V lighting and three electric extractor fans. Accessed via double-hinged doors from passageway. Storage racks on inside of doors.

TWIN GUEST CABIN:

To starboard, off passageway with upper and lower berths. Hanging locker, drawers and lockers.

OWNER'S STATEROOM:

Aft cabin has a double berth offset to port of the centerline with under-berth drawers, dressing table and a pair of large hanging lockers. Twin bookshelves. Private companionway hatch entrance from aft deck with stainless steel ladder to starboard. Slide-out fly screen with blackout shade.

EN-SUITE HEAD:

From aft cabin to port. Separately-lit shower stall, Jabsco Quiet-Flush electric toilet and wash basin.

ENTERTAINMANT EQUIPMENT

FORWARD STARBOARD GUEST CABIN:

- Alpine CD/tuner with iPod interface
- (2) Headliner speakers
- Magic eye for Alpine in headliner

FORWARD PORT GUEST CABIN:

- Alpine CD/tuner with iPod interface
- (2) Headliner speakers
- Magic Eye for Alpine in headliner

MAIN SALOON:

- 32" Toshiba TV with electric lift system
- Alpine DVD player and changer
- iPod interface
- Black box tuner and system control unit
- Alpine 6.5" touch screen monitor
- Alpine CD/tuner to run cockpit audio with waterproof remote at helm and (2) waterproof
 Alpine speakers
- Alpine 5-way theatre amp
- Subwoofer and amp
- (5) Anthony Gallo speakers
- Magic Eye for Alpine
- Socket for PlayStation/camcorder

DECK EQUIPMENT

ANCHORING:

- 105 lb. Main anchor with 390' calibrated, galvanized chain
- 66 lb. Spade kedge anchor with 328' x 18 mm Octoplait nylon warp and 32' x 12 mm chain tail
- Lewmar 3000 vertical gypsy/drum electric anchor windlass with foot switch
- 600' Warp and para anchor
- 300' Warp for sea anchor/drogue
- Aluminum Fortress anchor

HATCHES:

- Rondal flush hatch in foredeck
- (7) Lewmar alloy-framed deck hatches
- Gebo alloy-framed portlights in coaming
- · Gebo opening hullports
- Deck saloon opening windows with gas struts

WINCHES (all Lewmar self-tailing):

- (2) 77 CEST 3-speed electric primaries
- (2) 64 CST 2-speed manual secondaries
- 64 CEST 2-speed electric mainsheet
- 44 CST 2-speed manual traveller control
- 54 CST 2-speed manual reefing control line on aft face of mast
- 64 CEST 2-speed manual mainsail halyard
- 64 CST 2-speed manual genoa and staysail halyard fitted on mast

DAVITS:

Simpson Series 7 S300 electric davits - 660 lb. max load

CANVAS (All Sunbrella "Dune"):

- Spray hood
- Bimini
- Covers for cockpit table, pedestals and wheels
- Dinghy cover
- Winch covers

DECK EQUIPMENT - GENERAL:

- Cockpit table gloss-varnished teak with Frigomatic refrigerated cool box
- Acrylic-covered cockpit cushions with closed cell foam
- Multiplex 3.2 m carbon passerelle with brace lines and padded bag socket on transom

step

- Topping lift upgraded to act as passerelle and back-up main halyard
- Removable stainless steel passerelle fitting to stemhead
- Hot and cold freshwater deck shower in transom locker
- Freshwater washdown outlet in anchor locker
- Oyster custom drop-down washboard system
- (4) Stainless steel drink holders on pushpit seats
- Stainless steel BBQ grill on pushpit rail

RIG AND SAIL HANDLING

MAST AND RIGGING:

- Cutter rig
- Hall Spars white painted aluminum mast with hydraulic in-mast furling
- Navtec A320-MF-02S two-function manual backstay adjuster with remote hydraulic control panel at pedestal
- (2) Folding mast steps at masthead
- (2) 'No strike' ion dissipators at masthead
- Jumper strut
- Stainless steel rod rigging
- Preventer lines fixed on boom for attachment to lazy pole downhaul guy

HEADSAIL FURLING:

- Reckmann hydraulic headsail furler
- Reckmann hydraulic staysail furler
- MPS CRUISING CHUTE GEAR:
- Package including Hall Spars carbon pole vertically stowed on mast with line drive
- Additional halyard

SAILS:

- Doyle Stratis GPC Mainsail, Yankee, Staysail
- Doyle Stratis GPC Dacron Gennaker with furler
- Custom-built stainless steel bowsprit

MACHINERY

ENGINE:

- Perkins/Sabre, Model M185C, 6-cylinder, 187 hp with 24 V start, 2,250 hours (10/14)
- Parallel plumb engine and genset Racor filters (to allow both to run off of a single unit)
- Racor filters installed over stainless steel drip tray

PROPELLER:

- MaxProp 3-blade feathering propeller
- Ambassador AM20 rope cutter on prop shaft

ALTERNATORS:

- Perkins 40 A, 24 V alternator for starting/battery charging
- Second Mastervolt 150 A, 24 V high-output alternator for domestic battery charging

GENERATOR:

Onan 17.5 kVA generator – 220V @ 50Hz, 2,770 hours (10/14)

BOW THRUSTER:

Maxpower CT325, 18 hp hydraulic tunnel bow thruster

HYDRAULICS:

 Lewmar 400 Commander 4-function system for headsail and staysail furling, mainsail furling and outhaul

AIR CONDITIONING:

220 V Cruisair reverse-cycle system, incorporating (2) 16,000 BTU condenser units: (1) in engine room for aft cabins, (1) forward in saloon for forward cabins; (2) Stowaway, self-contained 6,000 BTU units (for saloon and galley) and (3) remote air-handler units: (1) 16,000 BTU for owner's cabin ducted through to aft, starboard guest cabins, (1) 7,000 BTU for forward port crew cabin and (1) 10,000 BTU for forward starboard guest cabin

REFRIGERATION:

- Frigomatic K50 F, 24 V DC twin compressors with twin plate for direct-water cooled freezer compressors
- Frigomatic cockpit refrigeration

WATERMAKER:

- Seafresh 206A 220 V AC watermaker with Seafresh auto-flush system producing approx.
 25 gallons/hour
- High-pressure pump motor and salinity reject valve
- Second stage raw water filter and hour meter
- Additional membrane tube added to increase total output to 61 gallons/hour. Membranes
 can be isolated in the event of failure

TANKAGE AND PLUMBING

FUEL:

- (2) Fiberglass tanks, 476 gallons total
- · Fuel polishing system
- Seagull purifier water system in galley with dedicated separate tap

WATER:

- (2) Fiberglass tanks, 423 gallons total
- Seagull purifier water system in galley with dedicated separate tap
- Backup fresh water pump installed

TANK TENDER GAUGES:

Tank tender system for fuel and water tanks, plus dipsticks

HOT WATER:

 Insulated 19 gallon tank dually heated by the engine's heat exchanger and by thermostatically-controlled 220 V, 1.35 kW immersion heater

HOLDING TANKS:

 (3) Gravity discharge polypropylene toilet holding tanks with Wema gauge and fittings for deck pump-out systems

ELECTRICAL SYSTEM

SHIP'S DC SUPPLY:

12 V OR 24 V

RINGMAIN:

 220 V AC ring main with (8) double, 3-pin Vimar outlet sockets located as appropriate within the layout

OTHER ELECTRICAL SOCKETS:

12 V cigar lighter at chart table

BATTERIES:

- Domestic: Mastervolt AGM, 1,200 Ah
- Spiral-wound Optima Red Top RT-S 4.2 batteries for engine start, generator start and bow thruster

BATTERY MANAGEMENT:

- (2) Mastervolt MASS 24/100 A chargers, including temperature sensors
- Mastervolt BTM1 battery monitor
- Engine start to domestic batteries emergency link

INVERTERS:

 Mastervolt 220 V MASS Sine Inverter 24/2500 W for powering domestic sockets, microwave and PC

SHORE POWER:

- 30 A dockside power cable. Hubbell socket in transom
- Second 220 V/30 A shore power cable and socket for air conditioning

INTERIOR LIGHTING:

- · LED lights with polished chrome finish, down-lights over reading areas
- Fluorescent lights and down-lights in each head, as well as over galley work surfaces
- Cantalupi Life lampshade-style reading lights on aft cabin bulkhead
- Additional reading lights throughout
- · Automatic light to drinks locker
- Red "courtesy" footlights at deck saloon steps
- Dimmer to upper saloon and aft cabin
- Red halogen light at chart table
- Red overhead lights at galley and chart table

EXTERIOR LIGHTING:

- · Boom light with dimmer switch over cockpit table
- Dimmer control at pedestal
- Spreader lights uplights to all and downlights to lower shrouds only, separately switched at pedestal
- Lopolight LED tri-white anchor/navigation light at masthead
- Lopolight LED steaming light on mast
- Hella low-level deck lighting in cockpit and aft walkway, switched at pedestal
- Transom courtesy light, switched with cockpit lights
- Dolphin Marine key fob remote for antenna pole and cockpit/ transom lights
- Aft deck swiveling floodlight on antenna pole

NAVIGATION and COMUNICATION EQUIPMENT

COMPASS:

SIRS Marine Major 150 mm diameter compass

SAILING INSTRUMENTS

(Raymarine ST60 Plus as follows):

- Companionway Console
- · Speed, depth, analogue wind

PORT PEDESTAL:

- ST60 Graphic and speed, depth, analogue wind
- ST6001 Plus autopilot control head

STARBOARD PEDESTAL:

ST60 Graphic and speed, depth, analogue wind

CHART TABLE:

ST60 graphic and speed, depth, analogue wind

OWNER'S CABIN:

ST60 graphic and speed, depth, analogue wind

GPS:

- Raymarine E Series Hybrid Touch 12" radar and GPS at nav station and starboard helm
- AIS transponder and MarineTrack vessel tracker

AUTOPILOT:

• Raymarine ST7000 autopilot

WINDEX:

At masthead

NAVTEX:

Furuno NX300 with antenna

VHF RADIO:

- Raymarine 24E VHF
- Second VHF station at port pedestal
- Icom M71 handheld with 12V DC charging cradle at chart table
- Hailer/horn function with hailer on mast

SSB RADIO:

- Furuno 1570 SSB radio including DSC antenna
- Wide copper strip and twin large ground plates
- Backstay insulator as aerial for SSB

SATELLITE PHONE:

KVH V3

PC:

iMAC Mini with remote keyboard and screen

SAFETY EQUIPMENT

LIFERAFT:

- (2) 4-person canister-packed Lifeguard life rafts with Solas B pack
- Hydrostatic auto-release devices for life raft stowage, port and starboard

EPIRB:

(2) McCurdo Smartfind GPS

RADAR REFLECTOR:

Sea-Me radar target enhancer/transponder at masthead

BILGE PUMPS:

- Par electric bilge pump with Par hydro air switch. Backup bilge pump installed
- Henderson Mk V manual bilge pump

DECK SAFETY:

- Horseshoe lifebuoy
- JonBuoy on pushpit
- Webbing jackstays with Wichard padeyes, fore and aft bolted through deck
- MOB button on port pedestal
- Emergency tiller stowed in lazarette locker
- Hailer/horn function on mast

FIRE EXTINGUISHERS:

- · Various, including automatic fire extinguisher in engine bay
- Fire blanket
- Fire shutters to engine compartment air intake/discharge ducts

ALARMS:

- Bilge-level audible alarm at cockpit
- Gas

ADDITIONAL EQUIPMENT:

- Carib 12 ft. RIB
- Yamaha 25 hp, 2-stroke outboard
- Warps and fenders
- Oyster customized Sheffield stainless steel cutlery
- · Spares and manuals
- Spare pumps, motors and autopilot equipment
- Dive compressor installed in lazarette
- EIS ship tracking system

EXCLUSIONS

All personal belongings and all other items not expressly listed in the above inventory are excluded from the sale. *Not for sale or charter to U.S. residents while in U.S. waters.*

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ

Saloon



Saloon Dining Table



Port Saloon



Saloon Aft



Master Cabin



Guest Cabin



Starboard Guest Head



Double Cabin



Port Guest/Day Head



Galley



Nav Station



Service Panel



Door to Engine Room



Windlass Furlers



Foredeck



Saloon Deck



Mast Base



Side Deck



Gooseneck



Cockpit



Wheels and Cockpit



Port Helm



Starboard Helm



Aft Quarter



Pushpit Seating



Electric Davits




On Mooring



Under Sail



Layout



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email:

Web: shestakovyachtsales.com

andrey@shestakovyachtsales.com

Телефоны

Краснодарский край: +7(918)465-66-44

США, Майами, Флорида: +1(954)274-4435

Время работы

Понедельник - Суббота: 9:00 - 21:00

EDT

Воскресенье: Закрыто

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004