

TIDE'S IN — DEFEVER



Судостроитель: DEFEVER

Год постройки: 2009

Модель: Траулер

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 48' 0" (14.63m)

Ширина: 15' 0" (4.57m)

Мин. осадка: 4' 10" (1.47m)

Макс. осадка: 4' 10" (1.47m)

Крейс. скорость: 7 Kts. (8 MPH)

Макс. скорость: 12 Kts. (14 MPH)

Купить **Tide's In — DEFEVER** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **Tide's In — DEFEVER** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	7
Обзор	7
Основная информация	7
Размеры	7
Скорость, вместимость и масса	7
Размещение	8
Корпус и палуба	8
Информация о двигателе	8
ПОДРОБНОЕ ОПИСАНИЕ	9
48' Defever Overview	9
48' Defever Walkthrough	9
48' Defever Accommodations	9
48' Defever Salon	9
48' Defever Galley	9
48' Defever Dining	10
48' Defever Master Stateroom	10
48' Defever Guest Stateroom	10
48' Defever Laundry	10
48' Defever Pilothouse	11
48' Defever Flybridge	11
48' Defever Aftdeck	11
48' Defever Audio/Visual Equipment	11
48' Defever Electronics	11
48' Defever Electrical System	12
48' Defever Engine & Mechanical Equipment	12
48' Defever Deck Equipment	13
48' Defever Tender	14

48' Defever Safety & Fire Protection	14
48' Defever Exclusions	14
48' Defever Disclaimer	15
Исключения	15
Отказ от ответственности	15
ФОТОГРАФИИ	16
48' DeFever starboard profile	16
48' DeFever port aft profile	16
48' DeFever starboard aft profile	16
48' DeFever aft profile	16
48' DeFever name plate	16
48' DeFever anchor windlass	16
48' DeFever foredeck	16
48' DeFever foredeck aft	16
48' DeFever swimplatform	17
48' DeFever port side deck photo1	17
48' DeFever starboard side deck photo1	17
48' DeFever port side deck photo2	17
48' DeFever starboard side deck photo2	17
48' DeFever fender hook system photo1	17
48' DeFever fender hook system photo2	18
48' DeFever flybridge forward	18
48' DeFever flybridge aft	18
48' DeFever flybridge helm	18
48' DeFever flybridge helmseat	18
48' DeFever flybridge seating	18
48' DeFever mast hinge	18
48' DeFever tender photo1	18
48' DeFever tender photo2	19

48' DeFever tender covered	19
48' DeFever tender davit	19
48' DeFever aftdeck port	19
48' DeFever aftdeck starboard	19
48' DeFever aftdeck sun shade	19
48' DeFever salon forward	19
48' DeFever salon aft	19
48' DeFever salon port seating photo1	20
48' DeFever salon port seating photo2	20
48' DeFever salon port forward	20
48' DeFever salon starboard	20
48' DeFever galley photo1	20
48' DeFever galley photo2	20
48' DeFever galley refrigerator	20
48' DeFever pilothouse forward	20
48' DeFever pilothouse port	21
48' DeFever pilothouse starboard	21
48' DeFever pilothouse aft	21
48' DeFever pilothouse helm	21
48' DeFever pilothouse electronics photo1	21
48' DeFever pilothouse electronics photo2	21
48' DeFever pilothouse electronics photo3	21
48' DeFever master stateroom	21
48' DeFever master stateroom starboard	22
48' DeFever master stateroom port	22
48' DeFever master stateroom aft	22
48' DeFever master stateroom desk	22
48' DeFever guest stateroom	22
48' DeFever guest stateroom desk	22

48' DeFever head	22
48' DeFever shower	22
48' DeFever engine room access door	23
48' DeFever washer-dryer	23
48' DeFever engine room forward	23
48' DeFever engine room aft	23
48' DeFever port main engine	23
48' DeFever starboard main engine	23
48' DeFever Racor fuel filters	23
48' DeFever fuel manifold	23
48' DeFever oil change system	24
48' DeFever stabilizer system	24
48' DeFever port stabilizer head	24
48' DeFever starboard stabilizer head	24
48' DeFever water heater	24
48' DeFever electrical panel	24
48' DeFever generator sound box	24
48' DeFever generator	24
48' DeFever generator Racor fuel filter	25
48' DeFever inverter	25
48' DeFever battery charger	25
48' DeFever engine room camera	25
48' DeFever hauled out starboard profile	25
48' DeFever mid bilge	25
48' DeFever hauled out starboard forward profile	26
48' DeFever hull bottom aft	26
48' DeFever port running gear	26
48' DeFever starboard running gear	26
48' DeFever bowthruster tunnel starboard	26

48' DeFever bowthruster tunnel port	26
КОНТАКТЫ	27
Контактная информация	27
Телефоны	27
Время работы	27
Адрес	27

ХАРАКТЕРИСТИКИ

Обзор

Tide's In is a 48' DeFever Euro model in beautiful condition. She offers two staterooms, raised pilothouse, covered aftdeck, covered side decks, interior stairs to the flybridge and galley up layout. A bowthruster can be added easily, since the bowthruster tunnel is already installed in the hull. Tide's In is a Great Loop veteran and in turn-key condition. Price reduced!

Основная информация

Тип судна: Траулер

Подкатегория: Raised Pilothouse

Модельный год: 2009

Год постройки: 2009

Страна: United States

Верх: Bimini Top

Открытая палуба мостика: Да

Размеры

Длина общая: 48' 0" (14.63m)

Ширина: 15' 0" (4.57m)

Мин. осадка: 4' 10" (1.47m)

Макс. осадка: 4' 10" (1.47m)

Скорость, вместимость и масса

Крейс. скорость: 7 Kts. (8 MPH)

Макс. скорость: 12 Kts. (14 MPH)

Водоизмещение: 42500 Pounds

Вместимость воды: 265 Gallons

Вместимость сточного бака: 50 Gallons

Объем топливного бака: 500 Gallons

Размещение

Всего кают: 2

Всего коек: 5

Спальные места: 7

Всего ком. состава: 1

Корпус и палуба

Материал корпуса: Fiberglass

Материал палубы: Composite
Fiberglass

Цвет корпуса: White

Отделка корпуса: Stainless Steel

Дизайнер корпуса: Arthur DeFever

Информация о двигателе

Двигатели: 2

Производитель: John Deere

Модель: Power Tech

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

48' Defever Overview

Tide's In is a 48' DeFever Euro model in beautiful condition. She offers two staterooms, raised pilothouse, covered aftdeck, covered side decks, interior stairs to the flybridge and galley up layout. A bowthruster can be added easily, since the bowthruster tunnel is already installed in the hull. Tide's In is a Great Loop veteran and in turn-key condition. Price reduced!

48' Defever Walkthrough

Entering the covered aftdeck from the swimplatform through the transom door, you can access either covered side deck on the same level or enter the salon through the sliding teak & glass aft doors. Once inside the salon, you will find a cabinet, sofa/sleeper and table to port and the galley forward. Walking forward, you can step down into the guest companionway to the staterooms (Master forward and guest to port) and engine room access door or step up into the pilothouse. In the pilothouse, you can walk out either side deck access door or step up onto the flybridge. Foredeck access is via the Portuguese bridge gate.

48' Defever Accommodations

Tide's In offers a master stateroom forward with an island queen size berth, a guest stateroom to port with over/under bunks, head and enclosed shower to starboard, a salon sofa that converts to a queen size berth and a pilothouse watch berth.

48' Defever Salon

The salon offers a sofa/sleeper/storage, folding teak, hi/lo table and storage cabinet to port, two bar stools and bar counter forward, sliding teak & glass doors aft with Phantom roll-away screens, side windows, wood blinds and teak & holly sole.

48' Defever Galley

The galley is located forward in the salon.

- Princess electric 3 burner cooktop and oven
- Cuisinart convection/microwave oven

- Dometic refrigerator/freezer
- Insinkerator disposal
- Large stainless steel sink
- Granite countertops
- Teak & holly sole
- Storage cabinets and drawers

48' Defever Dining

Dining space is available at the salon folding teak table.

48' Defever Master Stateroom

The master stateroom is forward and offers an island queen size berth, reading lights, shelves, nightstands, hanging lockers, storage drawers and cabinet, desk/vanity, 4 portlights, overhead hatch, teak sole and Toshiba flat screen TV.

The head is starboard aft of the master stateroom and offers an enclosed shower (with bench and Moen detachable hand held faucet, 2 portlights, granite countertop, Vacuflush head and Moen faucet.

48' Defever Guest Stateroom

The guest stateroom is to port and offers over/under bunks, reading lights, 2 hanging lockers, storage drawers, nightstand, 2 portlights, fold down desk, mirror, teak sole and engine room access door. This stateroom converts to an office with a desk and sofa.

The head is to starboard and offers an enclosed shower (with bench and Moen detachable hand held faucet, 2 portlights, granite countertop, Vacuflush head and Moen sink faucet.

48' Defever Laundry

- Whirlpool washer
- Whirlpool dryer

48' Defever Pilothouse

The raised pilothouse offers a full console forward with storage underneath, benchseat, watch berth, side deck access doors, internal stairs to the flybridge and teak & holly sole.

48' Defever Flybridge

The flybridge offers a bimini, full console forward, Stidd helm seat, L-shaped seating, stainless steel rails, non-skid deck, hinged mast and tender storage.

48' Defever Aftdeck

The covered aftdeck offers a non-skid deck, same level access to each side deck, deck chairs and foot stools, sun shades, lazarette access, transom door to the teak covered fiberglass swimplatform and sliding teak & glass doors to the salon.

48' Defever Audio/Visual Equipment

- Sony flat screen TV in the salon
- Toshiba flat screen TV in the master stateroom
- Fusion MS-IP500 stereo in the pilothouse
- Bose and Fusion interior speakers
- Glomex TV antenna

48' Defever Electronics

- Garmin HD Radar
- Garmin GPSMap 5212 Multi-Function Display in the pilothouse
- Garmin GPSMap 4212 Multi-Function Display on the flybridge
- Ritchie magnetic compass in the pilothouse and on the flybridge
- Simrad AP28 autopilot in the pilothouse and on the flybridge
- Icom IC-M504 VHF in the pilothouse
- Icom IC-M412 VHF on the flybridge

- Garmin GMI10 multi-data display in the pilothouse and on the flybridge

48' Defever Electrical System

Westerbeke 10BTDA 10 kW generator with 1016 hours

- Magnum MS2012 2000 watt inverter/charger with remote panel in the pilothouse
- Newmar PT-40CE battery charger
- 50 amp shore cord
- Shore power connections fore and aft
- Bosch 95 amp alternators
- Newmar 50 amp galvanic isolators
- 4 X 6vdc start batteries (2013)
- 1 X 12vdc gen start battery (2013)
- 8 X 6vdc house batteries (2013)

48' Defever Engine & Mechanical Equipment

The engine room can be accessed via the forward door from the guest stateroom, salon sole hatches or lazarette.

- Twin John Deere 6068TFM75A Power Tech 6.8 liter 220 hp main engines
- John Deere engine monitor panels
- TwinDisc MG5050A 2.50:1 gearboxes
- Morse electronic engine controls
- Dripless shaft seals
- Groco sea strainers
- Teleflex steering system
- Racor Marine air filter/silencers
- Dual Racor 75500Max fuel filters with vacuum gauges

- Racor 500MA fuel filter for the generator
- Fuel manifold
- Oil change system
- Naiad 174-1 stabilizer system with Multi-sea II control panel
- Marine Air Systems reverse cycle air conditioning/heating system
- Seaward F-1100 11 gallon water heater
- Vacuflush head/blackwater system
- Engine room camera system
- Maintenance and fuel logs
- Bowthruster tunnel installed in the hull

48' Defever Deck Equipment

- Maxwell 2200 anchor windlass with foot controls and remote at each helm
- Stainless steel dual anchor roller/pulpit
- Rocna 40kg anchor with 260' anchor chain and 100' nylon rode
- Fortress FX55 anchor with 100' anchor chain and 200' nylon rode
- Stainless steel rails forward and teak cap rails on the sides and aft
- Stainless steel deck hardware
- Stainless steel Sampson Post
- Stainless steel swim ladder
- Stainless steel swimplatform hoop rails
- Thru-bulwark fender hook system
- Bulwark entry gates both sides fore and aft
- Storage locker in the Portuguese bridge
- Windshield covers
- Hot/cold fresh water shower aft

- Fresh water and raw water washdown forward
- Dock water connection fore and aft
- Teak over fiberglass swimplatform
- Foredeck benchseat and table
- Hinged mast
- Spreader lights
- Covered side decks with Teak & glass wing doors

48' Defever Tender

Zodiac 12' RIB

- Yamaha 40 hp 4-stroke outboard
- Nick Jackson 1,000lb davit

48' Defever Safety & Fire Protection

Fireboy engine room fire suppression system

- Fire extinguishers
- Jim-Buoy life ring
- Life jackets
- Security camera system
- Rule bilge pumps
- Bilge high water alarm system

48' Defever Exclusions

- Sellers' personal belongings
- Artwork
- Kitchenware

- Salon trunk
- Salon lounge chairs
- BBQ grill

48' Defever Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Исключения


При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности


Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ


48' DeFever starboard profile



48' DeFever port aft profile




48' DeFever starboard aft profile



48' DeFever aft profile



48' DeFever name plate




48' DeFever anchor windlass



48' DeFever foredeck



48' DeFever foredeck aft




48' DeFever swimplatform




48' DeFever port side deck photo1




48' DeFever port side deck photo2




48' DeFever starboard side deck photo1




48' DeFever starboard side deck photo2




48' DeFever fender hook system photo1




**48' DeFever fender hook system
photo2**




48' DeFever flybridge forward




48' DeFever flybridge aft




48' DeFever flybridge helm




48' DeFever flybridge helmseat



48' DeFever flybridge seating



48' DeFever mast hinge



48' DeFever tender photo1



48' DeFever tender photo2



48' DeFever tender covered



48' DeFever tender davit



48' DeFever aftdeck port



48' DeFever aftdeck starboard



48' DeFever aftdeck sun shade




48' DeFever salon forward



48' DeFever salon aft




**48' DeFever salon port seating
photo1**




**48' DeFever salon port seating
photo2**




48' DeFever salon port forward




48' DeFever salon starboard




48' DeFever galley photo1




48' DeFever galley photo2



48' DeFever galley refrigerator



48' DeFever pilothouse forward




48' DeFever pilothouse port




48' DeFever pilothouse starboard




48' DeFever pilothouse aft




48' DeFever pilothouse helm




**48' DeFever pilothouse electronics
photo1**




**48' DeFever pilothouse electronics
photo2**




**48' DeFever pilothouse electronics
photo3**




48' DeFever master stateroom




48' DeFever master stateroom port



48' DeFever master stateroom starboard




48' DeFever master stateroom aft




48' DeFever master stateroom desk




48' DeFever guest stateroom



48' DeFever guest stateroom desk




48' DeFever head




48' DeFever shower




48' DeFever washer-dryer



48' DeFever engine room access door




48' DeFever engine room forward




48' DeFever engine room aft




48' DeFever port main engine



48' DeFever starboard main engine



48' DeFever Racor fuel filters




48' DeFever fuel manifold



48' DeFever oil change system



48' DeFever stabilizer system



48' DeFever port stabilizer head




48' DeFever starboard stabilizer head




48' DeFever water heater



48' DeFever electrical panel




48' DeFever generator sound box



48' DeFever generator




48' DeFever generator Racor fuel filter



48' DeFever inverter




48' DeFever battery charger



48' DeFever engine room camera




48' DeFever mid bilge




48' DeFever hauled out starboard profile




48' DeFever hauled out starboard forward profile




48' DeFever hull bottom aft




48' DeFever port running gear



48' DeFever starboard running gear



48' DeFever bowthruster tunnel port



48' DeFever bowthruster tunnel starboard



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: **shestakovyachtsales.com**

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004