

## OCEA X47 PROJECT — OCEA FRANCE



**Судостроитель:** OCEA FRANCE

**Год постройки:** 2018

**Модель:** Экспедиционная яхта

**Цена:** ЦЕНА ЯХТЫ ПО ЗАПРОСУ

**Местонахождение:** France

**Длина общая:** 155' 10" (47.50m)

**Ширина:** 27' 9" (8.46m)

**Макс. осадка:** 7' 11" (2.41m)

**Крейс. скорость:** 15 Kts. (17 MPH)

**Макс. скорость:** 17 Kts. (20 MPH)

Купить **OCEA X47 PROJECT — OCEA FRANCE** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **OCEA X47 PROJECT — OCEA FRANCE** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

# ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	5
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Mechanical	6
TANKAGE (approximate)	6
Electrical Equipment	7
Electronics	8
Audio & Visual Equipment	10
Galley	11
Accommodations	12
Deck Equipment	12
Tenders	14
Safety & Fire Protection	14
Исключения	15
Отказ от ответственности	16
ФОТОГРАФИИ	17
КОНТАКТЫ	19
Контактная информация	19
Телефоны	19
Время работы	19
Адрес	19



# ХАРАКТЕРИСТИКИ

## Обзор

### Основная информация

<b>Тип судна:</b> Экспедиционная яхта	<b>Модельный год:</b> 2015
<b>Год постройки:</b> 2018	<b>Страна:</b> France
<b>Открытая палуба мостика:</b> Да	

### Размеры

<b>Длина общая:</b> 155' 10" (47.50m)	<b>Длина по ватерлинии:</b> 152' 0" (46.33m)
<b>Ширина:</b> 27' 9" (8.46m)	<b>Макс. осадка:</b> 7' 11" (2.41m)

### Скорость, вместимость и масса

<b>Крейс. скорость:</b> 15 Kts. (17 MPH)	<b>Дальность на крейсерской скорости:</b> 3000
<b>Макс. скорость:</b> 17 Kts. (20 MPH)	<b>Дальность на макс. скорости:</b> 4500 Kts.
<b>Водоизмещение:</b> 235 Pounds	<b>Чистый вес:</b> 450 Pounds
<b>Вместимость воды:</b> 1585.032312 Gallons	<b>Вместимость сточного бака:</b> 1056.688208 Gallons
<b>Объем топливного бака:</b> 10566.88208 Gallons	

## Размещение

---

**Всего кают:** 7

**Всего коек:** 12

**Спальные места:** 12

**Всего ком. состава:** 7

**Каюта капитана:** Да

**Каюты экипажа:** 6

**Койки экипажа:** 11

**Спальных мест экипажа:** 11

**Комм. состав экипажа:** 6

## Корпус и палуба

---

**Материал корпуса:** Aluminum

**Материал палубы:** Teak over  
Aluminum

**Комплектация корпуса:** Other

**Дизайнер экстерьера:** Joubert &  
Nivelt

**Дизайнер интерьера:** Tba

## Информация о двигателе

---

**Производитель:** Caterpillar

**Модель:** 2 x CAT 12V/C 32 ACERT -  
1300 HP/ 970 KW

**Тип двигателя:** Inboard

**Тип топлива:** Diesel

# ПОДРОБНОЕ ОПИСАНИЕ

---

## Mechanical

---

### Machinery

Engines: 2 x CAT 12V/C 32 ACERT – 1300 HP/ 970 KW

Generators: 2 x Kohler 80 EFOZ Kw 80 KW@ 1500 rpm.

### Steering & Propulsion

Propellers: Two, 5 fixed blade RADI CE propellers.

Gearbox: ZF GEARBOXES 3050 type or equal

### Auxiliary Equipment

Bow thruster: One hydraulic bow thruster Quantum QC 120 or equal

Water maker: 2 x water maker TECNICOMAR MD 3/40 – 350 lt/hr.

Stabilizers: Zero speed Quantum QC 1500 type or equal.

## TANKAGE (approximate)

---

Fuel: 40 000 l

Fresh water: 6000 l

Grey water: 2000 l

Black water: 2000 l

Two day-tanks of 1,000 litres each are located in the engine room above the level of the machinery

and filters. Each day-tank is equipped with a "Low level" contact with alarm reporting in the

wheelhouse. The filling of the day-tanks is made through:

- An ALFA LAVAL separator MIB 303 type

- A main 220/380 Vac self-priming 5.5 m<sup>3</sup>/h electric pump that can also be used for fuel transfer

between tanks via the filling manifold.

- A fail-safe by-pass as a back up, in the event of the transfer pump failing, to draw fuel directly from

any of the hull tanks via a manifold to the pre-filters.

## Electrical Equipment

Main Supply is done by two alternators 80kw, 380V/50Hz powered by two generators sets.

A three phase transformer 400V/40kVA will allow the shore power supply of the ship on the following shore power network:

400V/50Hz three phases with output 32 KW, 400V/50Hz three phases.

## Electronics

---

This section is subject to further development, but as a general guideline, the following requirements will be allowed for. Final confirmation of equipment will be made by the Owner before ordering. All the electronic navigation equipment is delivered with their original documentation and handbooks, and a set of first aid spare parts.

Adequate provision is made for the ventilation of electronic equipment as necessary.

Panels adjacent to where electronic equipment is installed will be easily removable to allow access to wiring. Antennas location will be studied so that the propagation/reception is not subject to interference.

Autopilot:	1 Auto pilot SIMRAD AP80
	1 Satellite compass FURUNO SC50
	1 Radar FURUNO FAR 2117B
Radar:	TFT screen 19" FURUNO MU 190
	1 Rotating antenna 6.5 feet 12 kW
	1 Module AIS FURUNO FA 150
	1 marine PC with software MAXSEA TIME ZERO ECS
	TFT screen 19" FURUNO MU 190
Navigation system:	1 Depth sounder FURUNO FE700
	1 GPS FURUNO GP150
	1 Loch BEN ANTHEA



## Instrumentation system

1 wind speed and direction meter LCJ  
(wind speed & direction):

## Communication and Satellite Equipment

## Data

## Communication

SATELLITE  
telephone:

1 Satellite telephone FLEET BROADBAND SAILOR FB50

## Navtex:

1 NAVTEX 5" bi-frequency

## SSB radio:

1 SSB FURUNO FS 1575 power 150W with ASN

## VHF:

2 VHF FURUNO FM 8900S ASN GMDSS

2 Handheld VHF SAILOR SP3520 GMDSS

## Standard C:

2 INMARSAT Standard C FELCOM 18 GMDSS

2 Printers FURUNO PP510

A Talk Back System CANTALUPI type or equal is installed as follows:

- 1 main station in the wheelhouse

- 1 loud speaker at the fore deck

## Intercom

## System:

- 1 loud speaker at the aft main deck

- 1 loud speaker in the lazarette.

- 1 station with microphone and helmet in the engine room (with call

flashlight

A telephone system is installed as follows:

- Telephone system:
- 1 PABX ERICSSON MD Evolution XL type or equal
  - 1 phone set in all cabins, main salon, dining room, upper salon, galley, wheelhouse, and crew mess.

## Audio & Visual Equipment

**The following list is indicative only. The equipment choice will be finalised by the Owner before order.**

Main deck salon:	1 plasma screen HITACHI HD 42"
	1 Home cinema Lifestyle 48 BOSE.
Main dining room:	1 system BOSE Freespace 3
Owner's cabin:	TTV LCD 16/9 LOEWE ref. XELOS A37 94 cm
	Home Cinema BOSE 3.2.1.
Guests' cabins (6), Captain's cabin, Crew mess:	TTV LCD 4/3 LOEWE ref. XELOS A20 51 cm
	DVD/CD/Tuner player speakers BOSE 161.
Upper salon:	1 System BOSE Freespace 3.
Private salon:	1 Plasma screen HITACHI HD 32"
	1 Home cinema Lifestyle 48 BOSE.
Wheelhouse:	1 System BOSE Freespace 3
	2 Marine speakers BOSE 131

---

Aft main deck:	1 Remote control BOSE Personal Music Center
	2 Marine speakers BOSE 131
Aft upper deck:	1 Remote control BOSE Personal Music Center.
	2 Marine speakers BOSE 131
Sun deck:	1 remote control BOSE Personal Music Center
	1 antenna TRACVISION M9KVH or equal
Satellite TV reception:	11 demodulators ASTON.

---

## Galley

---

### Galley:

#### The galley is equipped, as a guideline, with:

Two double stainless steel sinks with mixers equipped with a carbon filter.

- A set of galley equipment GAGGENAU type or equal including:
- Two refrigerators
- One freezer
- One glass-ceramic cooking table with stainless steel pan holders
- One self-cleaning electric oven
- One fume-aspiration hood
- One microwave oven
- One dishwasher

- Stowage in cupboards for pots, pans, and cooking utensils.
- Stowage or securing of Owner supplied items such as coffee machine, food processor and accessories, toaster, kettle, etc.

**The laundry is equipped, as a guideline, with:**

- Two washing machines MIELE type or equal
- Two condensing electric drying machines MIELE type or equal

## **Accommodations**

---

The layout can be modified according to the owner requirement.

Main deck:

- Master cabin full beam

Lower deck:

- Two Double cabins
- Two twin cabins
- Two single cabins

## **Deck Equipment**

---

Deck Equipment

**Anchoring / Mooring:**

**On the aft deck:**

- 4 stainless steel bollards.
- 6 anodised aluminium fairleads.
- 2 vertical 230 Vac electric capstans MAXWELL VC 6000 type or equal, with foot switch.

**On the fore deck:**

- 4 stainless steel bollards.
- 4 anodised aluminium fairleads.
- 2 x HPT galvanised anchors of 280 kg each.
- 2 x 150m of galvanised stud link chain, Q2 grade, 22 mm diameter with MAXWELL chain stopper and slip hook.
- 2 separate chain lockers in the forepeak, with access through a watertight hatch. The chain lockers are sized so that the chains are totally self-towing without any manual handling.
- Sea water anchor wash system for the chains by the general fire-fighting electric pump controlled from the fore deck.
- 2 vertical hydraulic windlass MAXWELL VW 11000 type or equal

**On the side passageways:**

- 4 anodised aluminium Panama fairleads.
- 2 anodised aluminium fairleads.

**Swim-platform:**

A swim-platform covered with teak decking is integrated in the hull transom. Access to this platform from the main deck is provided through two lateral doors in the aft bulwark and teak covered stairs.

The platform is equipped with a hot and cold fresh water shower

## Tenders

---

### TENDERS AND TOYS

A compartment below the fore deck is sized to stow:

- Tenders stowage:
- A main tender 5.65 m x 2.35 m x 1.3 m (engine up)
  - Two jet-skis on the sides

Rescue tender: A rescue tender is stowed on the upper deck and launched with a manual crane ATLAS 2000 type or equal.

General: The tenders are secured on custom made painted aluminium chocks shaped to the hulls. White heavy-duty rubber profiles are incorporated in the supports. Strong securing eyes are integrated to the design.

## Safety & Fire Protection

---

### Safety & Security

4 certified life rafts in containers, 10 persons each, with

Life rafts: hydrostatic launching lines.

Life jackets: 24 certified life jackets (20 adults and 4 children)

Immersion suits: 20

4 certified,

Life buoys:

- 2 lines for life buoy, 27.5 m each

- 2 lights for life buoy, with upside down self-lighting

- 1 line throwing apparatus.

An anti-intrusion alarm system is installed as follows:

- 1 ELKRON MP200 anti-intrusion unit type or equal

Intruder alarms: - 5 sensors in the interior

- 6 control pads for opening

- 1 alarm signal

A CCTV system is installed as follows:

- 1 camera aft main deck

- 1 camera aft upper deck

Security cameras:

- 2 cameras in the engine room

- 1 monitor 12" in the wheelhouse

- 1 monitor 12" in the crew mess

---

## Исключения

При продаже яхты исключаются личные вещи владельца.

## Отказ от ответственности


---

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.



# ФОТОГРАФИИ





# КОНТАКТЫ

---

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

## Контактная информация

---

Email: **andrey@shestakovyachtsales.com**

Web: **[shestakovyachtsales.com](http://shestakovyachtsales.com)**

## Телефоны

---

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

## Время работы

---

Понедельник – Суббота: **9:00 - 21:00 EDT**

Воскресенье: **Закрыто**

## Адрес

---



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004