

THE PATH — NORTHWEST TRAWLERS



Судостроитель:
NORTHWEST TRAWLERS

Год постройки: 2008

Модель: Траулер

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 45' 0" (13.72m)

Ширина: 15' 10" (4.83m)

Макс. осадка: 4' 5" (1.35m)

Купить The Path — NORTHWEST TRAWLERS а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту The Path — NORTHWEST TRAWLERS а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

| | |
|--|----|
| ОГЛАВЛЕНИЕ | 2 |
| ХАРАКТЕРИСТИКИ | 4 |
| Обзор | 4 |
| Основная информация | 4 |
| Размеры | 4 |
| Скорость, вместимость и масса | 4 |
| Размещение | 4 |
| Корпус и палуба | 4 |
| Информация о двигателе | 5 |
| ПОДРОБНОЕ ОПИСАНИЕ | 6 |
| Overview - General Specs | 6 |
| Pilothouse | 6 |
| Electronics / Pilothouse | 6 |
| Flybridge | 7 |
| Flybridge Electronics | 7 |
| Aft Cockpit, Side Deck and Swim Step | 7 |
| Deck , Portuguese Bridge and Fore Deck | 7 |
| Running Gear | 8 |
| Engine Room and Lazzarette | 8 |
| Fuel System | 8 |
| Fresh Water System | 8 |
| Plumbing System | 9 |
| Control Systems | 9 |
| Mechanical | 9 |
| Electrical Systems | 9 |
| Salon | 9 |
| Galley | 10 |
| Master Stateroom | 10 |

| | |
|--|-----------|
| Master Head | 10 |
| Guest Stateroom | 10 |
| Guest Head / Day Head | 10 |
| General Interior Items | 10 |
| Exclusions | 11 |
| Fuel Burn and Ranges | 11 |
| Исключения | 11 |
| Отказ от ответственности | 11 |
| ФОТОГРАФИИ | 12 |
| The Path Northwest Trawler 45 Expedition | 12 |
| The Path Northwest Trawler 45 Expedition | 12 |
| The Path Northwest Trawler 45 Expedition | 12 |
| The Path Northwest Trawler 45 Expedition | 12 |
| The Path Northwest Trawler 45 Expedition | 16 |
| The Path Northwest Trawler 45 Expedition | 16 |
| КОНТАКТЫ | 17 |
| Контактная информация | 17 |
| Телефоны | 17 |
| Время работы | 17 |
| Адрес | 17 |

ХАРАКТЕРИСТИКИ

Обзор

The Northwest 45 is a semi-displacement hulled trawler featuring 2 staterooms and 2 heads. The master stateroom has a queen sized berth and the guest stateroom, over/under bunks. Due to the unique hull design, standing headroom is found in the engine compartment, something not found on many semi-displacement hulled boats in this size range Northwest Yachts.

Основная информация

Тип судна: Траулер

Модельный год: 2008

Год постройки: 2008

Страна: United States

Размеры

Длина общая: 45' 0" (13.72m)

Ширина: 15' 10" (4.83m)

Макс. осадка: 4' 5" (1.35m)

Скорость, вместимость и масса

Вместимость воды: 300 Gallons

Вместимость сточного бака: 125 Gallons

Объем топливного бака: 600 Gallons

Размещение

Всего кают: 2

Всего ком. состава: 2

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 1

Производитель: Cummins

Модель: QSL9

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Overview - General Specs

The Northwest 45 is a semi-displacement hulled trawler featuring 2 staterooms and 2 heads. The master stateroom has a queen sized berth and the guest stateroom, over/under bunks. Due to the unique hull design, standing headroom is found in the engine compartment, something not found on many semi-displacement hulled boats in this size range Northwest Yachts. Northwest Trawlers are constructed using all vinyl ester resins throughout, not just in the outer layers. Unlike polyester resins, vinyl ester resins can stretch up to 5% before fracturing. Northwest Trawlers are constructed using a uni-molding process that builds the boat with only 5 major molded components. This limits any secondary bonding and provides a much stronger integrated structure with little chance of stress cracking as there is little or no filler needed. Hull and deck of vacuum infused composite construction Kevlar layer in hull laminate located in the forward section below the waterline Hull Color: Fighting Lady Yellow (Awlgrip) Superstructure: Oyster White Scuppers on aft, starboard side, and foredeck Watertight bulkheads Floors, decks and major bulkheads are composite construction and laminated to hull Swim step integral to hull Interprotect 2000 barrier coat below waterline Black anti-fouling bottom paint Boot stripe Cap rails - molded Rub rails - integral molded Overhead halogen and LED deck lighting (24vdc) on exterior walk and outside

Pilothouse

Helm Chair w/ footrest Opening hatch over helm station w/ screen and blackout Electric hot air defroster (forward windows) Destroyer wheel Windshield wipers with integrated washer system AC/DC electronics panel hinged for easy access Overhead halogen lights with red lights above dash L-shaped leather dinette hi/low table that converts to double berth Chart storage Storage cabinets port and starboard Main engine display panel Generator control panel Search light 5 Pilothouse windows port and starboard with 2 trapezoid and 2 porthole design in tempered glass (2) opening windows in rear Reverse forward windows Storage area under settee and chart drawer under table base Reading lights behind settee (3) 110V Electrical duplex outlets with a 12VDC outlet on console Deluxe helm chair Circular fixed glass port lights Dash panel to be black, solid surface material wrapped in black vinyl. (2) opening Diamond Seaglaze sliding windows on aft bulkhead Custom wood flooring Bose surround system (separate) Pilothouse Bow Thruster Bilge Pump counters ZF controls Cummins Smartcraft EMC engine display A/C controls Handrail beside steps coming from salon

Electronics / Pilothouse

Simrad Radar / Chart plotter NSS 12 Touchscreen, LCD display and 24" dome Simrad IS-12 instrument system with combination depth/speed/temp and wind functions Simrad VHF with 25 watt hailer and intercom Simrad AP 25 Autopilot with hydraulic pump set Garmin 545S GPS

Nobeltec navigation suite, Lenovo computer, 19" Lenovo display, wireless mouse and keyboard
 LENOVO Computer ThinkCentre M72e series with 5 year Onsite Next Business Day Warranty
 E70 RayMarine GPS Camera Screen Stabilizer Display Antenna GS25 GPS Simrad
 BoardEthernetNEP2 ChartnavigationPlatinum906P US Southeast Bahamas for Raymarine E
 series Simrad 4G Broadband Simrad Sounder BBandBSM2 Gemco XDucerB265LHBBand
 Chirp transducer Simrad ConverterAT10NMEA Interface Simrad NSS system to Autopilot for
 Waypoint Steering Simrad ModuleWIFI1 Network for Ipad interface to Simrad network on Aft
 Deck Alarm buzzer can be heard in master/ guest staterooms Chart NavionicsPlatinum908BP2
 Key Power stabilizers, 7.5 sq. ft Conrad 8' antenna with mount AIS Receiver Nobeltec Radar
 overlay to chart plotter Camera System (engine room and cockpit) ACR Spotlight Epirb ACR 406

Flybridge

Accessed from the port pilothouse door up 4 steps Center control station with raised instrument
 pod ZF controls, Instrumentation Simrad FU 25 steering system Electronics mast on Radar arch
 Venturi windscreen Bench seat with backrest behind helm. Massive storage below accessed
 through 6 doors Corian work top area behind seat Davit and Tender (Tender not included in
 sale)

Flybridge Electronics

Simrad Radar / Chart plotter NSS 12 Touchscreen, LCD display and 24" dome Simrad IS-12
 instrument system with combination depth/speed/temp and wind functions Ritchie 6" compass
 VHF Radio Simrad Auto pilot Boss 321 Systems Millennia PRV16 AMFMUSB 4X40 Watt
 Gauge Style Display for Bridge Stereo JL Audio MX 650 CCX with speakers installed in
 overhead arch

Aft Cockpit, Side Deck and Swim Step

Hinged lazarette hatch with gas shock Batteries stored in lazarette Transom and side boarding
 gates Aft cockpit cabinet with stainless sink, extendable hot & cold sprayer, fender storage
 below, and 110 GFI duplex outlet, twist- loc outlet for deep drop rig Corian counter top, Storage
 below with custom shelves Sliding salon door Mooring cleat on port side of transom Water fill in
 aft cockpit Swim ladder off swim platform, stainless steel w/3 steps (2) YETI coolers w/tie downs
 Pop-up Cleats (4) LED lights Icemaker, ULine Custom removable, swivel Deep Drop Rod holder
 Rod holders (3) on aft rail bulkhead Rodholders (6) mounted on aft F/B Hardtop, By Birdsall
 Marine Freshwater washdown Glendinning cabledmaster with acrylic cover Dockside water
 Recessed shower Freshwater washdown (2) spreader lights 110v Haise pipes with cleats
 Sliding door to salon

Deck , Portuguese Bridge and Fore Deck

Portuguese bridge includes storage locker, fresh water bib and 110 GFI outlets. Deck Rails 1.25" stainless steel with 1" stanchions on boat deck and fore deck Deck Rails stainless steel with stanchions around Portuguese bridge FRP radar arch for electronics installation Electric Nick Jackson davit 1000 lbs 24 VDC chrome dual trumpet air horn Aqua Signal series 42 international navigation lights Molded anchor shelf for stainless steel frame and bow roller Fresh water wash down on foredeck Opening deck hatch over forward stateroom berth on foredeck Maxwell hydraulic vertical (low profile) windlass with up/down switch at bow and Pilothouse (capstan installed) Anchor- Quickline Ultra Stainless Steel (\$2000) Anchor –CQR 60 lb. Plow, Stainless Steel 100' 3/8" galvanized chain, 300' 5/8" Samson braid rode Storage lockers in Portuguese Bridge Molded seat in center of Portuguese bridge with storage underneath Propane storage locker with FBG tank under port stairs to boat deck Full height boarding gate on starboard side amidships

Running Gear

Aquamet 22 prop-shaft - 2 1/2" diameter PYI drip less shaft seals 34" x 30" 4-bladed class 1 prop Shaft zinc and bonded transom underwater zincs Plate steel articulating rudder Weed and Line Cutter Exterior Finish - Exterior Hardware Hawes holes and cleats of stainless steel: (4) bow, (2) amidships and (2) at stern Stainless steel capped rub rails Bow and stern flag staffs

Engine Room and Lazzarette

Cummins QSL9 405 hp electronic engine with 24V 80 amp alternator Reverso Oil Change System 305-1 ZF Transmission 2.5:1 Drip pan under engine Engine room exhaust fan Engine room Soundown system Stainless steel safety rail around engine 24 VDC overhead lighting 8" Lift muffler with bypass and underwater exhaust New Dual sea chest Manifold with central shut off valve and strainer 110V duplex outlet 12 Kw Northern Lights generator with sound shield 2350 Hours (3/2015) Lift muffler for generator exhaust Algae-X Fuel polishing system on timer Water Maker Seemaker Series 30 Cruise RO 35 GPH Dual Racors Engine room Camera Overhead lighting Electrical outlets in Lazzarette

Fuel System

Fuel Tankage – Fiberglass main tanks (2) athwart ship - 600 gallons Auxiliary aluminum saddle tanks (2) with baffles, 300 gallons Fuel lines are USCG approved and can be used with bio fuels Sight gauges for all tanks Dual Racor 75/500 Fuel Filter System with gauge Single deck fill Vents are located above the main deck Fuel manifold on main tank Reverso Fuel transfer system

Fresh Water System

Cruise RO Marine 450 GPD Watermaker Polyethylene (2) 150 gal water tanks (total 300 gals) (2)

11 gallon hot water tanks (110vac and/or engine) Deck fill and vents Sea Tech plumbing hoses
Headhunter 24VDC 10GPM pressure fresh water system

Plumbing System

CruiseAir reverse cycle a/c with heat option Black water tank (125 gal) Gray water tank (35 gal)
Century tank monitoring system Sealand sanitary hoses Sealand T-24 or equivalent macerator
pump Deck pump out fittings Hot & Cold water swim step shower

Control Systems

Kobelt hydraulic steering system ZF Electronic engine controls ABT Bow Thruster 10 hp
Hydraulic ABT Stabilizers BAT drive hydraulic "get home" system

Mechanical

Bronze thru-hull fittings with bronze sea cocks All hoses double clamped below waterline Bilge
pumps (3) with float switches and auto/manual switches/counters Manual bilge pump

Electrical Systems

240VAC/110VAC/ 24VDC/12VDC Xantrex Freedom 2500 Inverter/ Charger with Link 2000
controller Glendinning Shore Power System (50 amp) Inverter/Charger with Link 2000 controller
4 (200amp-hr) AGM house bank batteries (8D) 2 inverter bank ACM batteries (8D) 2 separate
AGM engine bank starting batteries (4D) 2 AGM generator starting battery Blue Seas AC and DC
backlit electrical panels Wiring color coded and labeled on both ends All wiring tinned copper to
ABYC specifications ACR auto-charge relays

Salon

Built-in L-shaped settee with storage under (port side) Starboard side seating (2) wicker chairs
Deluxe Yacht table with hiding leaf system and custom fused glass insert. 110V electrical duplex
outlets and a 12V outlet Cabinet to starboard with battery switches and subwoofer Entertainment
cabinet with Bose DVD/CD/AM/FM player, 2 speakers and subwoofer Sharp Aquos 26" flat
panel TV (New) KVH Satellite dome and receiver (Direct TV) 920 Bluetooth Aux ports LED
and/or halogen overhead lights Wall mounted sconce style lights Salon windows to be bedded
with rounded corners and tinted Aft opening window Overhead valence with room to
accommodate shades and blinds Window treatments Soundown carpet pad Custom wood
flooring

Galley

Avonite solid surface counter tops with backsplash Custom fused glass backsplash insert Force 10 3 burner propane stove/oven Sharp microwave convection oven with hood, light and exhaust fan Broan trash compactor Xintex propane control with gas alarm Stainless steel sink Tundra refrigerator/ Freezer Pull out pantry for can storage Ample drawers and overhead cabinets Overhead cabinets between salon and galley Overhead and cabinet lighting 24VDC Halogen Large opening window with window treatment 110V electrical GFI outlets duplex Engine room access through floor with gas shocks Y Valve for overboard discharge of gray water from the sink Custom wood flooring

Master Stateroom

Queen berth with 8" pillowtop "Hand Craft" mattress with drawer storage below Portlights - (2) port side (1) starboard Cedar lined hanging lockers, port and starboard Mirror on forward bulkhead LED and/or halogen lighting Reading lamps beside berth Leather headboard Built-in seat Pioneer stereo with speakers 110V outlets

Master Head

Solid surface counter top Portlight - (1) Headhunter toilet FRP shower stall Grohe shower faucet with hand held/adjustable mount showerhead Bi-fold shower door 110V GFI electrical duplex outlet LED and/or halogen overhead lights Mirror Grohe faucets and accessories Exhaust fan Custom wood flooring

Guest Stateroom

Over/under bunks with 6" mattress/ Top berth removable, leaving sofa Portlight - (1) LED and/or halogen lighting Reading lamps Storage under berth 110V duplex outlet Mirror above the end table

Guest Head / Day Head

Solid surface counter top Portlight - (1) Headhunter Toilet 110V GFI electrical duplex outlet LED and/or Halogen lighting Scandvik shower/sink faucet with hand held mount showerhead with adjustable spray Exhaust fan

General Interior Items

Hand selected Makore (African Cherry) hardwood and veneers, finished with (2) coats of varnish Soft wall coverings All interior passage doors have blended arched tops Southco push/pull

positive locking latches on interior cabinetry Interior cabinetry drawers use side mount, full extension, ball bearing drawer guides Interior cabinetry doors use fully adjustable Euro style hinges Cabinets pre-finished maple interiors for easy cleaning and furniture quality Wood flooring throughout boat, salon, master, and guest staterooms Flooring - wood flooring in pilothouse, galley, and companion / stairways Interior hand railings on stairways Interior lights 24VDC LED, Halogen and/or fluorescent Master and guest stateroom closets aromatic cedar lined Courtesy lights on all indoor stairways LED type Entertainment speakers pre-wired from salon to master, pilothouse, aft deck, and flybridge Bosch stacked washer and dryer Headliners of acoustical soft vinyl, eggshell white, panels Dimmer switches in the salon, pilothouse and master stateroom Fender Chocks (4)

Exclusions

Owner personal Gear, tender and motor

Fuel Burn and Ranges

Top Speed 12.5 knots, cruising speeds 7-10 knots 7 knots, 2.5 gph ,1300-1500 rpm's 8 knots, 4.2 gph ,1500-1600 rpm's 9 knots, 8.0 gph ,1700-1800 rpm's 10 knots, 11.4 gph 1900-2000 rpm's 12 knots, 15. gph 2100 rpm's Cruising ranges, without genset or reserve 7 knots 1600 nm 8 knots 1100 nm 9 knots 800 nm 10 knots 550 nm

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ

The Path Northwest Trawler 45 Expedition



The Path Northwest Trawler 45 Expedition



The Path Northwest Trawler 45 Expedition



The Path Northwest Trawler 45 Expedition











The Path Northwest Trawler 45 Expedition

The Path Northwest Trawler 45 Expedition



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004