

NO NAME — NORDIC TUGS



Судостроитель: NORDIC TUGS

Год постройки: 2016

Модель: Траулер

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 42' 0" (12.80m)

Ширина: 13' 10" (4.22m)

Макс. осадка: 4' 7" (1.40m)

Крейс. скорость: 8 Kts. (9 MPH)

Макс. скорость: 16 Kts. (18 MPH)

Купить **No Name — NORDIC TUGS** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **No Name — NORDIC TUGS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Обзор	3
Основная информация	3
Размеры	3
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	4
Информация о двигателе	4
ПОДРОБНОЕ ОПИСАНИЕ	5
Pilothouse	5
Salon	5
Master Stateroom	5
Navigation Station	5
Power Station	5
Patented Hull Design	5
Standard Equipment	6
Исключения	12
Отказ от ответственности	12
ФОТОГРАФИИ	13
КОНТАКТЫ	14
Контактная информация	14
Телефоны	14
Время работы	14
Адрес	14

ХАРАКТЕРИСТИКИ

Обзор

The pioneer of the pleasure-tug industry, Nordic Tugs has offered the discerning cruiser high-quality yachts for more than a quarter century. Handcrafted in the United States of America, Nordic Tugs undergo extensive quality assurance checks and every boat is taken through a full day sea trial to ensure a quality finished product is delivered to each customer. Every Nordic tug is backed by our exclusive gold standard warranty, which provides one year stern to stern coverage and warrants the hull for a full 10 years against both structural failure and osmotic blistering. Distinctive styling, quality construction and legendary sea keeping abilities have made Nordic Tugs a modern cruising classic. Few trawler style yachts available today can match up to the Nordic tug 42, with its remarkable seaworthiness, rugged construction and long list of thoughtful interior and exterior features developed with the cruising boater in mind.

Основная информация

Тип судна: Траулер

Подкатегория: Tug

Модельный год: 2014

Год постройки: 2016

Страна: United States

Открытая палуба мостика: Да

Кубрик: Да

Размеры

Длина общая: 42' 0" (12.80m)

Длина по ватерлинии: 40' 2" (12.24m)

Ширина: 13' 10" (4.22m)

Макс. осадка: 4' 7" (1.40m)

Длина привального бруса: 44' 8" (13.61m)

Скорость, вместимость и масса

Крейс. скорость: 8 Kts. (9 MPH)

Макс. скорость: 16 Kts. (18 MPH)

Водоизмещение: 37500 Pounds

Вместимость воды: 200 Gallons

Вместимость сточного бака: 45 Gallons

Объем топливного бака: 600 Gallons

Размещение

Всего кают: 2

Всего ком. состава: 2

Корпус и палуба

Материал корпуса: Fiberglass

Отделка корпуса: Plastic

Информация о двигателе

Двигатели: 1

Производитель: Cummins

Модель: QSM11

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Pilothouse

The Nordic Tug 42 pilothouse features comfortable lounge areas, full 360 degree views and direct access to the decks from both sides of the vessel. The roomy recessed helm station features a large ship style wheel, chart table with drawers and lots of room for all of the latest electronics.

Salon

Just steps away from the pilothouse is a well-appointed salon with teak entertainment center, 20 inch flat panel TV and Bose sound system that adds to the enjoyment of any day - or night. A comfortable settee with under-seat storage that converts to an additional berth, and the well-equipped u-shaped galley features a full size AC/DC refrigerator/freezer, electric range, microwave oven and trash compactor. Corian counter tops and handcrafted Sapele Mahogany cabinetry are used throughout and a choice of four interior packages are available for owners looking to personalize their interior decor options.

Master Stateroom

The comfortable master stateroom features a queen sized bed with ample storage, including hanging locker and drawer space for extended cruising.

Navigation Station

The navigation station is located off the companion way and provides a comfortable set and chart table with convenient access to all power distribution panels.

Power Station

Powered by a single 500 to 625 horsepower Volvo electronic control, diesel engine, the Nordic Tugs 42 offers top speeds of 16 knots, with an economical cruising range of 1700 nautical miles at eight knots, making her the ideal boat for cruising both inland and coastal waters. Inside and out, the Nordic Tugs 42 offers the freedom, security and comfort to take you just about anywhere you want to go.

Patented Hull Design

Nordic Tugs are known for their seaworthiness, comfort, stability and efficiency. These traits are due to her unique hull design. The Company has been designing hulls since 1980 and they have refined semi-displacement hulls that are fast and fuel efficient. This has resulted in an incredible hull that provides a quiet, comfortable ride. With a single diesel engine, Nordic Tugs gives you the fuel economy of a displacement hull, with speeds far greater than a displacement hull can achieve. *Nordic Hull Characteristics*

1. A fine-entry bow provides a quiet dry ride in adverse weather conditions.
2. Her full keel improves tracking and reduces drift when maneuvering.
3. Hard chines reduce roll, increase efficiency and add to the inherently stable ride.
4. The molded mid guard adds strength to an already solid hull.
5. A flared hull helps keep the boat dry.
6. A heavy-duty stainless steel shoe protects the propeller and rudder.
7. A round-reverse transom adds strength and helps shed water in a heavy following sea.

Standard Equipment

- **HULL**

- Color - Oyster gel coat hull w/colored inset & waterline
- Structural lamination w/multiple layers of hand laminated knitted fiberglass & resin
- Stringers - Continuous full length foam cored hand laminated fiberglass structural stringers
- Boarding platform with SS through bolted brackets and under mounted telescopic swim ladder
- Hull Guards - UV-stabilized PVC-guards; anchor, hull and sheer, 316 SS inset on hull side guard
- Fasteners - All exterior fasteners 316 SS
- Bottom Paint - ablative antifouling (2 coats/black)
- Port Lights - 7'x14' 316 SS w/screens, hull sides (5)
- Bilge Pumps - 2000 GPH, in three compartments w/auto/manual switches at helm
- Bonding System - common bonding zincs on transom plus rudder, shoe and thruster zincs

- **DECK**

- Color - Oyster gel coat
- Deck - Molded textured surface in walking & work areas
- Deck - Raised walk-around side decks
- Door - hinged transom
- Scuppers - cockpit
- Anchor Roller Assembly - Polished SS
- Windlass - 12VDC LOFRANS TIGRES LW400AN, 1200W anchor windlass w/foot controls at bow and remote control at helm
- Bow Bit - 316 SS Samson post

- Storage - Cockpit cabinet w/double doors
- Storage - Cockpit recessed fender holder
- Storage - Locking deck hatch to lazarette w/sealing gasket and spring-assist lifts
- Hand Rails - Deck, 1-1/4"x 30" high, 316 SS bow & stern
- Hand Rails - 1-1/4" 316 SS 30" high 9on salon cabin top (removable starboard) and ladder on port side
- Ladder - 316 SS open rail w/wide treads from aft deck to boat deck portside
- Hand Grabs - 316 SS salon roof drains at aft salon corners
- Hand Grab - 316 SS, two forward of pilothouse doors
- Hand Grab - 316 SS on transom over swim ladder
- Windows - DIAMOND SEA GLAZE Oyster powder-coated
- Doors - DIAMOND SEA GLAZE Oyster powder-coated two sliding pilothouse entry and one aft hatch style entry w/ full length half-drop window and screen
- Portlights - 10" round 316 SS w/screens and drains in forward cabin (3)
- Cleats - 12" cap rail mounted 316 SS mooring cleats (10)
- Deck Fittings - 316 SS 2" fuel fills (2), SS 1-1/2" water fill, SS 1-1/2" waste suction fitting
- Lights - Aft deck LED overhead (2) w/switch on fixtures
- Lights - Boarding platform LED (2)
- Outlet - 110VAC GFCI (cockpit)
- Inlet - Phone/TV - dock connection
- Pennant Staff receiver - in bow rail
- Sea water deck washdown hose bibs fore & aft
- Lazarette Vents polished SS
- **PROPULSION/ENGINE ROOM**
- Engine - Single 500hp Volvo electronic controls
- Marine Reduction Gear - ZF 304A @2.558:1
- Alternator - 160 amp (12V)
- Fuel Filter - RACOR 75/900MAX dual fuel/water separator filter for main engine w/ 10 micron element
- Exhaust - 8" dual stage water lift muffler transom exit for main engine
- Propeller Shaft -2.5" SS w/PSS drip-less shaft seal
- Seawater Strainers - bronze
- Generator Fuel Filter - RACOR 120RMAN single fuel/water separator filter - 10 micron
- Oil Change Pump System - plumbed to main engine, generator & transmission
- Sound Insulation - 1" w/barrier and silver mylar finish
- Lights - engine room (6)
- Outlet - 110VAC GFCI
- **HEATING**
- Furnace - Diesel Hydronic heat system & hot water plumbed to 4-zones, 40,000 BTU
- **GALLEY**
- Cooktop - 3-burner electric FORCE-10 75320

- Microwave, Convection - under cooktop
- Refrigerator/freezer NOVA KOOL RFU9000 AC/DC, 9.1cf
- Ice maker
- Countertop - U-shaped CORIAN "Sandstone" countertop w/coved backsplash & searail
- Sink - stainless steel, mirror finish undercounter mount single bowl w/ single lever spray extension faucet and soap dispenser, Sink size: 19.50" x 15.50" x 12" (WxLxD).
- Cabinets - Sapele flush face frames & drawer faces; doors & drawers are equipped w/ plush (type sea locks)
- Storage - Spice rack over stove w/Sapele sliding doors
- Storage - Tip-out storage in front of sink
- Drawers - built w/ApplePly, full extension ball bearing tracks & push locks
- Lights - Overhead, 12VDC LED w/ SS bezel (4)
- Outlets - 110VAC GFCI protected (2)
- Exhaust fan and switch
- Sapele and Holly sole
- **COMPANIONWAY**
- Desk - w/bench seat, file drawer under
- Electrical Panels, BLUE SEAS - includes AC/DC meters, breakers and generator start panel, above and outboard on desk area
- Lights - Stair, red LED, in step riser
- Light - Reading 12VDC LED, over desk
- Lights - Overhead 12 VDC LED (4), SS bezel
- **SALON**
- Table - Sapele top mounted to a Sapele wrapped free-standing BENSENZONI T-248 pedestal
- Cabinet, Ice maker - Sapele with U-LINE B195
- Sapele entertainment center aft port corner w/Sapele top and includes BOSE 3.2.1 entertainment sound system with a 26" flat panel TV
- Settee - L-shaped & converts to berth w/storage
- Valances - Sapele
- Lights - Overhead, 12 VDC LED W/SS bezel (7)
- Lights - Reading, 12VDC (2)
- Lights - LED step lights, red, on each riser
- Outlets - 110VAC (3)
- Outlet - Cable TV, in aft port cabinet
- **PILOTHOUSE**
- Helm seat - fixed LLEBROC chair w/slide, footrest and adjustable pedestal, ULTRA LEATHER Pecan fabric
- Settee w/Sapele fixed height table
- Aft facing seat - forward starboard helm
- Sapele overhead console and valances
- Chart table w/drawer, WILSONART Graphite laminate counter top

- Engine Control - CUMMINS electronic single lever throttle/shift
- Engine Instrumentation - CUMMINS SmartCraft VesseView LCD color monitor
- Bow Thruster Control - joystick
- Compass - RITCHIE FN-203 flush mount
- Windshield wipers - pantograph style, adjustable speed, self park and washer system controls (3)
- Windshield defroster
- Overhead console wired for stereo power and speaker wires to aft outboard corners of pilothouse
- Light - Reading, 12VDC LED
- Light - Chart, LED red/white
- Lights - Over helm, 12 VDC LED red (2)
- Outlets - 110VAC (2)
- Power Ports - 12VDC (2)
- 12 VDC terminal block for electronics in overhead console
- Hatch - 16.5" w/screen
- **FORWARD MASTER**
- Queen-size berth on center line, storage unit
- Mattress - USCG approved hinged deluxe pillow top
- Drawers - flush face, under berth w/push latches (4)
- Hull side storage cabinets
- Mirror - full length on back of head door
- Lights - Reading, 12VDC LED, over berth (2)
- Lights - Overhead, 12VDC LED w/SS bezel (4)
- Outlets - 110VAC (2)
- Outle - TV in hanging locker starboard side
- Hatch - 22" w/screen
- Chain locker forward w/sealed access door behind headboard
- **GUEST CABIN**
- Berth - Settee converts to full size berth
- Cabinet - hull side storage w/drawers (4)
- Storage Locker - forward inboard corner w/outlet
- Door, Entry - sapele sliding
- Lights - Overhead, 12VDC LED w/SS bezel (3)
- Lights - Reading, 12VDC LED (4)
- Outlets - 110 VAC
- Washer/Dryer, Combo - vented w/hanging locker above
- **GUEST CABIN**
- Berth - Settee converts to full size berth
- Cabinet - hull side storage w/drawers (4)
- Storage Locker - forward inboard corner w/outlet
- Door, Entry - sapele sliding
- Lights - Overhead, 12VDC LED w/SS bezel (3)
- Lights - Reading, 12VDC LED (4)

- Outlets - 110 VAC
- Washer/Dryer, Combo - vented w/hanging locker above
- **GUEST CABIN**
- Toilets - TECMA EasyFit (household size)
- Shower - stall w/cafe style door, faucet & LED light
- Cabinet - vanity w/sapele door, SS basin & CORIAN "Savannah" counter top
- Fixtures - toilet paper holder, towel racks, mirrors
- Floor covering - LONSEAL Sapele & Holly
- Light - Overhead, 12 VDC LED (2)
- Outlet - 110 VAC, GFCI protected
- Exhaust fan w/switch
- **MASTER HEAD**
- Toilets - TECMA EasyFit (household size)
- Vanity top - CORIAN "Savannah" w/SS sink, faucet
- Shower - stall w/cafe style door, faucet and LED light
- Cabinet - vanity w/sapele trim and doors
- Linen locker w/sapele doors aft bulkhead
- Fixtures - mirrors, to holder, towel racks (2), towel ring
- Floor covering - LONSEAL Sapele - Salon & pilothouse
- Sapele interior passageway doors and trim
- **LAZARETTE**
- Fresh water pump - constant pressure
- Water tank
- Steering gear
- Completely gel coated and ventilated
- Storage space
- **STEERING SYSTEM**
- Steering System - manual hydraulic
- Rudder and Shoe - passivated SS w/sacrificial zincs
- Rudder port bearing and shaft lip seal
- Helm Wheel - Stainless Steel destroyer type
- Valves and fitting for autopilot hydraulic pump connection
- Bow Thruster - SIDE-POWER SE100/185T-12V, 220lb thrust
- **12V DC ELECTRICAL SYSTEM**
- Battery Charger - MASTERVOLT 70 amp 3-outputs
- Batteries, Start - 12V LIFELINE AGM Group-31 (2) w/boxes, 200 amp hours
- Batteries, House - 6V LIFELINE AGM deep cycle golfcart type (6) w/boxes, 600 amp hours
- Batteries, Thruster/Windlass - 12V LIFELINE AGM Group-31 (2) w/boxes, 200 amp hours
- Breaker Panel, BLUE SEAS - 36-position w/LED lights
- Master house bank circuit breakers switched on DC Panel
- Battery parallel solenoid control switch at helm
- Battery parallel relay

- Wire - marine grade tinned copper throughout
- **110V AC ELECTRICAL SYSTEM**
- Generator - ONAN 9K@w e-QD Series networked, 110VAC w/sound shield, water lift muffler
- Shore power connections - SMARTPLUG 30A (2), w/50' cords (2), starboard
- Breaker panel - BLUE SEAS 110VAC w/ LED lights
- Switches and outlets - VIMAR used throughout boat
- **SAFETY & MOORING PACKAGE**
- Fire Extinguishing System - FIREBOY-XINTEX CG2-5000227 in engine room w/auto shut down
- Fire Extinguishers, (2) 5 LB and (1) 2 LB
- High bilge water alarm - sensor mounted in engine room w/audible alarm at helm
- Exhaust overheat alarm - temperature sensor on main engine wet elbow w/audible alarm at helm
- CO detectors in each cabin & central seating area
- Smoke detectors in each cabin & central seating area
- Radar reflector - located in stack
- Horn - Dual Electric
- Light - Anchor, 3NM LED, USCG approved
- Lights - Navigation, LED, USCG approved
- Mooring Lights - 5/8" x25' (4)
- Fenders - G-5 and lines (4)
- NMMA Certification to ABYC Standards
- Canadian Declaration of Conformity
- **TANKAGE**
- Fuel tanks - 600-gallon in two tanks w/crossover line, shutoff valves, brass push to open valve & sight gauge
- Potable Water Tank - 200-gallon w/sight tube
- Gray Water Tank - 20-gallon/76-liter in keel, w/deck pumpout
- Tank Monitoring - Fuel, sight tube on tank and at MasterView panel
- Tank Level Monitoring - included in MasterView Easy panel fuel, potable water and black water
- **DIMENSIONS**
- Length Overall w/optional Bow Pulpit - 46' 3" / 1.49m
- Length Overall - 44'8" / 13.62m (w/bow roller & boarding platform)
- Beam - 13'10" / 4.21m
- Draft - 4'7" / 1.40m
- Freeboard - Amidships, at pilothouse door 4'11" /1.49
- Height from - Waterline - top to stack top 12' 4" / 3,76m
- Displacement Weight - 31,400 lbs / 14,255kg
- Headroom - Pilot House 6'4" / 1.93m
- Headroom - Forward Cabin 6'10" / 2.08m
- Headroom - Salon 6'4" /1.93m
- **COMMISSIONING PACKAGE**

- Engine & Reduction Gear manuals
- Owner Manual - w/Schematics
- Tug Operators Manual
- 10-micron fuel filter element for main engine RACOR
- Matched gel coat touch-up kit
- Wax Paste - Ultra Performance 3M9030
- Video - CORIAN care and maintenance
- Assortment of screws & snap caps
- Multi-Bit Screwdriver & SS Deck Fitting Kit
- Clear silicone
- Shaft Seal Collar O-Ring Kit
- Container box w/Lid

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: **shestakovyachtsales.com**

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрыто**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004