

36FT 2009 JEANNEAU 36I SUN ODYSSEY — JEANNEAU



Builder: JEANNEAU

Year Built: 2009

Model: Cruising/Racing Sailboat

Price: PRICE ON APPLICATION

Location: Antigua and Barbuda

LOA: 36' 0" (10.97m)

Beam: 11' 9" (3.58m)

Max Draft: 6' 4" (1.93m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs 36ft 2009 Jeanneau 36i Sun Odyssey — JEANNEAU from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht 36ft 2009 Jeanneau 36i Sun Odyssey — JEANNEAU or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	3
Hull and Deck Information	3
Engine Information	3
DETAILED INFORMATION	4
Key Features	4
Specs	4
Specification and Equipment	5
Exclusions	19
Disclaimer	19
PHOTOS	20
CONTACTS	27
Contact details	27
Telephones	27
Office hours	27
Address	27

SPECIFICATIONS

Basic Information

Category: Cruising/Racing Sailboat

Sub Category: Sloop

Model Year: 2009

Year Built: 2009

Country: Antigua and Barbuda

Dimensions

LOA: 36' 0" (10.97m)

Beam: 11' 9" (3.58m)

Max Draft: 6' 4" (1.93m)

Speed, Capacities and Weight

Water Capacity: 94 Gallons

Holding Tank: 18 Gallons

Fuel Capacity: 34 Gallons

Accommodations

Total Cabins: 2

Total Berths: 2

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 1

Manufacturer: Yanmar

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Key Features

Charter Management Available

New 10.5 ft “Cruise Ready” AB “RIB” (Rigid Inflatable Boat) dinghy, with a double fiberglass hull

New 5 HP, 4 stroke, lightweight, “Easy Start” Tohatsu outboard motor

New fully battened high modulus Dacron mainsail, as well as a new 125% roller furling high modulus Dacron Genoa

Recent Survey available on request

Specs

Length Overall 35 ft 11 in. / 10.94 m

Waterline Length 32 ft 3 in. / 9.84 m

Beam 11 ft 9 in. / 3.59 m

Draft 6 ft 4 in. / 1.94 m

Sail Area 686 sq ft / 63.7 sq m

Auxiliary Power 29 hp

Fuel Capacity 34 gal. / 130 l

Water Capacity 94 gal. / 355 l

Berths 4 + 2 in saloon

Displacement 12,540 lbs / 5700 kg

Heads 1

Showers 2

Specification and Equipment

HULL & DECK

Prisma Process® injected deck, ISO gelcoat surface, discontinuous balsa block coring

Hull is solid, hand-laid fibreglass, white ISO gelcoat surface, protective barrier coat

Inner fibreglass grid, high-load zones cut out, drainage system through structure

Open, stainless steel bow pulpit with navigation lights and integrated wiring for lights

Stern pulpits are stainless steel with buoy bracket

Double level of stainless steel lifelines without PVC coating

Stainless steel stanchions

Toe rail with integrated chrome chocks and drainage for side deck

Mid ship chocks

4 x aluminium mooring cleats forward and aft

Sculpted, long handrails on coach roof for secure movement forward

Fixed hull ports with curtains

Opening cockpit and roof ports with curtains

Opening deck hatches forward-facing

Combination shade/insect

Screens for deck hatches

Sunsail striping and graphics

Swim ladder

Cleats at midships for spring lines

Guard for mast lights

Liferaft stowage

Custom nonslip-slip on companionway steps

Outboard engine support

ENGINE & STEERING SYSTEM

Yanmar 3YM30 29 hp with sail drives, 21.3 kw with heat exchanger, latest generation of environmentally friendly engines

Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin

Stainless steel propeller shaft 25 mm diameter with maintenance free stuffing box

Fuel filter/water separator

Built-in muffler, air ventilation and stainless steel exhaust fitting aft

Fixed 3 blade propeller

130 l / 34 gal. rotomoulded fuel tank located under aft berth with deck fill

MOORING & ANCHORING

Primary anchor and all chain rode

Secondary anchor with chain and rope

Electric windlass Quick 1000 w combination rope and chain, vertical mounted in the anchor locker, hand-held remote

Anchor roller double stainless steel fitting

Anchor locker forward, room for anchor and tackle

Windlass gypsey for 10 mm chain

COCKPIT

Cockpit bench seating

1 cockpit locker under port bench seat and 1 lazarette locker under port helm seat

Gas locker for 2 bottles with connection to gas system and shut-off valve under stove

in galley.

Liferaft locker located in dedicated compartment between helm seats

Steering wheel mounted on steering pedestal with grab rail and pod for instrumentation

Compass mounted on steering pedestal

Throttle and engine control panel, warning lights, ignition protected by plexiglass panel

Emergency tiller delivered with the boat, chrome fitting in cockpit floor

Instruments and chart plotter mounted for viewing from helmsman position

Folding stainless steel swim ladder mounted on transom step

Cockpit shower cold water with tap

Fixed GRP cockpit table

Spray hood/Dodger and bimini in Sunsail colours

MAST & RIGGING

Classic mast aluminium with double spreaders, deck stepped

Standing rigging discontinuous 1 x 19 stainless steel wire

Backstay fixed

Furling system

Genoa furler with attachment to stem head fitting and furling line lead aft to roof winch

Running rigging: Polyester topping lift, mainsail halyard, genoa halyard, mainsheet,

genoa sheets

Block and tackle system boom vang

Single line mainsail reefing

Low stretch topping lift

Rope stopper for genoa halyard

Lazy jack system - blocks & cleats on mast for adjustable lazy jacks

SAILS

Heavy duty charter spec fully battened mainsail

Heavy duty charter spec furling genoa with UV-protection strips

Heavy duty chart spec lazy jacks and stack pack system

2 x genoa self-tailing winches

Coach roof winch to port

Genoa tracks adjustable lead cars

2 x winch handles with ball-bearing grip

Line jammers: spinlock on coach roof

Mainsheet traveller roof-mounted traveller with ball-bearing cars, control lines lead aft to cockpit

ELECTRICAL SYSTEM

80 amp alternator

Charge distributor/isolator

Separate engine start and domestic AGM (Absorbed Glass Matt) batteries system

Battery switches for engine bank, positive battery switch for domestic bank and negative general cut-off switch

Electrical panel with 12 v breakers

12 v plug per cabin and at nav station

Flush mounted chrome brass ceiling lights in saloon, head compartments and cabins

Chrome reading lights in aft cabin(s)

Indirect halogen lighting under side decks in saloon and head compartments

Shore power with cord wired direct

Autopilot

Electronic depth and speed reading SOG from the GPS

Electronic wind speed and direction

Chart plotter with GPS

VHF at chart table with masthead antenna

Remote speaker for VHF in cockpit

Stereo/CD with socket for MP3 with inside speakers

Cockpit speakers for stereo

WATER SYSTEM

Hot and cold pressurised water distribution through-out the boat via semi-rigid hose

Heavy-duty water pump and accumulator tank for consistent water pressure

40 l / 10 gal. hot water tank that is connected to engine heat exchanger

2 water tanks located under forward and aft berths with separate deck fills (355 l / 95 gal. total capacity)

Chrome shower faucets in washrooms

Electric bilge pump on float switch and manual dual-action pump in the cockpit

Digital water level display

Shower sumps equipped with individual electric pumps with filters and on-off switches

Large manual pump marine toilets

Seawater filter

50 l / 13 gal. Holding tanks

SALOON

Headroom: 1.92 m (6 ft 4 in.)

Saloon with U-shaped seating area to starboard, wrap-around cushions and storage under seating area

Saloon dining table

2 single berths in saloon

Bar locker and bottle storage

Upper storage cabinets

2 x Saloon stereo speakers

Plexiglass companionway door with dedicated storage location in the aft starboard

cabin

Fans in saloon and galley

GALLEY

Headroom: 1.89 m (6 ft 2 in.)

Galley with laminated counter tops, chrome plumbing fittings, storage cabinets and drawers

L-galley to starboard with stainless steel double sink and glass separator between galley counter and seating area

12 v compressor under stove with evaporator plate located in fridge compartment

Gimballed stainless steel 2-burner stove with oven and grill with stainless steel protection bar

180 l / 47 gal. fridge compartment with vertical access

Fridge drain to overboard with pump & filter

NAVIGATION STATION

Full-function with general electrical panel

Sliding nav desk that can be placed in forward-facing or aft-facing position for increased seating with curved nav seat and storage underneath

Deep navigation desk with storage

Gooseneck chart light mounted at nav station

Fixed port above chart panel to prevent water damage to electrics panel

12v cigarette lighter socket at chart table

HEADS

Large head compartment with sink

Separate plexiglass shower

Clothes hook, mirror, towel holder, toilet paper holder, wastebasket

Cabinet above sink

Shower sump with grate

Electric drainage pump

COMPANIONWAY

Headroom: 2.00 m (6 ft 8 in.)

Engine access under companionway

The companionway is closed by a sliding plexiglass hatch

Companionway with curved wood steps and nonslip strips

Formica on companionways sides to prevent UV damage to varnish

FORE CABIN

Headroom 1.80 m (6 ft 2 in.)

V-Berth: Double berth with wood trim, high-density foam mattress:

2.04 m x 1.70 m (6 ft 9 in. x 6 ft 1 in.)

Storage locker under berth

Deep cabinet with shelves and hanging rod

Vinyl lining on hull with lateral wood shelf

12 v fan in Cabin

AFT CABIN

Headroom : 1.88 m (6 ft 5 in.)

Double berth with high-density foam mattress: 2.00 m x 1.75 m (6 ft 7 in. x 5 ft 9 in.)

Deep cabinet with shelves and hanging rod

Vinyl lining on hull with lateral wood shelf

12 v fan in Cabin

ADDITIONAL CRUISING GEAR

Above-deck equipment.

Bedding, linens and galley equipment.

Safety equipment.

HULL & DECK

Prisma Process® injected deck, ISO gelcoat surface, discontinuous balsa block coring

Hull is solid, hand-laid fibreglass, white ISO gelcoat surface, protective barrier coat

Inner fibreglass grid, high-load zones cut out, drainage system through structure

Open, stainless steel bow pulpit with navigation lights and integrated wiring for lights

Stern pulpits are stainless steel with buoy bracket

Double level of stainless steel lifelines without PVC coating

Stainless steel stanchions

Toe rail with integrated chrome chocks and drainage for side deck

Mid ship chocks

4 x aluminium mooring cleats forward and aft

Sculpted, long handrails on coach roof for secure movement forward

Fixed hull ports with curtains

Opening cockpit and roof ports with curtains

Opening deck hatches forward-facing

Combination shade/insect

Screens for deck hatches

Sunsail striping and graphics

Swim ladder

Cleats at midships for spring lines

Guard for mast lights

Liferaft stowage

Custom nonslip-slip on companionway steps

Outboard engine support

ENGINE & STEERING SYSTEM

Yanmar 3YM30 29 hp with sail drives, 21.3 kw with heat exchanger, latest generation of environmentally friendly engines

Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin

Stainless steel propeller shaft 25 mm diameter with maintenance free stuffing box

Fuel filter/water separator

Built-in muffler, air ventilation and stainless steel exhaust fitting aft

Fixed 3 blade propeller

130 l / 34 gal. rotomoulded fuel tank located under aft berth with deck fill

MOORING & ANCHORING

Primary anchor and all chain rode

Secondary anchor with chain and rope

Electric windlass Quick 1000 w combination rope and chain, vertical mounted in the anchor locker, hand-held remote

Anchor roller double stainless steel fitting

Anchor locker forward, room for anchor and tackle

Windlass gypsey for 10 mm chain

COCKPIT

Cockpit bench seating

1 cockpit locker under port bench seat and 1 lazarette locker under port helm seat

Gas locker for 2 bottles with connection to gas system and shut-off valve under stove in galley.

Liferaft locker located in dedicated compartment between helm seats

Steering wheel mounted on steering pedestal with grab rail and pod for instrumentation

Compass mounted on steering pedestal

Throttle and engine control panel, warning lights, ignition protected by plexiglass panel

Emergency tiller delivered with the boat, chrome fitting in cockpit floor

Instruments and chart plotter mounted for viewing from helmsman position

Folding stainless steel swim ladder mounted on transom step

Cockpit shower cold water with tap

Fixed GRP cockpit table

Spray hood/Dodger and bimini in Sunsail colours

MAST & RIGGING

Classic mast aluminium with double spreaders, deck stepped

Standing rigging discontinuous 1 x 19 stainless steel wire

Backstay fixed

Furling system

Genoa furler with attachment to stem head fitting and furling line lead aft to roof winch

Running rigging: Polyester topping lift, mainsail halyard, genoa halyard, mainsheet, genoa sheets

Block and tackle system boom vang

Single line mainsail reefing

Low stretch topping lift

Rope stopper for genoa halyard

Lazy jack system - blocks & cleats on mast for adjustable lazy jacks

SAILS

Heavy duty charter spec fully battened mainsail

Heavy duty charter spec furling genoa with UV-protection strips

Heavy duty chart spec lazy jacks and stack pack system

2 x genoa self-tailing winches

Coach roof winch to port

Genoa tracks adjustable lead cars

2 x winch handles with ball-bearing grip

Line jammers: spinlock on coach roof

Mainsheet traveller roof-mounted traveller with ball-bearing cars, control lines lead aft to cockpit

ELECTRICAL SYSTEM

80 amp alternator

Charge distributor/isolator

Separate engine start and domestic AGM (Absorbed Glass Matt) batteries system

Battery switches for engine bank, positive battery switch for domestic bank and negative general cut-off switch

Electrical panel with 12 v breakers

12 v plug per cabin and at nav station

Flush mounted chrome brass ceiling lights in saloon, head compartments and cabins

Chrome reading lights in aft cabin(s)

Indirect halogen lighting under side decks in saloon and head compartments

Shore power with cord wired direct

Autopilot

Electronic depth and speed reading SOG from the GPS

Electronic wind speed and direction

Chart plotter with GPS

VHF at chart table with masthead antenna

Remote speaker for VHF in cockpit

Stereo/CD with socket for MP3 with inside speakers

Cockpit speakers for stereo

WATER SYSTEM

Hot and cold pressurised water distribution through-out the boat via semi-rigid hose

Heavy-duty water pump and accumulator tank for consistent water pressure

40 l / 10 gal. hot water tank that is connected to engine heat exchanger

2 water tanks located under forward and aft berths with separate deck fills (355 l / 95 gal. total capacity)

Chrome shower faucets in washrooms

Electric bilge pump on float switch and manual dual-action pump in the cockpit

Digital water level display

Shower sumps equipped with individual electric pumps with filters and on-off switches

Large manual pump marine toilets

Seawater filter

50 l / 13 gal. Holding tanks

SALOON

Headroom: 1.92 m (6 ft 4 in.)

Saloon with U-shaped seating area to starboard, wrap-around cushions and storage under seating area

Saloon dining table

2 single berths in saloon

Bar locker and bottle storage

Upper storage cabinets

2 x Saloon stereo speakers

Plexiglass companionway door with dedicated storage location in the aft starboard cabin

Fans in saloon and galley

GALLEY

Headroom: 1.89 m (6 ft 2 in.)

Galley with laminated counter tops, chrome plumbing fittings, storage cabinets and drawers

L-galley to starboard with stainless steel double sink and glass separator between galley counter and seating area

12 v compressor under stove with evaporator plate located in fridge compartment

Gimballed stainless steel 2-burner stove with oven and grill with stainless steel protection bar

180 l / 47 gal. fridge compartment with vertical access

Fridge drain to overboard with pump & filter

NAVIGATION STATION

Full-function with general electrical panel

Sliding nav desk that can be placed in forward-facing or aft-facing position for increased seating with curved nav seat and storage underneath

Deep navigation desk with storage

Gooseneck chart light mounted at nav station

Fixed port above chart panel to prevent water damage to electrics panel

12v cigarette lighter socket at chart table

HEADS

Large head compartment with sink

Separate plexiglass shower

Clothes hook, mirror, towel holder, toilet paper holder, wastebasket

Cabinet above sink

Shower sump with grate

Electric drainage pump

COMPANIONWAY

Headroom: 2.00 m (6 ft 8 in.)

Engine access under companionway

The companionway is closed by a sliding plexiglass hatch

Companionway with curved wood steps and nonslip strips

Formica on companionways sides to prevent UV damage to varnish

FORE CABIN

Headroom 1.80 m (6 ft 2 in.)

V-Berth: Double berth with wood trim, high-density foam mattress:

2.04 m x 1.70 m (6 ft 9 in. x 6 ft 1 in.)

Storage locker under berth

Deep cabinet with shelves and hanging rod

Vinyl lining on hull with lateral wood shelf

12 v fan in Cabin

AFT CABIN

Headroom : 1.88 m (6 ft 5 in.)

Double berth with high-density foam mattress: 2.00 m x 1.75 m (6 ft 7 in. x 5 ft 9 in.)

Deep cabinet with shelves and hanging rod

Vinyl lining on hull with lateral wood shelf

12 v fan in Cabin

ADDITIONAL CRUISING GEAR

Above-deck equipment.

Bedding, linens and galley equipment.

Safety equipment.

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS















CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004