

46FT 2008 BENETEAU OCEANIS 46 — BENETEAU



Судостроитель: BENETEAU

Год постройки: 2008

Модель: Крейсерская яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 46' 0" (14.02m)

Ширина: 14' 10" (4.52m)

Мин. осадка: 5' 8" (1.73m)

Купить **46ft 2008 Beneteau Oceanis 46 — BENETEAU** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **46ft 2008 Beneteau Oceanis 46 — BENETEAU** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Обзор	3
Основная информация	3
Размеры	3
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	4
Информация о двигателе	4
ПОДРОБНОЕ ОПИСАНИЕ	5
Key Features	5
Specifications	5
Description	6
Исключения	16
Отказ от ответственности	16
ФОТОГРАФИИ	17
КОНТАКТЫ	20
Контактная информация	20
Телефоны	20
Время работы	20
Адрес	20

ХАРАКТЕРИСТИКИ

Обзор

The Beneteau 46 is an ideal blend of performance, comfort and user friendliness. This design, like others in the Beneteau Series combine capable, sweet sailing hull shapes and spacious interiors at the same time allows for large port lights that flood the interior with natural light. It is big enough to be very fast and has enough heft to have a nice ride in a seaway and yet can still be easily handled by a couple. The interior is comfortable for living aboard for long periods of time, and although the systems are serious, they're not overwhelming to maintain. And, it's a Beneteau, meaning that it is well made and backed up by the largest sailboat company in the world. This particular 46 has many additional features including Owner's 2 cabin layout, custom colors, 1 owner, Fresh water use, Modular hull cradle, Winter cover and framework and most important meticulous, loving owners.

Unfortunately their sailing plans have changed and would like to sell her this spring so you can enjoy the summer season. She is ready with a fresh bottom and full service for your survey. Click on the full details tab for more information.

Основная информация

Тип судна: Крейсерская яхта

Модельный год: 2008

Год постройки: 2008

Страна: United States

Размеры

Длина общая: 46' 0" (14.02m)

Ширина: 14' 10" (4.52m)

Мин. осадка: 5' 8" (1.73m)

Трапы: 62' 6" (19.05m)

Скорость, вместимость и масса

Водоизмещение: 22000 Pounds

Вместимость воды: 149 Gallons

Вместимость сточного бака: 21 Gallons

Объем топливного бака: 62 Gallons

Размещение

Всего кают: 2

Всего коек: 2

Всего ком. состава: 2

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 1

Производитель: Yanmar

Модель: 4JH4AE

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Key Features

1 Owner

Fresh Water Sailed

Upgraded Canvas Colors

Electric Winches

Upgraded Interior fabrics

Modular Hull Cradle

Winter Cover (with frame work)

Asymmetrical Spinnaker and Gear

In Mast Furling

Bow Thruster

2 Cabin Owner's Version

Air Conditioning

Flexofold Folding Prop

Specifications

length over all	47.24 (ft)
length at waterline	40.03 (ft)
beam (max.)	13.94 (ft)
keel type	fixed
standard draft	6.73 (ft)
minimum draft	5.58 (ft)
displacement	23292 (lbs)
ballast	6426 (lbs)

water tank	117 (gls)
fuel tank	44 (gls)
sails area	1,087.00 (sqft)
mainsail	512.00 (sqft)
genoa	575.00 (sqft)
spinnaker	1,399.00 (sqft)
I (rating)	53.90 (ft)
J (rating)	16.40 (ft)
P (rating)	50.10 (ft)
E (rating)	17.39 (ft)

Description

CONSTRUCTION

Hull of hand-laid solid GRP bonded to a structural grid/hull liner of directional fiberglass/GRP for a strong, stiff, light composite.

Vinylester hull barrier coat to resist osmotic blistering and zone-specific stitchmat laminates for specific increased strength

Cored GRP sandwich construction for stiffness, thermal and acoustic insulation and lighter weight.

Solid fiberglass reinforcements in high load areas. Integral unidirectional GRP deck beams for added strength.

Main bulkheads bonded 360° to the hull and deck for rigid torsional and compressive strength.

STANDING RIGGING

Fractional 9/10 anodised aluminium deckstepped mast w/standard mainsail furling system

Twin aft swept spreaders

Anodised aluminium

Boom w/outhaul

Stainless steel shrouds and stays

Genoa roller furling system

Stainless steel chainplates are taken to the inner moulding w/stainless steel tie rods

RUNNING RIGGING

Running rigging is led to the cockpit

Running rigging comprises: Main halyard, Genoa halyard w/jammer & cleat on mast, Boom topping lift w/cleat on mast, Mainsail foot outhaul, Mainsheet w/track

(2) Genoa sheets

Rigid boom vang w/tackle

SAILS

Furling genoa w/135% overlap, reinforced w/anti-UV protection strip

Furling mainsail w/ vertical battens

Mainsheet led back to port winch

Furling genoa w/drum on deck, furling line led back to the cockpit to port

(2) Genoa tracks & adjustable cars

(2) Genoa sheet fast blocks w/integral jammers

DECK GEAR

Chrome finish Lewmar® winches:

(2) Lewmar® 48 genoa sheet winches on coaming (Electric)

Two winches on coachroof: (2) 40 on port & 1 Electric

(1) 40 starboard

(2) Aluminium winch handles & (2) handle holders

Bow Thruster (6HP)

Deck Wash Down Pump

MOORING AND ANCHORING

Welded stainless steel bow fitting

(2) Bow rollers w/ permanent anchor stowage

(6) Stainless steel mooring cleats w/rub strakes

Self-draining anchor rode/chain well w/hatch

1000 Watt vertical windlass w/ remote control

ON DECK

(2) Shelves (port - starboard)

(1) Opening deck hatch (20" x 20")

Stainless steel open pulpit w/step & nav lights

Stainless steel stern pulpit aft

Lifebuoy holder, outboard motor bracket, & flag staff

Double vinyl coated lifelines w/ gates

Teak toe rail

(2) SS handrails on coachroof for cockpit access

(2) SS handrails at forward end of coachroof

(3) Cockpit stowage lockers

Teak inlaid cockpit seats

(2) Mounted compasses, one at each helm position

GRP cockpit table w/2 drop leaves fitted w/locker, bottle stowage & SS handrail

Aft surface of table support serves as a bottle holder or can take a chart plotter

(option)

(2) Waterproof speakers

(2) Winch handle holders

Reading lamp w/12 Volt socket

110 Volt shore power to starboard

Self-draining cockpit

2-bottle gas locker (1-bottle standard)

Access gate to bathing platform pivoting on pantograph track (Beneteau patent)

Liferaft locker w/double door built into transom

Teak slatted swim platform

Swim ladder with teak steps to starboard

Hot & cold cockpit shower

STEERING

Under-hung rudder w/stainless steel stock

Double helm position in cockpit aft:

(2) 36" dia. steering wheels

Emergency tiller access point & emergency tiller

Raymarine Auto Pilot ST6002 + Linear

ACCOMMODATIONS

Light toned ALPI- MOABI woodwork, soles

w/parquet look

OWNER'S CABIN FORWARD

Headroom: 6'4"

Double berth: 6'7" x 5'3" island berth w/highdensity

foam mattress

Ample stowage space: large drawer under berth, locker w/clothes locker under hanging section

(2) Lockers to either side of berth

Hanging locker

Dressing table w/mirror & locker

Large opening hatch with blind/screen

Opening hatch with blind/screen

(2) Fixed hull ports (1 each side of hull) w/curtains

(3) Halogen overhead lights and (3) reading lights

(1) 110 Volt socket beside dressing table

FORWARD HEAD

One-piece moulded head compartment w/separate shower w/curved pivoting plexiglass shower door

Quiet flush electric marine toilet

Synthetic resin worktop & washbasin

Hot & cold mixer tap, Mirror

Locker w/closed shelf above

Locker under basin w/waste bin & paper holder

Opening deck hatch with blind/screen

(3) Halogen overhead lights w/switch

SALON & COMPANIONWAY

Salon Indirect Lighting

Air Conditioning 28000BTU

Salon companionway w/non-slip surface

For safety, it has four stainless steel handrails

Forward-facing chart table w/lid & wood fiddle

(2) Hinged lockers, closed shelf

Drawer & closed locker w/shelves under chart table

Stainless steel handrail

Fabric inner lining to side

12 Volt / 110 Volt electrical panel with 12 Volt socket

Navigator's seat w/locker for battery charger & inverter under starboard seat

Radio/CD/MP3 player w/two speakers

(1) 110 Volt socket

Double settee w/movable center armrest

(2) Closed stowage units and shelves along the hull

Port & starboard shelves w/stainless steel fiddles

U-shaped dining table/settee & (4) cushions

Stowage under settees, (2) removable seats

Salon table

Stowage along the hull

(4) Closed shelves along the hull

(2) Hull ports (1 port/1 starboard) with curtains

(1) Panoramic window w/folding blinds

(1) Opening deck hatch w/blind/screen

(2) Opening deck hatches w/Oceanair combination screen/privacy curtain

(2) Fixed side windows to port, (1) to starboard w/pleated blinds

Chart table lighting: (1) overhead light & (1) striplight for white/red lighting

Salon lighting: (5) halogen overhead lights, mood lighting under shelves

Companionway lighting: (2) halogen overhead lights, (1) switch for mood lighting, (1) switch for halogen lights

Opening Port Lights

GALLEY TO PORT

Rectangular stainless steel double sink

Hot & cold pressurized mixer tap

Gimballed 3-burner stainless steel stove w/oven & stainless steel safety bar

34 gal front-opening 12 Volt refrigerator

26 gal top-opening GRP freezer w/12 Volt refig. unit

Synthetic resin worktop under companionway

110 Volt microwave oven operates off shore power

(1) Locker w/double door under sink & waste bin

(1) Stowage unit w/3 lockers, towel holder & shelves

Locker w/sliding stainless steel vegetable rack

(2) Closed shelves for stowage, cutlery drawer

(1) Shelf w/stainless steel fiddle

(1) Opening port in coaming

Galley lighting: (3) halogen overhead lights, (1) light

over stove, mood lighting under shelf, (1) 110 Volt socket

STARBOARD AFT HEAD

One-piece moulded head compartment w/separate shower w/double folding door

Manual marine toilet

21 gal rigid holding tank as standard

Synthetic resin worktop & washbasin

Hot & cold mixer tap

(2) Large closed lockers, glass holder & locker under washbasin w/accessories

(1) Fixed side window w/curtain & (1) opening port

(3) Overhead lights & switch

AFT CABIN

Headroom: 6'7"

Double berth: 6'7" x 5'3" with high density foam mattress

To starboard: (1) Hanging locker with locker beneath

(2) Closed shelves along the hull

To port: (1) Hanging locker

(1) Dressing table with locker and removable seat

(1) Closed Shelf

Openings and lightings: (2) fixed hull ports w/curtain,

(2) opening ports in coaming, (2) cockpit ports, (2)

opening deck hatches with blinds and screens (4)

halogen overhead lights w/switch, (4) reading lights,

(2) 110 Volt sockets

PLUMBING

Fresh water: 150 gal standard

Electric pressure water pump w/filter

2 rotomolded water tanks fixed to the hull liner

(63 gal under port aft cabin berth & 87 gal under fore cabin berth)

Two aluminum deck fillers for water

Cockpit shower w/hot and cold water

Electric shower drain pumps

3 bilge pumps (one manual and 2 electric)

(1) Electric pump for icebox drainage

11 gal electric water heater

ELECTRICAL

Inverter

Air Conditioning 28000BTU

Backlit electrical panel: (10) 12 Volt switches, (11) fused switches & (4) 110 Volt switches

12 Volt cigarette lighter socket

110 Volt double pole circuit breakers

110 Volt -12 Volt voltmeter

Water gauge & fuel gauge w/central LCD screen

Low battery and low diesel tank alarms

(2) 200 Amp service battery vouchers

(2) Additional 200 Amp service battery vouchers (4) TOTAL

(1) 105 Amp engine start battery voucher

Battery charging: 110 Volt shore supply w/40 Amp battery charger & 50' cable

80 Amp alternator coupled to the engine

12 Volt Power distributor

Lightning grounding for the rigging

(7) 110 Volt sockets

(7) Reading lights, (23) halogen overhead lights,
ambient lighting under shelves.

Bow & stern nav lights, steaming light, fore deck light

Anchor light/masthead navigation light

Cable conduits for options

NAVIGATION

ICOM VHF Radio @ Navstation and MIC @ Cockpit

Raymarine ST60 Tridata Display

Raymarine ST60 Graphic Display

Raymarine ST60Wind Display

Raymarine E120 Multifunction Display

Navinst Raystar 125 GPS

ENGINE EQUIPMENT

Yanmar 4JH4AE - 54 hp

Engine bed integrated in hull liner, soundproofed with insulating foam

Access under companionway steps, through an opening supported by gas struts

Stainless steel propeller shaft w/GRP protection

FLEXOFOLD folding three-blade propeller

Rotomolded 63 gal fuel tank w/electronic gauge

Seawater filter & diesel fuel filter/water separator

Engine panel w/integral key start in cockpit

FACTORY UPGRADED OPTIONS

Raymarine Auto Pilot ST6002 + Linear
ICOM VHF Radio @ Navstation and MIC @ Cockpit
Raymarine ST60 Tridata Display
Raymarine ST60 Graphic Display
Raymarine ST60Wind Display
Raymarine E120 Multifunction Display
Navinst Raystar 125 GPS
FLEXOFOLD folding three-blade propeller
Opening Port Lights
Bow Thruster (6hp)
Deck Wash Down
Salon Indirect Lighting
Air Conditioning 28000 BTU
(2) Additional 200 Amp service battery vouchers (4) TOTAL




Исключения

При продаже яхты исключаются личные вещи владельца.


Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ







КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004