

LIBERTAD — NORDIC TUGS



Builder: NORDIC TUGS

Year Built: 2007

Model: Trawler

Price: PRICE ON APPLICATION

Location: United States

LOA: 32' 0" (9.75m)

Beam: 11' 4" (3.45m)

Max Draft: 3' 9" (1.14m)

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 18 Kts. (21 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Libertad — NORDIC TUGS** from our catalogue. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Libertad — NORDIC TUGS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	4
Hull and Deck Information	5
Engine Information	5
DETAILED INFORMATION	6
Hull	6
Deck	6
Propulsion/Engine Room	7
Heating	7
Galley	7
Companionway	8
Salon	8
Pilot House	8
Forward Cabin	8
Head Compartment	9
Interior Finish and Trim	9
Lazarette	9
Steering System	10
Electronics and Navigation	10
12V DC Electrical System	10
110V AC Electrical System	10
Safety and Mooring Package	10
Tankage	11
Dimensions	11

Commissioning Package	11
Exclusions	12
Disclaimer	12
PHOTOS	13
Access Door	13
Access to Below	13
Galley Dinette	13
Dining	13
Dinette	13
Galley	13
Lower Helm	14
Helm Bench	14
Stateroom Forward	14
Head	14
Radar	14
Anchor Windlass	14
Engine Room	15
Engine Room	15
Engine Room Generator	15
Storage	15
Aft Deck from Above	15
CONTACTS	17
Contact details	17
Telephones	17
Office hours	17
Address	17

SPECIFICATIONS

Basic Information

Category: Trawler

Sub Category: Raised Pilothouse

Model Year: 2007

Year Built: 2007

Country: United States

Dimensions

LOA: 32' 0" (9.75m)

Beam: 11' 4" (3.45m)

Max Draft: 3' 9" (1.14m)

MFG Length: 34' 11" (10.64m)

Speed, Capacities and Weight

Cruise Speed: 8 Kts. (9 MPH)

Cruise Speed Range: 645

Max Speed: 18 Kts. (21 MPH)

Max Speed Range: 245 Kts.

Displacement: 16000 Pounds

Gross Tonnage: 8 Pounds

Water Capacity: 100 Gallons

Holding Tank: 30 Gallons

Fuel Capacity: 200 Gallons

Accommodations

Total Cabins: 2

Total Berths: 2

Sleeps: 4

Total Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Deck Material: Fiberglass

Hull Configuration: Semi-Displacement

Hull Designer: Nordic Tug

Engine Information

Engines: 1

Manufacturer: Volvo

Model: D-6

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Hull

- Color - Oyster gel coat hull w/colored inset & waterline
- Structural lamination w/multiple layers of hand laminated knitted fiberglass & resin
- Stringers - Continuous hull length foam cored hand laminated fiberglass structural stringers
- Boarding platform integrated in hull w/telescopic ladder
- Hull Guards - UV stabilized PVC-guards: anchor, hull and sheer, 316 SS inset on hull side guard
- Fasteners - All exterior fasteners 316 SS
- Bottom Paint - ablative antifouling (2 coats/black)
- Bilge Pumps - 2000 GPH, in three compartments w/auto/manual switches at helm
- Bonding System - common bonding zincs on transom plus rudder, shoe and thruster zincs
- Bow thruster

Deck

- Color - Oyster gel coat
- Deck - Molded textured surface in walking & work areas
- Deck - Raised walk-around side decks
- Drains - cockpit
- Lofrans Anchor Windlass
- Anchor Roller Assembly - Polished SS
- Bow Bitt - 316 SS Samson post
- Storage - cockpit deck box w/hinged lid, drain & latch
- Storage - Locking deck hatch to lazarette w/sealing gasket and spring-assist lifts
- Hand Rails - Deck, 1-1/4" x 30" high, 316 SS bow & stern
- Hand Rails - 1-1/4" 316 SS full length hand rails over pilot house doors and each side of salon roof
- Hand Grabs - 316 SS, two forward of pilot house doors
- Hand Grabs - 316 SS on transom over swim ladder
- Windows - DIAMOND SEA GLAZE Oyster powder-coated
- Doors - DIAMOND SEA GLAZE Oyster powder-coated: two sliding pilot house entry and one aft hatch style entry door
- Portlights - 8" round black plastic w/screens (3)
- Cleats - 10" cap rail mounted 316 SS mooring cleats (8)
- Deck Fittings - 316 SS 2" fuel fill, SS 1-1/2" water fills (2), SS 1-1/2" waste suction on swim step
- Pennant Staff receiver - in bow rail
- Lazarette Vents polished SS
- Cockpit Shower

- Saltwater washdown
- 3 Shorepower Cords

Propulsion/Engine Room

- Engine - Volvo D-6, 280 hp
- Marine Reduction Gear - ZF ZF63 @ 2.78:1
- Alternator - 150 Amps (12Volt)
- Fuel Filter - RACOR as supplied with the Volvo engine
- Exhaust - 4" horizontal water lift muffler, transom exit
- Propeller - HUNG SHEN 24" x 16.50" 4-blade bronze LH, tuned to Class 1 ISO-484 pitch tolerances
- Propeller Shaft - 1.75" SS w/PSS drip-less shaft seal
- Seawater Strainers - bronze
- Potable Water Pump - JABSCO SensorMax-17 constant pressure
- Sound Insulation - 1" w/barrier and silver mylar finish
- Lights - engine room (2)
- Outlet - 110VAC GFCI
- 5 Kw Kohler/Cummins Gen Set
- Reverso Oil Changing System
- Fuel Polishing System w/two filters

Heating

- Water is heated by engine waste heat and 110V

Galley

- Cook Top - 2 Burner Propane Stove with oven
- Microwave Oven
- Refrigerator/Freezer, undercounter - NOVA KOOL R4500 AC/DC 4.3cf, Sapele faced
- Countertop - Laminate w/Sapele sea rail
- Sink - 13-1/2" x 11-1/2" stainless steel, mirror finish single bowl w/single lever spray extension faucet and soap dispenser
- Cabinets - Sapele flush face frames & drawer faces; doors & drawers are equipped w/push type sea locks
- Storage - Sapele corner cabinet above counter w/smoke/lens/sapele door
- Drawers - built w/ApplePly, full extension ball bearing tracks & push locks
- Lights - Overhead, 12VDC 10w halogen (2)
- Outlets - 110VAC GFCI protected (2)

Companionway

- Lights - Stair, red LED, in step riser
- Storage locker

Salon

- Hanging Locker - w/laminate top
- Table - Sapele mounted to fixed pedestal
- Upholstery is light beige in color
- Stereo wiring - prewired for two speaker locations, fwd corners, from pilothouse
- Settee - Converts to double berth w/storage under
- Valances - Upholstered
- Privacy and blackout blinds
- Lights - Overhead, 12VDC 10w halogen (4)
- Lights - Stair, LED
- Outlets - 110VAC (2)
- Air Conditioning Package - Marine Air, 2 units, 16K BTU and 12K BTU with second 30A shore connection, cable and heat pump capability

Pilot House

- Helm Seat - adjustable slider w/foot rest
- Overhead instrument Console - Sapele, same width as lower helm station, w/12VDC power terminal block - stereo power & instruments w/ red LED lights (2)
- Engine Control - VOLVO electronic single lever throttle/shift
- Engine Monitoring - VOLVO analog style gauges: water temp, oil pressure, voltmeter & tachometer w/digital callout for fuel burn, oil pressure, water temp & volts
- Bow Thruster Control - joystick
- Compass - RITCHIE HF-743 flush mount
- Windshield wipers - pantograph style, adjustable speed, self park and washer system controls (3)
- Fans - 12VDC (2)
- Stereo Wiring - Prewired from overhead console to two stereo speaker locations (aft corners of the pilot house)
- Lights - Overhead 12V 10W halogen (4)
- Outlet - 110VAC
- Power Ports - 12VDC (2)

Forward Cabin

- Full width island berth w/two drawers under, upholstered foam mattress
- Chain locker forward with access hatch
- Hanging Locker w/sapele door
- Lights - Overberth, 12VDC 10w halogen (2)
- Lights - Reading, 12VDC halogen (2)
- Outlet - 110VAC duplex
- Hatch - 22" w/screen
- Hullside cabinet, starboard, w/sapele door
- Sliding sapele entry door

Head Compartment

- Toilet - Vacuflush
- Sink - FRP w/faucet w/ hot and cold pressure
- Shower - w/seat, curtain & track, textured shower sole w/hot and cold pressure
- Cabinet - Vanity w/sliding door
- Cabinet - Medicine
- Mirror - Over sink
- Fixtures - towel rings, bar & tp holder
- Door - Sapele entry w/latch
- Sealed cork sole inlays
- Lights - Overhead, halogen
- Outlet - 110VAC GFCI

Interior Finish and Trim

- Upholstery - Light beige
- Carpet
- Cabinet Tops - laminate w/sapele searail trim
- Flush sapele cabinet door and drawer faces
- Valances, upholstered - Salon
- Sapele interior passageway doors and trim
- Overhead and bulkhead covering - vinyl w/foam backing
- Walls - sapele wainscot paneling, vinyl overhead & upper walls

Lazarette

- Fuel Tank
- Steering gear
- Completely gel coated and ventilated
- Storage space

Steering System

- Steering System - manual hydraulic
- Rudder and Shoe - passivated SS w/sacrificial zincs
- Rudder and port bearing and shaft lip seal
- Tiller Arm - Bronze w/rudder stops
- Wood Helm Wheel
- Valves and fitting for autopilot hydraulic pump connection
- Bow Thruster - SIDE POWER SE60/185S-12V, 132lb thrust

Electronics and Navigation

- Raymarine Auto Pilot
- Raymarine Chart plotter (E-120)
- Raymarine Radar, operates through the chart plotter, (installed 2015)
- Raymarine VHF
- Sony Stereo System

12V DC Electrical System

- Battery Charger - Xantrex True Charge 60 amp 3-outputs
- Batteries, Start/Thruster - 12V Group-31 (2) w/boxes, 200 amp hours
- Batteries, House - 6V deep cycle golf-cart type (2) w/boxes, 220 amp hours
- Breaker Panel, BLUE SEAS - 36-position w/LED lights
- Master house bank circuit breaker switched at DC Panel
- Battery parallel relay
- Wire - marine grade tinned copper throughout

110V AC Electrical System

- Shore power connection - SMARTPLUG 30A, w/50' cord, stbd
- Breaker panel - BLUE SEAS 110VAC w/LED lights
- Switches and outlets - VIMAR used throughout boat

Safety and Mooring Package

- Fire Extinguishers, 3 portable
- Fireboy engine room extinguisher
- High bilge water alarm - sensor mounted in engine room w/audible alarm at helm
- Exhaust overheat alarm - temperatures sensor on main engine wet elbow w/audible alarm

at helm

- CO detectors (1)
- Smoke detector in each cabin & central seating area
- Radar reflector - located in stack
- Horn - Dual Electric
- Light - Anchor, 3NM LED, USCG approved
- Lights - Navigation, LED, USCG approved
- Mooring Lines - (6) 5/8" lines
- Fenders - TaylorMade in SS brackets (4)
- NMMA Certification to ABYC Standards

Tankage

- Fuel tank - 205 gallon w/brass push to open valve & sight gauge
- Potable Water Tank, Polyethylene - 100 gallon in two tanks w/crossover line and electric level gauge
- Gray Water Tank - 26 gallon in keel w/auto 12VDC pump
- Black Water Tank - 30 gallon in keel, w/deck pumpout location
- Tank Monitoring - Fuel, sight tube on tank and at MasterView panel
- Tank Monitoring - Black water w/panel in companion way
- Heater, Water - 6 gallon electric/engine heat

Dimensions

- Length Overall - 34'11" / 10.64m (w/bow roller)
- Beam - 11'1" / 3.38m
- Draft - 3'9" / 1.14m
- Freeboard - Amidships, at pilothouse door 3'9" / 1.14m
- Freeboard - at cockpit 2'11" / 0.88m
- Height from - Waterline-top to stack top 10'0" / 3.05m
- Displacement Weight - 15,700 lbs / 7,127kg
- Headroom - Salon 6'6" / 1.98m
- Headroom - Forward Cabin 6'3" / 1.90m
- Headroom - Pilot House 6'7" / 2.00m

Commissioning Package

- Engine & Reduction Gear manuals
- Owners Manual - w/Schematics
- Tug Operators Manual
- 10-micron fuel filter element for main engine RACOR

- Matched gel coat touch-up kit
- Assortment of screws & snap caps
- Multi-Bit Screwdriver & SS Deck Fitting Key
- Clear silicone
- Shaft Seal Collar O-Ring Kit
- Container box w/Lid

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

Access Door



Access to Below



Galley Dinette



Dining



Dinette



Galley



Lower Helm



Helm Bench



Stateroom Forward



Head



Radar



Anchor Windlass



Engine Room



Engine Room



Engine Room Generator



Storage



Aft Deck from Above





CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004