

HEEL YEAH — PURSUIT



Builder: PURSUIT

Year Built: 2013

Model: Sport Fisherman

Price: PRICE ON APPLICATION

Location: United States

LOA: 34' 0" (10.36m) Beam: 12' 0" (3.66m) Min Draft: 1' 11" (0.58m) Max Draft: 2' 11" (0.89m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs Heel Yeah — PURSUIT from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht Heel Yeah — PURSUIT or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	5
Accommodations	5
Hull and Deck Information	5
Engine Information	5
DETAILED INFORMATION	6
Electronics	6
Additional Features and Options	6
Manufacturer Provided Description	7
Standard Equipment	7
Standard Equipment - Comfort & Interior	8
Standard Equipment - Galley	9
Standard Equipment - Head	9
Fishing	9
Instrumentation, Equipment & Safety	9
Performance	10
Exclusions	11
Disclaimer	11
PHOTOS	12
CONTACTS	17
Contact details	17
Telephones	17
Office hours	17
Address	17

SPECIFICATIONS

Overview

The nicest, best maintained Pursuit OS 345 on the market. Numerous upgrades and custom features.

Engine warranty till 7/01/2018 on twin Yamaha F350's 400 hours

KVH M3DX satellite TV antenna on custom mount

Flip down TV in the bridge on custom mount (see pictures)

New Raymarine hybridtouch 12" display's

New Raymarine Evolution autopilot

New high and low chirp transducers linked to DSM 300

4' open array 48 mile HD radar

New Rupp 30' single spreader tournament riggers

See "Full Specs" for complete list of all equipment

Basic Information

Category: Sport Fisherman

Sub Category: Express

Model Year: 2013

Year Built: 2013

Country: United States

Dimensions

LOA: 34' 0" (10.36m)

Min Draft: 1' 11" (0.58m)

Beam: 12' 0" (3.66m)

Max Draft: 2' 11" (0.89m)

Speed, Capacities and Weight

Displacement: 15950 Pounds

Water Capacity: 50 Gallons

Fuel Capacity: 340 Gallons

Accommodations

Total Cabins: 1

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Manufacturer: Yamaha

Engine Type: Outboard

Model: F350

Fuel Type: Gas/Petrol

DETAILED INFORMATION

Electronics

- Twin Raymarine E125 12' hybridtouch displays (NEW)
- 48 mile 4' open array HD radar
- Satelite weather module
- High and low chirp transducers linked to a DSM 300 (NEW)
- Raymarine Evolution autopilot (NEW)
- Twin Raymarine Ray 55 VHF's
- Clarion CMD stereo with remote at helm
- JL speakers, subwoofer and amplifier
- ACR spotlight

Additional Features and Options

- Navy Sunbrella canvas
- Helm deck A/C (16,000 BTU)
- Yamaha Gateway
- 4 LED Underwater lights
- Transom rod holders
- Rupp 30' Single Spreader Tournament Riggers (NEW)
- Bow Thruster
- Power steering
- LED lights under the hard top
- LED spreader lights
- · Spacious head with shower enclosure
- Grill
- Vacu Flush head
- Water heater
- Salt water washdown
- · Lewmar windlass and stainless steel Delta plow anchor
- KVH M3DX satellite TV antenna on custom mount
- Flip down TV in the bridge on custom mount (see pictures)
- Stereo zoning (cabin and bridge)
- Murray Brothers rocket launcher on 4" stainless steel pedestal and custom backing plate
- Extra set of 4 blade props
- Custom Lean-to cover for the back
- Fresh water washdown on the cockpit (no, it doesn't come standard)
- Engine covers

Manufacturer Provided Description

When tasked with designing a replacement model for the 335 Offshore - the best selling model in Pursuit's history - our engineers had a tall order to fill. Fortunately, our staff is full of overachievers and the OS 345 was born. Slightly longer and wider than her predecessor, this model features an expansive cockpit for fish fighting and a large cabin for cruising and overnighting in comfort.

The OS 345's hull has been specifically designed for twin Yamaha 350 hp 4-stroke engines, which provide optimal performance with minimal horsepower. Standard bow thrusters will give any captain the confidence to dock in close quarters, wind or strong currents. The express design includes an open helm with optional bridge deck cooling with air conditioning and an aft canvas enclosure so you can escape the elements without escaping the view. This layout also affords quick access from the helm to the cockpit when you have more screaming reels than anglers. The cockpit includes ample seating and an electric grill for entertaining and a host of fishing features including a recirculating livewell, a comprehensive rigging station with locking tackle drawers, insulated fish boxes and enough elbow room that you're not running into each other.

In the cabin, we've developed an innovative circular seating arrangement forward for dining and socializing. The mid-cabin berth includes a comfortable settee. The head compartment includes a separate area for showering to minimize clean up after a nice hot shower. The galley features stainless steel appliances and Corian countertops like those found in fine custom homes - that's appropriate since you'll probably want to live aboard the OS 345.

Standard Equipment

HULL, DECK & COCKPIT

- Pursuit® Protection Plan: 5-year hull/deck structural warranty 5-year blister-free warranty 2year limited warranty
- Aft-tilting fiberglass helm with integrated footrest, storage bin and stainless steel handrail
- Infused fiberglass windshield with tempered safety glass and forward electrically actuated ventilating center window
- Custom non-skid deck, cockpit surface and gunwale boards
- Self-draining cockpit with scupper drains
- One-piece welded, 316L stainless steel forward grab rail
- High density PVC rubrail with stainless steel insert
- Reinforced infused FRP one-piece stringer grid with bilge water management
- Molded-in fiberglass bow pulpit with 316L stainless steel bow roller and 10" mooring cleat, skid plate and chain binder
- Anchor windlass with switch at helm and remote switch at anchor locker with overboard drain and raw water washdown
- 17" x 17" fwd hatch with adjuster and sunshade slide screen
- Acrylic transom door with heavy duty stainless steel hardware

- Six (6) 316L stainless steel 10" mooring cleats
- Full cockpit breathable coaming bolsters with dry-fast foam
- Four (4) opening stainless steel portlights with screens
- Port and starboard pantographic windshield wipers with fresh water washer system
- Custom Captain's helm seat with foldup armrests and flip-up bolster
- Custom molded cockpit entertainment center with fiberglass sink, folding hot and cold water faucet, Corian® cutting board and two aft storage drawers
- Kenyon 240 v cockpit grill with fiberglass cover
- Stbd. side 38 quart refrigerator/freezer with thermostat and drain
- Portside bridge-deck "L" shaped lounge with padded backrest with molded in footrest
- Hideaway pull out aft facing seat
- Acrylic sliding companionway door with lock/keeper and sliding screen
- Interior and exterior hardtop overhead handrails
- White powder coated aluminum support frames Hardtop with sprdr lights, six (6) LED courtesy lights, eight (8) frame mounted rod holders, four (4) recessed speakers, two (2) 17 x 17 hatches, canvas storage pouches for PFD's and three-piece drop curtain
- Forward facing aft fold-down seat
- Seven (7) Drink holders
- Port and stbd 18" stainless steel transom grabrails
- Dockside fresh water inlet with pressure regulator
- Cockpit freshwater shower (hot and cold)

Standard Equipment - Comfort & Interior

- Solid Teak floor
- Fiberglass interior headliner
- Stainless steel stairs entry steps with teak treads
- Port-side hanging locker, cedar lined with light
- Overhead dinette lights (3), fwd. LED accent reading lights (2) and V-berth overhead LED accent lights (2)
- Polk stereo with bluetooth streaming, JL audio speakers (6), subwoofer and JL audio amplifier
- 110 v outlet, GFI protected
- Teak table with inlay and electric adjustable pedestal
- Dinette seating area with storage underneath
- V-berth with 5" foam cushions and upholstered backrest
- Mid-berth with 6" inner spring mattress, storage underneath and two (2) overhead LED lights
- Mid-berth settee
- Mid-berth privacy curtain
- 19" flat screen TV (12 v) with DVD player
- TV antenna
- Dockside TV inlet
- 6 gallon 240 v stainless steel water heater

Standard Equipment - Galley

- Complete Corian® galley top with storage cabinets overhead and drawers under sink area
- Fiberglass sink with pressurized hot/cold mixing valve faucet
- Kenyon 2-burner glass cooktop with pop up pan holders 110 v microwave
- 3.8 cu. ft. stainless steel refrigerator
- Storage cabinet for plates, cups and utensils

Standard Equipment - Head

- Vacu-Flush head with 18 gallon holding tank
- Fiberglass head/shower with sump pump and molded-in fiberglass shower seat
- Bi-fold acrylic shower door
- Full size linen closet
- Designer sink with pressurized hot/cold faucet
- Corian® vanity top with vanity mirror
- Towel rack
- Framed head door with full length mirror
- 110 v outlet, GFI protected

Fishing

- Four (4) stainless steel rod holders in gunwale
- Lighted Oceana blue 45 gallon circulating livewell with bottom drain plug
- Two (2) in-deck, insulated fish boxes, 40 gallon each with pump and overboard discharge
- Aluminum reinforcement plates and wiring for downrigger installation; aft gunwale, port side
- Raw water wash down with cockpit and anchor locker hose outlets
- Three (3) cabin rod holders
- Under gunwale poly rod racks
- Stbd side tackle center
- Stainless steel cockpit toe rails

Instrumentation, Equipment & Safety

- Pursuit custom master circuit breaker switch panel for 12 v and 110 v
- Yamaha® fuel management system
- Boarding ladder, 316L stainless steel telescoping with fiberglass hatch
- 50 amp 240 v/ 60 Hz dockside power with 25' cord
- One (1) 20 amp battery charger for engine starting batteries
- One (1) 40 amp battery charger for house, electronics, and bow thruster batteries
- Five (5) battery system with batteries, trays, and switches
- Lewmar® bow thruster

- 240 v A/C with reverse-cycle heat 16,000 BTU
- Panda® 8.0 KW diesel generator 600 hours
- One 25 gallon diesel fuel tank
- Teleflex power assisted dual cylinder hydraulic steering with tilt sport helm; 16" Edson comfort grip stainless steel steering wheel
- Ritchie® Navigator compass
- Cabin and mid-berth CO detectors
- Independent windshield / wiper washer controls
- Pursuit custom master 12-volt and 240/120-volt interior MDP swich panel
- One (1) 12 KVA isolation transformer
- Fresh water tank 50 gallons
- Fuel tanks Total 340 gallons with fuel selector valves and on/off valves for each
- Four (4) 12V receptacle; 2 helm, 2 cabin
- Three (3) fire extinguishers
- LED cockpit courtesy lights (7)
- Dual drop-in electric horns on front of hardtop
- Three (3) bilge pumps; 2 1500, 1- 1100 forward
- Recessed Lenco® electronic trim tabs with indicator
- Certification/standard compliance: ABYC, USCG, CE, Transport Canada

004.01.62.477510005.93.51.705165008.15.81.394220009.59.60.9930150010.314.30.7221800018.219.50.9328350024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266					
0005.93.51.705165008.15.81.394220009.59.60.9930150010.314.30.7221800018.219.50.9328350024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266	RPM	MPH	GPH	MPG	RANGE*
5008.15.81.394220009.59.60.9930150010.314.30.7221800018.219.50.9328350024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266	600	4.0	1.6	2.47	751
0009.59.60.9930150010.314.30.7221800018.219.50.9328350024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266	1000	5.9	3.5	1.70	516
50010.314.30.7221800018.219.50.9328350024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266	1500	8.1	5.8	1.39	422
00018.219.50.9328350024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266	2000	9.5	9.6	0.99	301
50024.924.61.0130700029.729.21.0230950034.637.10.9328400038.043.40.87266	2500	10.3	14.3	0.72	218
00029.729.21.0230950034.637.10.9328400038.043.40.87266	3000	18.2	19.5	0.93	283
50034.637.10.9328400038.043.40.87266	3500	24.9	24.6	1.01	307
000 38.0 43.4 0.87 266	4000	29.7	29.2	1.02	309
	4500	34.6	37.1	0.93	284
500 41.9 56.8 0.74 224	5000	38.0	43.4	0.87	266
	5500	41.9	56.8	0.74	224

Performance

5900 45.2 66.2 0.68 208

* Range based on 90% Fuel Capacity

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS













h













h













h

























CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004