

GEMINI — OCEAN ALEXANDER



Судостроитель: OCEAN ALEXANDER

Год постройки: 2011

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 85' 0" (25.91m)

Ширина: 20' 0" (6.10m)

Мин. осадка: 5' 4" (1.63m)

Купить Gemini — OCEAN ALEXANDER а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту Gemini — OCEAN ALEXANDER а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	5
Обзор	5
Основная информация	5
Размеры	5
Скорость, вместимость и масса	5
Размещение	6
Корпус и палуба	6
Информация о двигателе	6
ПОДРОБНОЕ ОПИСАНИЕ	7
Remarks	7
Accommodations/Interior Decor	7
Audio/Video	10
Construction	11
Mechanical	12
Electrical	15
Exclusions	17
Исключения	17
Отказ от ответственности	17
ФОТОГРАФИИ	18
Transom	18
Aft Deck	18
Aft Deck	18
Aft Deck	18
Salon	18
Salon	18
Salon	19
Salon	19

Day Head	19
Galley	19
Galley / Pilothouse	19
Pilothouse / Dining	19
Pilothouse Helm	20
Master Stateroom	20
Master Stateroom	20
Master Stateroom	20
Master Shower	20
Master Head	20
VIP Stateroom	21
VIP Guest Head	21
Guest Stateroom	21
Guest Stateroom	21
Guest Head	21
Side View - Walk Around Decks	21
Side View - Walk Around Decks	22
Foredeck	22
Foredeck	22
Foredek	22
Flybridge	22
Flybridge Helm	22
Flybridge Helm	23
Flybridge Seating	23
Flybridge Seating	23
Flybridge / Boat Deck	23
Engine Room	23
Engine Room	23
Layout	24

Engine Room	24
Layout	24
КОНТАКТЫ	25
Контактная информация	25
Телефоны	25
Время работы	25
Адрес	25

ХАРАКТЕРИСТИКИ

Обзор

“Gemini” was built by a true Yachtsman with decades of building experience. Her Galley can be open or closed to the Salon, creating a wide open feel. Her custom davit can launch a dinghy from both the starboard side and the transom.

2 Full time crew maintain her in superb condition.

“Gemini” is a custom built beauty that must be seen!

Основная информация

Тип судна: Моторная яхта

Модельный год: 2012

Год постройки: 2011

Страна: United States

Открытая палуба мостика: Да

Размеры

Длина общая: 85' 0" (25.91m)

Длина по ватерлинии: 72' 4" (22.05m)

Ширина: 20' 0" (6.10m)

Мин. осадка: 5' 4" (1.63m)

Скорость, вместимость и масса

Водоизмещение: 167200 Pounds

Вместимость воды: 350 Gallons

Вместимость сточного бака: 200 Gallons **Объем топливного бака:** 2500 Gallons

Размещение

Всего кают: 3

Каюты экипажа: 1

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2

Производитель: MTU

Модель: 10V2000

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Remarks

“Gemini” was built by a true Yachtsman with decades of building experience. Her Galley can be open or closed to the Salon, creating a wide open feel. Her custom davit can launch a dinghy from both the starboard side and the transom.

2 Full time crew maintain her in superb condition.

“Gemini” is a custom built beauty that must be seen!

Accommodations/Interior Decor

- Wood paneling and cabinetry
- Soft vinyl headliners
- Designed pull handles for drawers and cupboards
- S/S hardware
- Satin varnish for interior finish
- Painted flooring for carpet
- Majilite Fabric for lower walkway walls
- Concealed hinges throughout interior cabinets with auto soft-closing function
- Mattresses for berths
- Hanging lockers with dual locking mechanism
- Foyer flooring in Marble
- Maytag 2400AWW stacked washer/ dryer (commercial quality, Energy star washer/ dryer with generous 2.4 cu. ft. capacity)

Master Stateroom:

- King-sized berth
- Two nightstands with countertop
- Bureau and vanity on starboard side
- Safe in hanging locker
- Fixed windows on hullside
- Full height, cedar-lined hanging lockers with automatic lighting
- His-and-Her head with shower and vanity

Guest Stateroom:

- Queen sized berth
- Side-by-side lower berths, fabric covered (Port guest stateroom)
- Dressing mirror
- Cedar-lined hanging lockers with automatic lighting
- S/S rectangular port light with privacy screen
- Head opposite starboard with stall shower (Port guest stateroom)

Heads:

- Wood walls and cabinets with Marble countertops
- Custom bathroom hardware
- Custom bathroom fixtures
- Air extraction in each head stall with low noise extraction fans switched separately from lights, fans to discharge air outside
- Wood flooring
- One medicine cabinet
- China sink
- Grohe faucets for sink and shower
- Tecma toilet system
- Vent blower
- Seamless fiberglass stall shower with one-piece glass door
- S/S rectangular port light with screen
- Marble in shower floor and shower seat (except in crew quarters)
- Shower door with Marble frame
- Mirrored cabinet door under head port light

Crew Quarters:

- Cedar-lined hanging locker with automatic lighting
- Kitchenette (sink, microwave and refrigerator)
- Storage locker
- Drawers under bunk
- Head with stall shower

- Microwave oven
- Amtico flooring
- Crew quarters with double berth cabin and one double bunk cabin

Galley:

- Marble countertops
- Wood cabinetry
- Wood Flooring
- Storage cabinets
- Custom plate holder drawer
- Oversized cutlery and silverware drawers
- Whirlpool garbage disposal
- 36" JennAir Custom Panel French Door Refrigerator
- 30" JennAir Over the Range Microwave with Speed Cook Convection
- 30" JennAir electric cook top
- 27" JennAir electric oven
- 15" Whirlpool trash compactor
- 24" Fisher/ Paykel dishwasher
- Franke Double sink with pull out faucet
- "Drawer type" shelves in large galley cabinet
- Overhead dish locker forward
- Overhang cabinet in galley

Main Deck / Flybridge:

- Hard top with dual hatches for ventilation and light
- 2" elliptical 316 S/S handrails on main deck, 1-1/2" on FB
- S/S cleats and hawse holes
- S/S anchor roller
- S/S anchor light bracket
- Tempered dark tinted window glass (1/2" in fwd PH, 3/8" in other areas)
- Fiberglass staircase from cockpit to FB
- Wet bar with sink and bar refrigerator on FB
- 24" Electri-Chef electric barbeque on FB deck
- FB Air conditioning 24,000 BTU
- FB seat with storage beneath
- Electric S/S salon door to aft deck

- Watertight doors at PH
- Teak bow and stern staffs
- Lighted OA logo
- Aft deck shower, dock-side water inlet
- Four U-shaped rails on swim step
- One Rope dryer in aft deck
- Boat deck sliding hatch
- Side boarding gates at aft deck
- Pilothouse / Dinette
- Sunken and extended dash with instrumentation
- L-shaped, I-shaped or C-shaped dinette with chart drawer beneath
- Wood table top with storage cabinet beneath
- Windshield defrosters
- Watertight doors to side deck
- Phantom screen (for insects and pollen protection) with dedicated wood box for door
- Wood flooring
- Pantograph doors in PH

SALON:

- Loose end tables
- Phantom screen with dedicated wood box for door
- 24V LED lights
- U-Line Icemaker inside locker
- Salon table with burlwood top
- Painted floor for carpet
- Wood paneling and cabinetry

Audio/Video

Salon:

- LCD 42" TV with Professional A/V System with IR repeater (Dolby true HD DTS-HD XM/
- Sirius capable with multiEQ that provides virtually perfect acoustical environment for up to six seating locations also detects "out of phase inner" auto compensable to match subwoofer and speakers. HDMI 1.3 provides high bandwidth HD video output for true color
- HD reproduction
- Mid Atlantic Media Rack for A/V equipment
- Furman power conditioner (featuring multi-stage linear amplifier tech and extreme voltage

shutdown for unstable shore/ genset power)

- One Subwoofer

Master Stateroom:

- LCD 42" TV with Professional A/V System with IR repeater
- Mid Atlantic Media Rack for A/V equipment
- Furman power conditioner (featuring multi-stage linear amplifier tech and extreme voltage shutdown for unstable shore/ genset power)
- One Subwoofer

Guest Stateroom / Crew Quarters:

- LCD 22" TV and Blu-Ray disc player

Construction

General:

- Vinylester resin
- Carbon fiber-infused composite hull and decks
- Airex C70.90 PVC foam construction above waterline (closed cell, cross-linked polymer foam with highest elongation in its class for great impact strength. Sound and temperature isolation with self-extinguishing properties)
- Longitudinal and lateral fiberglass stringers filled with high-density foam
- Sea chest for raw water intakes
- Reinforced collision bulkhead
- Fiberglass with infusion and "vacuum bag technology"
- White gelcoat on exterior
- Frameless window
- All exterior hardware S/S 316
- Sound and Vibration Reduction Techniques:
- Multiple insulation barriers including reflective materials, absorptive materials, dampening materials, air pockets and flexible and isolation mounts (resulting in industry leading vibration/ sound levels that are at times 1/2 to 1/10 of ISO-6954 requirements)

Hull/ Bottom:

- Interior structural components all bonded to hull
- Two coats of Seahawk primer, hi-build epoxy barrier coat and covered with two coats of
- Seahawk self-polishing bottom paint
- Bronze through-hull fittings

Deck / Pilothouse:

- White non-skid fiberglass decks
- Deck, superstructure, and Flybridge with aluminum I-beam reinforcements
- Fiberglass settee with oval teak sliding table on aft deck
- Swimming ladder
- Sunbrella fabric on outside cushion

Mechanical

Main Engines:

- MTU 10V2000 1600 HP engines
- Two control stations: FB & PH, with complete engine instrumentation with lighted, modern switches
- Delta T intake/ exhaust fans with demister to eliminate moisture from intake air flow to keep machinery space dry
- Engine hour meter
- Electric engine control
- Engine alarm system (oil and temperature)
- Wet exhaust and including water temperature, oil pressure, hour meter and start/ stop controls in engine room and remote start/ stop controls in PH
- Dripless engine shaft seal logs
- Dripless seal for rudder post
- Third control in aft deck (engine and thruster)
- Underwater exhaust system
- S/S rail on side of engine
- Oil changing system for both engines and gensets

Generators:

- Kohler 32kw (110V/60HZ or 220V/50HZ) genset
- Generator exhausts water-drop type per "Centek"
- Generator set resiliently mounted and installed with sound shield
- Generators with gas/ water separator

Steering/ Control:

- Hydraulic steering system by Hynautic/ Teleflex power steering system
- ABT hydraulic stabilizers with zero-speed system
- S/S Rudders
- Bronze struts with cutlass bearing
- High performance, computer-designed and machined class "S" propellers
- Zincs on rudders, shafts
- Wood steering wheel inside & S/S on FB
- 3 valves in steering system for autopilot
- Propeller shaft Aqua 22HS (a high grade austenitic alloy stainless steel that provides superior corrosion resistance along with excellent toughness and high strength. A no compromised approach adopted by navies around the world)
- Stidd Mechanical helm chair on PH (black x1)
- Stidd Mechanical helm chairs in FB (white x 2)
- Windlass/ Mooring:
- Hydraulic windlass, Maxwell VWC4000C
- Stainless steel plow type anchor 125 lbs. with 300 ft. anchor chain (3/8" HT) & chain stopper
- Chain counter

Thruster/ Stabilizers:

- ABT hydraulic bow thruster 25 HP, stern 25 HP with proportional control
- ABT hydraulic stabilizers (9 Sq.ft. x 2) with one monitor in PH

Other:

- Spare conduit running from engine room to PH, engine room to FB and engine room to FB overhang
- Color-coded piping for fuel, water and hydraulic system
- Hydraulic 1750 lbs. davit (21,000 ft-lb 3 function hydraulic boom, rotation and extension)
- Fire Boy fire extinguisher with engine shutdown feature
- Heavy-duty Kahlenberg dual air horn
- All engine room and machinery spaces primed and top coated with polyurethane paint system
- Aluminum diamond plate flooring in engine room
- Hepworth heavy-duty commercial grade pantograph windshield wipers and washers with intermittent function
- Detailed stringers in engine room and lazarette
- S/S cap on transverse stringers in central walkway
- 2HP air compressor in engine room with multiple quick disconnect outlets
- Humphree Interceptor with automatic trim optimization system (ATOS)
- Plumbing

Fresh Water System:

- Headhunter pressure fresh water system
- 2mm thickness 316 S/S water tank with sight gauge
- Fresh water outlet with hose for engines and generators
- Fresh water wash down at bow and stern and boat deck
- Hot Water Heater: One 40-gallon water heater with high-density fiberglass insulation with
- High-efficiency heating element

Fuel System:

- 4.5mm thickness 5052 Aluminum fuel tanks with sight gauges and tested to International Standards 33CFR 510(a) with high and low fuel level alarm system
- Dual Racor fuel/water separator with Y-valves for engine and generator
- Sewage Treatment System:
- Headhunter waste treatment system (50gal/day)
- Holding tank gauge in PH
- Bilge/ Discharge:

- Common drainage system for sink, shower, bilge and exterior deck
- Bilge pump in forward and aft engine room
- Automatic bilge pump - with manual and automatic switches in each space divided by watertight bulkheads, with mounted high water alarms in each bilge zone
- 24V shower sump pumps
- One manual bilge pump
- Dry bilge area arrangement in center of engine room
- Lighted bilge
- Deck/ Flybridge:
- Dockside water connection
- Both side fillers for water and fuel tanks

Electrical

Battery:

- Heavy-duty batteries (house banks: 825 AH, engine batteries: 550 AH, genset batteries: 490 AH)
- Battery paralleling system with control switch
- Service battery switch
- Engine battery isolation switches
- AGM Batteries with 40_ to 140_ operating temp and industry leading low self-discharge rates 1 to 3%

AC/ DC System:

- AC outlets throughout
- Octoplex NEMA 2000 electrical control system
- Octoplex system with AC/DC distribution panels in PH and Crew
- All primary AC and DC electrical wiring labeled throughout the yacht
- GFI (110V) AC outlet with SmartLock feature for operation error protection which exceeds UL requirements
- 24 Volt system
- Shore Power Connector:
- Shore power receptacle 100+50AMP in transom with 115ft cable master
- Air Conditioning:
- Cruisair compressors for central air conditioner, 6 units, total 146K BTU (Reverse Cycle capable for operation down to 40 degrees)

- Refrigerant type is accepted worldwide under the Montreal Protocols
- Cruisair remote and self-contained air conditioner with ECU controls (Reverse Cycle capable for operating down to 40 degrees)

Lighting:

- 24V lights in all compartments
- 24V LED lights (Aerospace quality, specially tuned color temperature for Ocean Alexander that lasts over 100,000 hours)
- AC/DC lights with anti-explosion type in engine room
- Convenience lights, lower deck and FB
- Dimmers for salon and MSR sconces
- International navigation lights

Inverter/ Charger:

- Mastervolt 4000W inverter/ charger (pure sine wave)
- Mastervolt battery charger (engine: 24V/60A, genset: 12V/25A)

Bonding System:

- Bonding system throughout
- Copper straps secured to hull and running full length of vessel parallel to centerline
- Engines, generators, metallic through hulls, strainers and pump bodies connected to bonding strap with 8 AWG wire minimum or equivalent

Other:

- Marine-grade, tinned copper wiring
- Phone jacks at MSR and Salon and PH

- Vimar switches and outlets
- Ritchie compass 5"

Exclusions

Tender & Toys. All owner's personal items. A detailed list of exclusions to be provided at time of sale upon written request.

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ

Transom



Aft Deck



Aft Deck



Aft Deck



Salon



Salon



Salon



Salon



Day Head



Galley



Galley / Pilothouse



Pilothouse / Dining



Pilothouse Helm



Master Stateroom



Master Stateroom



Master Stateroom



Master Head



Master Shower



VIP Stateroom



VIP Guest Head



Guest Stateroom



Guest Stateroom



Guest Head




Side View - Walk Around Decks



Side View - Walk Around Decks



Foredeck



Foredeck



Foredek



Flybridge



Flybridge Helm



Flybridge Helm



Flybridge Seating



Flybridge Seating



Flybridge / Boat Deck



Engine Room



Engine Room




Engine Room



Layout



Layout



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004