

## PRIMACY — OUTER REEF YACHTS



**Судостроитель:**  
OUTER REEF YACHTS

**Год постройки:** 2008

**Модель:** Моторная яхта

**Цена:** ЦЕНА ЯХТЫ ПО ЗАПРОСУ

**Местонахождение:** United States

**Длина общая:** 65' 0" (19.81m)

**Ширина:** 18' 6" (5.64m)

**Макс. осадка:** 5' 0" (1.52m)

Купить **PRIMACY — OUTER REEF YACHTS** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **PRIMACY — OUTER REEF YACHTS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

# ОГЛАВЛЕНИЕ

---

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Обзор	3
Основная информация	9
Размеры	9
Скорость, вместимость и масса	9
Размещение	9
Корпус и палуба	9
Информация о двигателе	10
ФОТОГРАФИИ	11
КОНТАКТЫ	16
Контактная информация	16
Телефоны	16
Время работы	16
Адрес	16

# ХАРАКТЕРИСТИКИ

## Обзор

This is a one owner, captain maintained Outer Reef 65, the company's most popular hull with many significant upgrades. The vessel has been lovingly maintained by its only owner and is fully equipped, featuring upgraded 565 HP Caterpillar C9 engines that provide a top speed of over 15 knots. A full hydraulic system operates the variable speed bow and stern thrusters, windlass and oversized stabilizers. It features expanded fuel capacity, water maker, fully finished crew quarters, recently reupholstered outside cushions, a fully enclosed pilothouse with dual Dutch Doors for access to wide side decks and the Portuguese Bridge. Complete Raymarine navigation package at both helm stations and magnificent Audio/Video for entertainment. To cruise in comfort and luxury there are three staterooms with ensuite heads, a day head in the main deck, a huge flybridge and a 14' Novurania tender with 60 HP Yamaha. A superb long range cruiser for the whole family and friends!

## CONSTRUCTION GENERAL

- Hand laid-up FRP hull with PVC foam sandwich construction above water line and vinylester barrier lamination for osmosis protection
- Hand laid-up FRP deck/house and flybridge with PVC foam sandwich construction
- Full length longitudinal engine stringers and athwartship stringers
- Windows with 3/8" tempered glass in salon, 1/2" tempered in pilothouse
- Rub rails with stainless steel capping
- Bilge area finished smooth and coated with epoxy paint
- Built-in swim platform with stainless steel swim ladder and rails
- Quiet roll integrated spray rail system

## MECHANICAL

- Twin Caterpillar C-9 Acert 565 HP diesel engines with 360A ZF transmissions and electronic instruments for dual stations
- Two (2) 16 kw Northern Lights generators
- ABT TRAC model 220 stabilizers with 7.5 sq. ft. fins
- ABT 25HP hydraulic bow and stern thrusters with dual station controls
- Glendinning engine controls for dual stations
- Wet exhaust system with FRP mufflers
- Two (2) stainless steel propeller shafts and two (2) bronze propellers
- Tides packless shaft seals with one (1) spare seal for each shaft
- Fiberglass drip pans under engines
- Stainless steel struts with bearings
- Two (2) Racor 75/1000 MAX dual filters for main engines
- Two (2) Racor 1000 MA single fuel filters for generators

- Stainless steel rudder with bearings
- Emergency tiller
- Teleflex hydraulic steering system for dual stations
- Maxwell HWC3500 hydraulic dual capstan/chain wheels horizontal windlass and dual anchor
- 75 lb. polished stainless steel anchor with 300' 3/8" ht chain
- 105 lb. polished stainless steel anchor w/300' 3/8" ht chain
- One (1) oil change pump for engines and generators
- Ball-valve bronze seacocks on all through-hulls below waterline
- Nutone central vacuum system
- Chilled water A/C system
- Algae-X fuel polishing system
- Groco 24V #SP080R fuel transfer pump
- Second dripless shaft seal
- Northern lights uplift water exhaust for generators
- Evolution antivibration system
- 5 1/2" diameter zinc plates on rudders
- Glendinning handheld remote control with plug-in receptacle at aft deck and additional plug-ins, one (1) at flybridge, one (1) at Portuguese bridge

## ELECTRICAL

- Main electric distribution panel with gauges and circuit breakers for 230/115v AC and 24/12 v DC system (AC panel can be used with either 50 AMPS or 100 AMPS)
- Glendinning 50 AMP cablemaster with 75' of cable on transom
- 50 AMP shore power inlet aft
- Charles Isoboost isolation transformers
- Two (2) engine battery banks with two (2) AGM 80-204AH batteries per bank
- Two (2) house battery banks with 2 AGM 8D-204AH batteries per bank
- Two (2) generator banks with one (1) AGM 30H-105AH battery each
- Engine battery interconnection system
- Two (2) battery isolators
- One (1) 24v and one (1) 12v battery chargers
- Shoreline power transfer rotary switches
- 24v DC overhead halogen light fixtures throughout
- 24v DC rope style valance lights at salon and staterooms
- 24v DC step lights throughout and automatic wardrobe lights
- 115v AC outlets throughout, GF outlets for heads and exterior
- Four (4) engine room blowers and three (3) head vent blowers
- 115v AC fluorescent lights and 24v DC lights for engine room
- One (1) 24v DC chart light
- Five (5) Aqua Signal navigation lights
- Three (3) Exalto dual speed self-parking windshield wipers with washdown system
- One (1) Kahlenberg D-OA dual-trumpet air horn with compressor

- One (1) tel/cable TV inlet on transom
- Two (2) Danforth 5" magnetic compasses
- One (1) DC-DC converter (24V to 12V)
- Two (2) shaft brushes in engine room
- One (1) Trace 4kw inverter (24v DC to 115v AC)
- Accessible wiring raceway throughout
- Copper bonding system to all underwater fittings with zinc anodes

## PLUMBING

- Four (4) automatic 24v DC bilge pumps and emergency bilge suction on engine
- Two (2) automatic 24v DC shower pumps
- One (1) manual bilge pump in engine room
- High water bilge alarm system with warning panel in pilothouse
- 400 gallon stainless steel water tank
- 24v DC Headhunter fresh water pump, model XR-124, with accumulator tank
- 115v AC 18 gallon water heater with heat exchanger
- Grohe single level mixing taps for sinks at galley, head and shower
- Fresh water faucet in engine room
- Shore water inlet on transom
- Five (5) Tecma electric marine toilets withy-valves and sanitary hose for all discharge plumbing
- 300 gallon FRP holding tank with macerator pump
- Three (3) aluminum fuel tanks of total capacity 2200 gallons
- Tank gauge for fuel and water tanks
- Stainless steel fuel manifold system (supply and return)
- Hot and cold transom shower in recessed box
- Fresh water washdown outlet on fore deck, aft deck, and flybridge
- One (1) salt water washdown pump with outlet on foredeck
- Rigid fresh water pipes and color coded copper fuel lines
- Cleanout and sight gauge for tanks
- Headhunter back up fresh water pump, X-caliber 24v DC
- Cruisair 230v AC back up sea water pump for AC system
- Village Marine Tec 1200 gpd water maker

## EXTERIOR IN GENERAL

- White gel coat on hull & deck house side
- White gel coat deck with white non-skid
- Two (2) coats of black antifouling bottom paint over (5) coats of epoxy primer
- Eight (8) stainless steel hawser holes with cleats
- Single stainless steel anchor chute/roller at bow
- Stainless steel framed Plexiglas hatch on fore deck
- Flush FRP hatches over chain locker
- Stainless steel framed tempered glass portlights with screens

- Stainless steel railing on main deck
- FRP bench seats with storage beneath on aft deck
- Built-in stairway to swim platform
- FRP gate doors at fore, side and aft deck
- Removable stainless steel U-rails and swim ladder on swim platform
- Water tight Dutch doors on both sides of pilothouse
- Cantalupi exterior lighting
- ACR search light with remote, model RCL-1000, with controls for dual stations
- Stainless steel handrails on all bulkwarks (port, starboard and Portuguese bridge)
- Sunbrella furniture fabric for aft deck and Portuguese seats
- Stainless steel breast plate on bow
- Two (2) additional lights over aft deck
- Swim platform extended by 12"
- Stainless steel ladder and hatch to access flybridge from aft deck
- Canvas covers for seats, tables, BBQ grill, windlass, instrument console on flybridge, foredeck seat, aft deck seat and table and pilothouse windows
- Textiline sunshade for pilothouse and side windows
- Port and starboard wing doors on aft deck
- Two (2) additional shore power inlets with rotary switches fore and aft
- Shore water inlet and TV/TEL inlet on fore deck
- Teak on swim platform and steps
- Marquipt Tide-Ride boarding steps

## FLYBRIDGE

- Full beam width flybridge all the way forward above the pilothouse
- Molded FRP instrument console
- L-shape FRP bench seats with storage beneath and two (2) FRP fixed tables
- Cabinets for wash basin, ice maker and BBQ grill behind seats
- Venturi windscreen with stainless steel grab rails
- FRP radar switch
- Sliding hatch with stairway access to pilothouse
- Stainless steel safety rails on flybridge/boat deck
- Stainless steel destroyer-type steering wheel
- Hard top over flybridge
- Brower Systems 1500 lb. hydraulic rotation davit
- Two Stidd helm seats, model 500-200, low back admiral with powder coated base and naugahyde
- Sunbrella flybridge cushions
- Stainless steel trim around BBQ grill and stainless steel cover for LPG hose (outside of cabinet)
- 14' Novurania tender with 60 HP Yamaha

## INTERIOR IN GENERAL

- Teak veneer panel/vinyl coverings on bulkhead
- Teak cabin doors and cabinet doors
- Teak/holly cabin sole throughout
- Removable foam backed vinyl headliner
- Muslin cushion covers for berths and seats
- Granite countertop in galley (including backsplash)
- Off-white FRP panel on wall in shower
- Drawers finished with Formica, including guides and steps
- Hanging lockers with automatic lighting
- Light valance in salon and staterooms
- Teak framed mirrors
- Satin varnish on interior teak
- One (1) Stidd helm seat, model 500-XL, low back luxury admiral with chrome base and Ultraleather upholstery
- Cantalupi stainless steel lighting in all showers
- Cantalupi chrome reading lights in master stateroom, VIP, guest and crew staterooms
- Grohe Europlus II pull-out chrome spray faucet in galley sink
- Grohe Chiara center-set chrome faucet in head sinks
- Grohe Relexa Plus chrome pulsator hand shower with 24" shower bar, hose and soap dish
- Entertainment center, one (1) hi/lo coffee table and one (1) end table in salon
- L-shaped settee in salon with 5" foam seats
- Swing door between pilothouse and galley
- Shoji screens over porthole area in master stateroom
- Seat in master shower
- Hinges and pneumatic lifting arm for floor hatch forward on the fuel tank in master
- Dual sinks in master stateroom
- Upgraded toilet to match bisque sinks
- Maple burl accents and window mullions in salon
- Hull height cabinet storage beside washer and dryer
- Dimmer switches to all light switches

## ENGINE ROOM

- Acoustically insulated engine room lined with sound absorbing material
- Two watertight bulk heads
- Watertight aluminum engine room doors with sight sounds
- Edura coin dot flooring
- Stainless steel safety rails
- 115v AC fluorescent lights and 24v DC lights
- Shelves for parts and equipment
- Fresh water faucet

- Fireboy fire suppression system including both intake and outlet air shutdown system with aluminum louvers
- Sea chest
- Two (2) additional valves to oil change system for engine transmissions

## ELECTRONICS

- Raymarine 15M radar
- Raymarine Ray 240 VHF system
- Raymarine Raystar GPS
- Raymarine SR 100 Sirius weather satellite
- Raymarine ST60 depth finder
- Raymarine ST60 rudder angle indicator
- Raymarine ST60 speed indicator
- Raymarine ST60 wind speed indicator
- Speco loud hailer/horn
- Simrad AP 25 auto pilot
- KVH Tracvision M7 Sat TV

## APPLIANCES

### GALLEY

- GE Profile Energy Star 22.6 cu.ft. side by side refrigerator /freezer
- GE Profile 27 built-in single convection wall oven
- GE profile 30 built-in clean design electric cooktop
- GE monogram 12" black built-in compactor with reversible Fisher & Paykel dish drawer
- GE 1 hp garbage disposal
- Amana 26-bottle wine vault

### LAUNDRY

- Bosch Axxis washer
- Bosch Aaxxis vented dryer
- Bosch stacking kit with pull out tray

### FLYBRIDGE

- U-line combo ice maker/refrigerator
- DCS 30" professional BBQ grill

### CREW

- GE Spacemaker compact refrigerator
- Sharp microwave oven



## EXCLUSIONS

- Scooter
- Owner's personal effects
- Extra burgundy leather chairs in salon
- Tools
- Life raft

## Основная информация

**Тип судна:** Моторная яхта

**Подкатегория:** Flybridge

**Модельный год:** 2008

**Год постройки:** 2008

**Страна:** United States

**Открытая палуба мостика:** Да

## Размеры

**Длина общая:** 65' 0" (19.81m)

**Ширина:** 18' 6" (5.64m)

**Макс. осадка:** 5' 0" (1.52m)

## Скорость, вместимость и масса

**Водоизмещение:** 93500 Pounds

**Вместимость воды:** 400 Gallons

**Вместимость сточного бака:** 100 Gallons

**Объем топливного бака:** 2200 Gallons

## Размещение

**Всего кают:** 3

**Каюты экипажа:** 1

## Корпус и палуба

**Материал корпуса:** FRP

## Информация о двигателе

---






**Двигатели:** 2

**Производитель:** Caterpillar

**Модель:** C-9

**Тип топлива:** Diesel

# ФОТОГРАФИИ











# КОНТАКТЫ

---

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

## Контактная информация

---

Email: **andrey@shestakovyachtsales.com**

Web: [shestakovyachtsales.com](http://shestakovyachtsales.com)

## Телефоны

---

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

## Время работы


---

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрыто**

## Адрес

---



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004