

SUKI — SABRE YACHTS



Судостроитель: SABRE YACHTS

Год постройки: 2004

Модель: Моторная яхта

Цена: **ЦЕНА ЯХТЫ ПО ЗАПРОСУ**

Местонахождение: France

Длина общая: 47' 4" (14.43m)

Ширина: 14' 4" (4.37m)

Мин. осадка: 3' 9" (1.14m)

Крейс. скорость: 22 Kts. (25 MPH)

Макс. скорость: 30 Kts. (35 MPH)

Купить **SUKI — SABRE YACHTS** а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **SUKI — SABRE YACHTS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Broker's Comments	6
Press Comments	6
Construction	6
Machinery	7
Electrical Systems	8
Plumbing Systems	10
Tankage	10
Navigation Equipment	11
Domestic Equipment	11
Accommodation	13
Helm	15
Deck Equipment	16
Исключения	17
Отказ от ответственности	17
ФОТОГРАФИИ	18
КОНТАКТЫ	25
Контактная информация	25
Телефоны	25

Время работы	25
Адрес	25

ХАРАКТЕРИСТИКИ

Обзор

Stupendously nice sea-boat with proper American looks, fab build and beautifully executed engineering. Twin Yanmar 440s for 30 knots, five berths, heating, solar panels, gen. etc. A true Bentley of the sea.

Основная информация

Тип судна: Моторная яхта

Модельный год: 2005

Год постройки: 2004

Страна: France

Размеры

Длина общая: 47' 4" (14.43m)

Ширина: 14' 4" (4.37m)

Мин. осадка: 3' 9" (1.14m)

Скорость, вместимость и масса

Крейс. скорость: 22 Kts. (25 MPH)

Макс. скорость: 30 Kts. (35 MPH)

Водоизмещение: 29056.9261316 Pounds

Вместимость воды: 156.389854784 Gallons

Вместимость сточного бака:
29.587269824 Gallons

Объем топливного бака: 445.922423776 Gallons

Размещение

Всего кают: 2

Всего коек: 5

Корпус и палуба

Материал корпуса: GRP

Материал палубы: GRP

Комплектация корпуса: Planing

Отделка корпуса: Polyethylene

Дизайнер корпуса: Kevin Burns & Sabre
Design Team

Информация о двигателе

Двигатели: 2

Производитель: Yanmar

Модель: 6LY2A-STP

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Broker's Comments

Sabre Motor Yachts are built in the Maine tradition to an exemplary standard. Their sister company North End Composites supply many high quality mouldings for Hinckley amongst others, and Sabre have learnt from both sail and motor-yacht construction over the years – with an emphasis on building practical, quality and user-friendly boats.

The 42 Express is a Downeast type – running on twin Yanmar diesels for performance up to around 30 knots. The hulls are of vacuum-bagged construction, which creates a stiff, light and very clean hull – both inside and out – resulting in a very easily-driven shape, which is fun to drive, extremely dependable, and very comfortable in short seas. I have driven this hull through some truly horrible, confused weather and you never get a sense of her being anything other than at ease. The interiors are hand-finished – with the end result being first class, and the helm decks are safe, airy and well thought-out, with a pair of Stidd helm seats to make sure that the crew are relaxed and cosseted under way.

This 42 is a very rare chance to find one of these elegant express cruisers in the Europe, and must be viewed to be fully understood and appreciated.

She is Part 1 British Registered, and in her second ownership from new.

Press Comments

“The beauty of his boat is certainly more than skin deep, not just in terms of its overall sturdiness and finish, but in how it is designed and built for ease and comfort. This vessel manages to marry the safe, sound and practical with plenty of warmth of style – but quality like this doesn't come cheap, of course.” – *Motor Boats Monthly* – May 2006.

Construction

Overall Measured Length: 47'4" inc. 2'9" pulpit; beam 14'

RCD Status: The yacht conforms with the essential safety requirements of Directive 94/25EC

(Recreational Craft Directive) and is categorised B.

Hull Construction:

- Modified “V” hull design with 16 degree deadrise at transom.
- ISO-NPG Sport Yacht Flag Blue gel coat and vinylester back-up resin.
- Structural E-glass fibreglass laminates.
- Vacuum-bagged construction.
- Divinycell PVC foam core in running surfaces and topsides.
- Foam/plywood cored fiberglass stringer system with steel caps at engine mounts.
- Hull side rubbing strakes.
- Teak toe rail and teak cabin side eyebrows.
- Bonding system for protection against galvanic corrosion.
- New antifoul and anodes August 2015.

Deck Construction:

- Isophthalic gel coat.
- E-glass fibreglass laminate with end grain balsa core.
- Moulded-in anti-skid deck surfaces in Smoke White colour (cockpit, fore and side decks).
- Teak-laid helm cockpit, with massive teak let in to coamings.
- Flexiteek to side decks, steps and aft cockpit sole (August 2015).

Machinery

Engine & Gearboxes:

- 2 x Yanmar 6LY2A-STP 440hp 6-cylinder diesel engines.
- Racor fuel/water separators with water level alarms.
- Engine room ventilation blower.

- Fully insulated with Soundown foam noise barrier.

Maintenance & Performance:

- Engine Hours: c. 350 @ December 2015.
- Cruising Speed: 22 knots. (fuel burn c. 101 lph)
- Max Speed: c.30 knots. (fuel burn c. 195 lph)
- Engines serviced by Yanmar agent August 2015.

Propulsion & Steering:

- Full engine instrumentation and twin lever controls.
- Bennett trim tabs.
- Side power SP75T bow thruster.
- Teleflex hydraulic steering with Edsel adjustable wheel.
- ZFIRM 220A marine gearboxes to 2" Aquamet 22 s/s shafts with PSS dripless seals.
- 4-bladed NiBrAl propellers.
- Prop protectors to both shafts.

Other Mechanical Equipment:

- Triple variable-speed windshield wipers with washers.

Electrical Systems

Voltage Systems:

- Bass illuminated main circuit breaker distribution panel 12-volt lighting system with Cantalupi Jeny overhead lights and Danish Cabin reading lights.
- Bass illuminated main circuit breaker distribution panel 120-V AC outlets in each cabin and engine room.
- Switch panel with Carlingswitch Contura rocker switches.

- Marincó Sealink 12-VDC outlet at helm.
- Tinned wire used throughout.

Battery Banks:

- 2 x Group 31, dedicated, lead acid, engine start batteries.
- 2 x Rolls 290 AGM service batteries (new 2014).
- Battery disconnect and emergency crossover switches.
- Generator battery.

Battery Charger:

- Protech 4 4-step automatic 12V/50Ah battery charger.

Alternators:

- 80-amp, 12-volt alternator on each engine.

Generator:

- Westerbeke 12.5kW generator.

Shore Power:

- 220V/50Hz AC shore power inlet and 50 ft. cord.
- 220v Shore supply with cabin/engine compartment sockets.

Other Electrical:

- 12-volt horn.
- Galley, head, engine room sockets are GFI protected.
- Victron C12/2000W inverter and remote panel.

- Solbian monocrystalline Solar Panels with smart MPPT controllers fitted to the wheel house roof. 1 x 100W for the domestic batteries, and 2 x 51W one each for the engine and generator batteries (August 2015).

Plumbing Systems

Fresh Water & Water Heating System:

- 12V DC hot and cold pressure water system.
- Fresh water tap in engine room.
- Marelon seacocks on thru-hull fittings below the waterline.
- Marelon discharge seacock with macerator pump.
- 11 gal. water heater operates on both 120-V AC and engine heat.
- Temperature control valve on hot water supply.
- Groco Paragon Junior pressure water pump with PST-1 accumulator tank.

Bilge Pumps:

- 3 x Rule 2000 (2000 gph), automatic 12-VDC bilge pumps.
- Manual Whale high capacity bilge pump.

Bilge alarm.

Tankage

Fuel:

- Total capacity of 1,688 litres in T-shaped, baffled aluminium fuel tank.
- Fuel filler on side decks.
- Fuel shut-off valves in lazarette.

Fresh water:

- Total capacity of 592 litres (160 gallons) in 2 x roto-molded polyethylene water tanks.

- 2 x electric water tank level indicators in galley.

Blackwater holding tank:

- Total capacity of 112 litres in 1 x roto-molded polyethylene holding tank.

Navigation Equipment

- 4-1/2" Ritchie Navigator compass.
- Raymarine C120 radar/chart plotter.
- Raymarine ST60 Tridata speed and depth sounder.
- Raymarine AIS650 Class B transceiver, with dedicated aerial.
- Raymarine Evolution autopilot.
- Simrad RD68 DSC VHF radio.
- Echomax Active XS Dual Band radar reflector.
- Navigational electronics mast on hard top.
- Moulded helm control station console for electronics.
- Brass clock and barometer to wheelhouse upper valance.

Domestic Equipment

General:

- Helm deck wet bar with stainless steel sink, Corian counter top and teak louvred doors.

Galley:

- Aurora Corian galley countertop.
- Double Scandvik stainless steel sink with single lever tap.
- Built-in waste basket.
- Under counter Tundra refrigerator/freezer 12V/120V.

- Panasonic microwave.
- Ceramic 2-ring electric hob.
- Good stowage in drawers, lockers and cupboards.

Heads/Showers:

- Jabsco Quiet-Flush electric MSD (freshwater flush).
- Wash basin, separate shower cubicle with electric sump pump.
- Hot and cold deck shower at transom.
- Ventilator.
- Opening deck-light and port-light.

Heating & Ventilation:

- Wallas 40DT heater, with outlets to both cabins, heads, saloon and wheel-house.
- Excellent wheelhouse ventilation provided by deck hatches above helm/co-pilot seats.
- Extractor fan plus direct access to forward cabin.

Lighting:

- Cockpit courtesy lights.
- Navigation lights: side, steaming, stern and 360 degree anchor light.
- Engine compartment lights.
- 2 overhead aft cockpit lights.
- Low level cabin and wheelhouse lights.
- Danish cabin reading lights throughout.

Entertainment:

- TV to main saloon with Shakespeare aerial and second aerial outlet to wheelhouse.

Accommodation

Summary of Accommodation:

- Forward cabin with island centreline double berth and deck hatch.
- Occasional single berth in saloon.
- Starboard guest cabin with double berth.
- Large open plan saloon with L-shaped dinette arrangement plus deck hatch.
- Galley to port rear of saloon.
- Steps up to semi-enclosed teak cockpit with helm and co-pilot seats forward.
- Step down to aft open cockpit with aft facing seat; teak coamings and good access to wide side decks.
- Headroom (Max): 6'6" / 1.98m
- Varnished cherry interior.
- Teak and holly cabin soles with two coats of sealer.
- Soft headliner panels (except head and shower stall).
- Screens on all opening windows, ports and hatches.
- Dovetailed maple drawers with slides and push button latches.
- Wood handholds throughout.
- Forward opening window and sliding side windows.
- Accord shades to all opening port-lights, mosquito nets to all deck-hatches.
- Good stowage throughout including cockpit lazarette, wardrobes/drawers in both cabins, plus numerous lockers under wheelhouse/cockpit seating.

Description of layout from forwards:

Master Cabin:

- Island berth with deep sprung mattress.

- Drawers and locker storage under berth.
- Direct access to head.
- Overhead opening hatch with Oceanair roller blind.
- Storage lockers outboard and above berth.
- Hanging locker (cedar lined) with louvred door.
- Cherry hull ceilings.
- Bureau with locker over.
- Passageway door to saloon.

Heads Compartment:

- RP vanity sink with Delta single-lever tap.
- Corian vanity countertop.
- Wood trimmed, adjustable mirror.
- Circular shower stall with clear plexiglass door.
- Shower seat and wet locker outboard.
- Scandvik shower mixer control.
- Electric shower sump pump.
- Fibreglass sole with anti-skid in head compartment.
- Storage lockers.
- Towel bar.
- Ventilation blower.
- Holding tank “full” indicator.

Guest Cabin:

- Double berth with foam Queen sized mattress.
- Drawers and storage under berth.

- Entry door from saloon.
- Bureau with 3 drawers.
- 2 opening ports and one overhead hatch.

Saloon:

- “L” settee in Ultrasuede with Hi-Lo inlaid table.
- Storage under “L” settee, Sabre tool drawer.
- Lockers outboard of berth back with louvered doors.
- Sound deadening headliner panels.
- 2 x overhead opening hatches with Oceanair roller blind.

Galley:

- L-shaped galley to port.
- Drawers and locker storage below counter.
- Corian worktops.
- Single overhead opening hatch.

Helm

- Centre opening windshield – manual.
- Sliding side windows port and starboard.
- Sofa with 3” Ultraleather covered cushions in ivory with blue piping and storage below.
- Stidd 500 Series helm and mate seats.
- Custom command bridge table compass rose style inlay.
- 2 Lewmar pilot hatches in hard top.
- Helm/controls include switches for horn, blower, running, anchor and instrument lights, and accessories.

- Large sole access hatch with stainless steel ladder to engine compartment.

Deck Equipment

General:

- Fibreglass bathing platform with SS telescopic swim ladder.
- 1-1/4" diameter stainless steel rail system.
- 3 x hinged cockpit locker hatches with stainless gas struts.
- Hinged, inward opening transom door to swim platform.
- Flag staff holder and teak staff.
- Lewmar Coastline polished aluminum hatches with screens.
- Custom stainless steel opening ports with screens.
- Bow and stern chocks, custom stainless steel spring line chocks.

Anchoring & Mooring Equipment:

- Fibreglass bow pulpit with double anchor roller.
- 2 x foredeck lockers forward Lewmar anchor windlass with rope/chain gypsy.
- Muir electric anchor windlass with deck/console controls.
- Delta kedge anchor with chain.
- 2 x telescopic boat hooks.
- Two extra midships spring cleats.

Covers, Canvas & Cushions:

- Wheelhouse aft screen covers x 2 (one light grey and one in navy blue – both new 2014), with opening window panel, to original manufacturers specification.
- Ivory aft cockpit cushions with blue piping.
- White Stidd helm chairs.

Safety Equipment:

- Seago 6-person canister liferaft (in-date) in bathing platform liferaft cradle.
- Alarms (light and buzzer) for high water temperature and low oil pressure.
- 2 x horseshoe life belts with lights.

Fire-fighting equipment:

- 4 x dry powder fire extinguishers (2014).
- Xintex Fireboy automatic fire extinguishing discharge system with dual override.
- Fire blanket.

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.


ФОТОГРАФИИ















КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004