

SOUND TRAVELS — OCEAN ALEXANDER



Builder: OCEAN ALEXANDER

Year Built: 2010

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 62' 0" (18.90m)

Beam: 17' 6" (5.33m)

Max Draft: 4' 8" (1.42m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Sound Travels — OCEAN ALEXANDER** from our catalogue. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Sound Travels — OCEAN ALEXANDER** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	5
Overview	5
Basic Information	5
Dimensions	5
Speed, Capacities and Weight	5
Accommodations	5
Hull and Deck Information	6
Engine Information	6
DETAILED INFORMATION	7
Accommodations & Interior	7
Salon	7
Galley	7
PH	8
MSR	8
Forward Stateroom	9
Third Stateroom	9
Heads	9
Hull, Superstructure & Deck	10
General Equipment	11
Electrical System & Electronics & Navigation	12
Engine Room & Bilge	13
Disclaimer	14
Exclusions	14
Exclusions	15
Disclaimer	15
PHOTOS	16
Exterior starboard	16

Aft	16
Aft controls	16
Flybridge	16
Flybridge helm	16
Flybridge overview	16
Flybridge helm	16
Flybridge controls	16
Davit	17
Tender	17
Aft looking down	17
Salon-Fwd	17
Salon-Starboard	17
Salon Entertainment	17
Salon-Port	17
Pilothouse	17
Pilothouse/Galley	18
Galley-Starboard	18
Galley-Aft	18
Galley	18
Pilothouse helm	18
Electrical panel	18
Electrical panel	18
Master stateroom	18
Master stateroom	19
Master stateroom	19
Master head/shower	19
Washer/dryer	19
Guest stateroom	19
VIP stateroom	19

VIP stateroom	19
VIP port	19
Guest head	20
Bow	20
Windlass	20
Foredeck	20
Engine room	20
Engine room	20
Engine room	20
Engine room	20
Engine room	21
CONTACTS	22
Contact details	22
Telephones	22
Office hours	22
Address	22

SPECIFICATIONS

Overview

Ocean Alexanders most refined Pilothouse model is available now. This is the only 62 Ocean Alexander PH in the country and features low hours and all factory options including grey hull and house painted. Three stateroom and two head layout is perfect for friends and family on extended cruises. Fully stabilized and easy to maneuver with hydraulic bow and stern thrusters. Three control stations make docking a breeze. Call today to set up a tour. You will not be disappointed in the condition of this Ocean Alexander.

Basic Information

Category: Motor Yacht

Model Year: 2010

Year Built: 2010

Country: United States

Dimensions

LOA: 62' 0" (18.90m)

Beam: 17' 6" (5.33m)

Max Draft: 4' 8" (1.42m)

Speed, Capacities and Weight

Displacement: 69500 Pounds

Water Capacity: 260 Gallons

Holding Tank: 100 Gallons

Fuel Capacity: 1000 Gallons

Accommodations

Total Cabins: 3

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: Caterpillar

Model: C-12

Fuel Type: Diesel

DETAILED INFORMATION

Accommodations & Interior

- Afromosia paneling and cabinetry
- European door handles
- Push-button handles for drawers & cupboard
- Carpeting thru out, except for teak and holly flooring in PH and heads (all Ocean Alexander flooring is 5/16" thick w/ over 4x sandings for ease of repair maintenance and longevity)
- Seagull water purifier in galley
- Satin varnish for interior finish
- Removable headliner on entire boat
- Hanging lockers with dual locking mechanism
- Cornice box and all interior window frames with rounded corners
- Phantom® screens for after salon & pilot house doors (for insects + pollen protection)
- 2" bull-nose cabinet tops
- Chamois for lower walkway walls
- Mattresses for berths

Salon

- 4W, 24Volt LED lighting (Aerospace quality , specially tuned color temperature for Ocean Alexander that last over 100,000+ hours) - much lower power draw while running on batteries
- Sony/ Denon DVD/ CD audio stereo and video system in Middle-Atlantic rack w/ voltage regulator & IR repeater
- Sofa in salon with storage inside
- Whisper-Wall removable ceiling panel
- Sony 40" LCD TV
- Sub-woofer
- AM/ FM surround sound receiver
- Rack mount for all audio/ video equipments
- IR repeating systems
- DishNetwork receiver and Master Selector Switch to receive HD programming

Galley

- Disposal in sink
- Lazy Susan in corner

- Afromosia panel and cabinetry
- Storage cabinets and drawers
- Franke™ Double sink with faucet
- Overhead dish locker with access on both sides
- Select Teak and holly flooring, same color as afromosia cabinetry
- GFI (110V only) AC outlets
- GE garbage disposal
- Amana double door Refrigerator with freezer drawer below
- Gaggenau electric cook top
- GE Microwave with Speed-Cook Convection
- “Drawer type” shelves in large galley cabinet
- Miele G832SC Touchtronic dishwasher
- Broan Trash compactor
- Gaggenau electric oven
- Silestone counter tops

PH

- Select Teak and holly flooring, same color as afromosia cabinetry
- L-shaped dinette with chart drawer underneath
- Sunken and extended dash with instrumentation
- Wood table top with storage cabinet under
- Windshield defrosters
- 24V LED lights (Aerospace quality , specially tuned color temperature for Ocean Alexander that last over 100,000+ hours)
- Water tight pantographic doors to side decks (air plane style articulation)
- Stidd® helm seat (black)
- Custom-designed pilot station with black Ultraleather
- Ritchie compass 5”
-

MSR

- Queen-sized berth
- Two night stands with countertop
- Bureau w/ chest of drawers
- Private head with stall shower
- Dressing mirror
- Safe in portside berth cabinetry
- Cedar-lined, full-height hanging locker with auto lighting
- Full beam master with large fixed windows on both sides
- Surround Sound system

- 24V LED lights (Aerospace quality , specially tuned color temperature for Ocean Alexander that last over 100,000+ hours)
- IR repeating for audio/ video system
- Sony DVD/ CD audio stereo and video system
- Sony LCD TV
- Locker shelf top on starboard hull side
- Maytag™ stacked washer/ dryer

Forward Stateroom

- Queen-sized berth
- Two drawers under bed
- Dressing mirror
- 24V LED
- Cedar-lined hanging lockers with automatic lighting
- IR repeating for audio/ video system
- S/S oval port lights
- Head w/ stall shower
- Chest of drawers
- Sony DVD/ CD audio stereo and video system
- Mirror headboard
- Sharp LCD TV system
- Accent rope lighting

Third Stateroom

- Dual bunk beds side by side
- Drawers under bed
- Dressing mirror
- 24V LED lighting
- Cedar lined hanging locker with automatic lighting
- Accent rope lighting

Heads

- Afromosia walls & cabinets with double bull-nose Silestone Countertops
- Seamless fiberglass stall shower
- Grohe™ faucets for sink and shower
- Tecma™ heads
- Vent blower
- GFI (110V only) AC outlet

- 24V LED light
- Silestone® in shower floor , shower seat and wall trim
- Teak and holly flooring
- Medicine cabinet
- S/S oval port light
- Accent rope lighting
-

Hull, Superstructure & Deck

- Hand-laid, gel-coated fiberglass hull
- Airex® PVC core on hull sides (closed cell, cross-linked polymer foam w/ highest elongation in its class for great impact strength. Sound and temperature isolation w/ self extinguishing properties)
- Solid fiberglass hull bottom
- Removable swimming ladder
- White non-skid fiberglass decks
- Fiberglass bow pulpit with S/S anchor roller
- Hard top w/ dual ventilation hatches
- White vinyl rub rail S/S insert
- Lexan® windscreen on FB
- 12' Apex tender with 35 hp Nissan fuel injected motor
- Tempered dark tinted window glass. Glass is Low-E glass which increase energy efficiency by 25%+ and is UV stabilized for reduction of fading and degradation of a yacht's interior and health of occupants due to harmful UV rays
- Gates in elliptical S/S handrail, port & stbd.
- Fiberglass swim platform w/ Euro transom
- Windows, all fixed and flush
- Carbon reinforced structural fiberglass stringers filled with high density foam
- Deck lights, 24V LED
- Ventilation hatch fwd. trunk top
- Fiberglass stair case from cockpit to flybridge
- Pantograph doors in pilothouse
- Swing open door with fixed window, bridge to pilothouse
- Transom doors
- Sunbrella® fabric on outside cushions
- Reinforced collision bulkhead
- Wet bar with sink and bar refrigerator on FB
- L-shaped seating on FB with fiberglass table
- Port and starboard boarding gates
- Chain locker in bow with hinged access hatches and fresh water wash down
- Teak swim platform with teak steps

- Teak deck for cockpit
- Second stabilizer monitor on Flybridge
- Tv/Phone hookup in swimstep
-

General Equipment

- S/S hardware • S/S rudders
- 2" elliptical 316 Stainless steel handrails & Bronze struts w/ cutlass bearing stanchions, main deck. 1-1/2" on FB
- S/S oval port lights
- S/S cleats & hawse holes
- Bronze through-hull fittings
- Hydraulic windlass, Maxwell® VWC3500C
- Zincs on rudders, shafts & trim tabs
- Trim tabs
- High performance, computer-designed and machined class "S" propellers
- Fresh water wash down, fwd. deck
- Fresh water wash down, cockpit
- Teak bow and stern staffs
- Two Stidd® helm seats on F/B (white X2)
- Scuppers, side cockpit
- One Stidd® helm seat in Pilothouse (black)
- Lighted OA logo
- S/S swivel anchor light bracket
- Aft deck shower, dock-side water inlet
- S/S door cockpit to salon (sliding door)
- Pantograph windshield wipers & washers w/ intermittent function
- Two control stations: FB & PH, with complete engine instrumentation with lighted switches
- Third control in cockpit starboard side (engine and thruster)
- International navigation lights
- Gulfcoast Fuel polishing system
- Oil changing system for both engines and genset
- Three U-shaped rails on swim step
- Blue Sea digital Multi-function meter
- Sea Recovery Aqua Whisper DX 1400 water maker - 58 gallons per hour, 1400 gallons per day
- S/S steering wheel on FB
- Engine hour meter
- Electric engine controls
- Kahlenberg™ heavy duty single air horn

- Heavy duty corner cleats at both sides of Euro transom
- Water tight Pantograph doors at PH
- Stainless steel plow type anchor 80 lbs w/ 300ft anchor chain (3/8" HT) & chain stopper
- Electronic magnetic chain counter
- Hydraulic steering system
- Hydraulic KeyPower® stabilizer (6 Sq. ft. x 2)
- Hydraulic bow thruster (25 HP) and stern thruster (15HP)
- Engine alarm system, audio oil and temperature
- Wet exhaust and including water temperature, oil pressure, hour meter and start/ stop controls in engine room and remote start/ stop controls in the pilot house
- All exterior hardware to be S/S 316 or better and to manufacturer requirements
- Fire Boy™ Fire extinguisher system with engine-shutdown feature
- Steelhead SM 1500R davit (hydraulic boom, rotation and extension)
- Chart light beside dash
-

Electrical System & Electronics & Navigation

- Heavy-duty batteries (house banks: 615 AH , engine batteries: 470AH, genset batteries: 235AH)
- Service battery switch
- Furuno NavNet 3D MFD Black Box Processors (x2)
- Furuno 6Kw 4ft Open Array Dual Ranging Radar
- Furuno Class B AIS (FA50) transmitter/receiver integrated into Chart Plotter
- Furuno Digital Sounder (DFF1) with 1Kw B260 Broadband Transducer
- Furuno BBWX2 Sirius Satellite weather receiver integrated into chart plotter
- 2 Daylight Marine Monitors in both PH and FB (4 total)
- AXIS IP camera in Engine Room and Aft Deck
- ICOM 25W IC-M604 VHF in both PH and FB with two antennas with DSC calling ability
- Simrad AP28 Autopilot System at PH and FB
- KVH M7 Control Panel Satellite HDTV System
- Maretron DSM250 NMEA 2000 Display PH, FB and MSR
- Maretron generator power monitors for each generator (ACM100)
- Maretron house battery monitor (DCM100)
- Maretron weather station (WSO100)
- Maretron bilge water sensors for engine room and lazarette
- WIFI router and bridge to connect boat to marina WIFI's and rebroadcast on boat
- Maretron NMEA 2000 GPS, Depth Sounder
- Nobeltec Navigation Computer
- Proportional control for thruster
- Vimar™ switches and outlets

- 24V LED lights in all compartments
- AC/ DC distribution panel with magnetic circuit breakers
- VOLT and AMP meters
- Northern Lights 20kw Generator (150 hours)
- Northern Lights 12kW Generator (260 hours)
- Mastervolt® 4000W inverter/ charger (pure sine wave)
- Mastervolt® battery charger (engine: 24V/60A , genset: 12V/25A)
- Shore power receptacle 50AMP in transom w/ 50ft cable master, 50 AMP connection starboard side by helm
- Cellular amplifier (Professional grade wireless signal booster, optimized for voice or laptop data connections)
- Battery paralleling system with control switch
- Bonding system w/ AC outlet throughout
- Electrical panel w/ backlighting
- Marine-grade tinned copper wiring
- NMEA2000 BACKBONE w/ AC/ DC power installed (for future electronics / equipment communication network)
- Chain counter
- Charles ISO Boost isolation and boost transformer on stern shore power connection
- GFI (110V) AC outlet with SmartLock feature for operation error protection which exceeds UL requirements
- The vessel's bonding and grounding systems shall include copper straps secured to the hull and running the full length of the vessel parallel to centerline. Engines, generators, metallic through hulls, strainers, and pump bodies shall be connected to the bonding strap using 8 AWG wire minimum or equivalent
-

Engine Room & Bilge

- Headhunter™ pressure fresh-water system
- S/S rail on side of engine
- Both side fillers for water & fuel tanks – single fuel tank can be filled from either side
- Fuel tank on boat centerline and low in hull for added roll stability
- 30-gallon water heater with high density fiberglass insulation w/ high efficiency heating element
- Aluminum fuel tanks with sight gauges and tested to International Standards 33CFR 510(a) w/ high and low fuel level alarm system
- 316 S/S water tanks w/ sight gauges
- Holding tank plumbed dockside for overboard discharge
- Common drainage system for sink, shower, bilge & exterior deck
- Color-coded piping for fuel, water and hydraulic systems

- Five electric bilge pumps, 24V auto & manual switch, sumped when available
- One manual bilge pump in crew quarter
- Tank tender for 4 tanks
- Dripless engine shaft seal logs and rudder posts
- Detailed stringers in engine room and lazarette
- High water bilge alarm with all bilge pumps - additionally Maretron water sensors in select bilge areas
- Holding tank gauge in master stateroom head
- Underwater exhaust system
- S/S cap on transverse strings in central walkway
- Spare conduit running from engine room to PH, engine room to FB and engine room to FB overhang (under)
- Sea cocks and raw water strainers on all intakes
- Dual Racor® fuel/water separator with Y-valves for engine & generator
- 24V shower sump pumps
- Engine battery isolation switches

- Herone® rubber flooring in engine room
- 110V fluorescent lights
- AC outlet
- Fresh-water outlet with hose for engines & generators
- 24V ceiling lights, anti-explosion type in engine room
- Two S/S reinforcement brackets on engine-room ceiling
- Generator with fuel/ water and gas/ water separator
- 3 valves in steering system for autopilot
- S/S engine beds
- Generator sets resiliently mounted and installed with sound shield
- Delta-T® engine vent blowers
- Cruisair® compressors for central air conditioner, 5 units, total (Reverse Cycle heating capable for operation down to 40 deg F)
-

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Exclusions

"All personal property is excluded unless specifically identified and included in the sale

All personal property is excluded unless specifically identified and included in the sale agreement and listing specifications. Personal property refers to all items not permanently attached to the vessel including but not limited to: artwork, furnishings, and recreational or entertainment items. Advertisements, marketing materials, and/or other photography may depict the vessel with personal property, however, such personal property is excluded unless otherwise specifically included as provided herein.”

Exclusions


Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

Exterior starboard



Aft




Aft controls



Flybridge




Flybridge helm




Flybridge overview



Flybridge helm



Flybridge controls



Davit



Tender



Aft looking down



Salon-Fwd



Salon-Starboard



Salon Entertainment



Salon-Port




Pilothouse



Pilothouse/Galley




Galley-Starboard




Galley-Aft



Galley




Pilothouse helm




Electrical panel



Electrical panel



Master stateroom



Master stateroom



Master stateroom



Master head/shower



Washer/dryer



Guest stateroom



VIP stateroom



VIP stateroom



VIP port



Guest head



Bow



Windlass



Foredeck



Engine room




Engine room




Engine room



Engine room



Engine room



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004