

OH SEA D — FAIRLINE



Builder: FAIRLINE

Year Built: 2014

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 42' 6" (12.95m)

Beam: 13' 10" (4.22m)

Max Draft: 3' 6" (1.07m)

Cruise Speed: 25 Kts. (29 MPH)

Max Speed: 30 Kts. (35 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Oh Sea D — FAIRLINE** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Oh Sea D — FAIRLINE** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

| | |
|-----------------------------------|----|
| TABLE OF CONTENTS | 2 |
| SPECIFICATIONS | 4 |
| Overview | 4 |
| Basic Information | 4 |
| Dimensions | 4 |
| Speed, Capacities and Weight | 4 |
| Accommodations | 4 |
| Hull and Deck Information | 5 |
| Engine Information | 5 |
| DETAILED INFORMATION | 6 |
| Features | 6 |
| Manufacturer Provided Description | 6 |
| Accommodations | 6 |
| Main Saloon | 8 |
| Galley | 8 |
| Helm Position | 8 |
| Deck | 10 |
| Hullform and Construction | 10 |
| Engines and Sterngear | 11 |
| Electrical Systems | 11 |
| Tankage | 12 |
| Exclusions | 12 |
| Disclaimer | 13 |
| PHOTOS | 14 |
| CONTACTS | 23 |
| Contact details | 23 |
| Telephones | 23 |
| Office hours | 23 |

Address

23

SPECIFICATIONS

Overview

Do not miss this opportunity to purchase a lightly used 2014 42' Fairline yacht with only 280 Hours.

Basic Information

Category: Motor Yacht

Model Year: 2014

Year Built: 2014

Country: United States

Fly Bridge: Yes

Dimensions

LOA: 42' 6" (12.95m)

Beam: 13' 10" (4.22m)

Max Draft: 3' 6" (1.07m)

Speed, Capacities and Weight

Cruise Speed: 25 Kts. (29 MPH)

Max Speed: 30 Kts. (35 MPH)

Displacement: 29762.40537 Pounds

Water Capacity: 103 Gallons

Fuel Capacity: 135 Gallons

Accommodations

Total Cabins: 2

Total Berths: 3

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: Caterpillar

Model: C7

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Features

Electronics Radar - Garmin HD VHF - Garmin GHS 10 Navigation center Compass - Ritchie Cockpit speakers - Depth Garmin GMI 10 Autopilot - Garmin GHC10 Radio - Fusion GPS - Garmin 5012 Depthsounder Plotter - Garmin TV set

Inside Equipment Electric bilge pump Microwave oven Bow thruster - Side power Battery charger Manual bilge pump Sea water pump Refrigerator Hot water Electric head Air conditioning **Electrical Equipment** Generator Shore power inlet Electrical Circuit: 220V **Outside Equipment/Extras** Teak cockpit Swimming ladder Cockpit shower Cockpit cushions Electric windlass **Covers** Cockpit cover Bimini Top

Manufacturer Provided Description

This yacht proved to be one of our most ambitious challenges. How can the identity of our most inspiring and exclusive models translate into a smaller yacht?

It was the most wonderful brief for our designers that would require every ounce of their ingenuity and experience. The result is a compact Squadron with the genuine feeling of a much, much larger yacht. Each area has been designed to work in harmony with the next. Your journey through the entire yacht is seamless, with no interruptions. And it is this flow that gives a feeling of a luxurious, open space. The type of freedom you would only expect from a 50+ foot yacht. The large flybridge isn't just for show, every aspect has been carefully considered to create the space for people to move around freely. Yes, we can safely say, it is every inch a Squadron.

Accommodations

Master Cabin

- Bedside table
- Drawer(s) under bed
- Full-height standing headroom
- Halogen ceiling lights
- Large hatch with flyscreen and concealed blinds to foredeck
- Lockers (overhead)
- Master cabin skylight
- Mirror
- Opening hull windows with blinds
- Oversized double bed
- Reading lights

- Upholstered bedhead
- Wardrobe(s)
- Samsung TV
- Fusion Stereo remote
- Fusion Iphone charger

Master En Suite

- 220V/240V shaving point
- Automatic shower tray pump-out system
- Dometic electric silent-flush freshwater toilet
- Extractor fan
- Foundations® vanity unit locker and basin with hot and cold pressurised water
- Full set of bathroom fittings
- Full standing height shower with hinged door
- Halogen ceiling lights
- Mirror
- Opening hull windows with blinds
- Teak flooring

Starboard Guest Cabin

- Bedside stowage
- Double doors to en suite
- Full length berths x 2 with sliding conversion to double bed
- Full standing height shower with solid teak gratings, seat and hinged door
- Halogen ceiling lights
- Lockers (overhead)
- Mirror
- Opening hull windows with blinds
- Reading lights
- Wardrobe(s)
- Samsung TV

Guest Cabin En Suite

- 220V/240V shaving point
- Automatic shower tray pump-out system
- Day Access
- Electric silent-flush freshwater toilet
- Extractor fan
- Foundations® vanity unit locker and basin with hot and cold pressurised water
- Full set of bathroom fittings
- Full standing height shower with solid teak gratings, seat and hinged door

- Mirror
- Opening hull windows with blinds

Main Saloon

- 32" power up flatscreen TV, Harman Kardon Entertainment system and with Fusion RA50 marine stereo and speakers to cockpit
- Aerial and connections for television
- Blinds to side windows

- Oak Flooring in saloon

- Curtains to patio door
- Dining table
- First aid kit
- Freestanding sideboard with cocktail cabinet and provision for optional 32" TV
- Full-height standing headroom
- Full length saloon windows
- Halogen ceiling lights
- Handrail with glass partition leading to galley
- Sofa

Galley

- Microwave and convection
- 2-burner gas hob, oven and grill
- Additional galley storage space built into bulkhead
- Fire extinguisher
- Foundations work surface
- Halogen ceiling lights
- Integrated waste bin
- Lacquered cupboard doors
- Panoramic windows with opening port
- Random teak floor
- Refrigerator and freezer
- Sink with hot and cold mixer tap
- Underfloor stowage
- Work surface lights
- Full Fairline cutlery, plates, and glasses

Helm Position

Flybridge and Second Helm Position

- 12V heavy duty weatherproof socket
- Access hatch
- Bilge pump warning lights and audible alarms
- Bolstered helm seating
- Chaise-longue seat
- Companion seating to helm
- Deck level lighting
- Drinks holders
- Electronic single-lever throttle and gear controls for port and starboard engines
- Ensign and staff
- GRP flybridge table with hi/lo facility
- Garmin GMI 10 digital multi-function instrument system with colour display
- Helm position indicator
- High speed magnetic compass
- Instrument covers
- Moulded non-slip deck surface
- Remote anchor winch controls
- Remote control searchlight with controls at both helm stations
- Repeat flybridge engine instrumentation, controls and electronics
- Stainless steel handrails
- Teak laid oversize flybridge steps
- Trim tab controls
- VHF radio incorporating intercom
- Wind-deflecting screen with grab rail

Main Helm Position

- 12V socket
- Adjustable/tilt steering wheel
- Bilge pump switches with integral operating warning lights and audible alarms
- Bolstered helm seat
- Control panel for 12V/240V domestic electrical circuits
- Controls for engine bay fire extinguisher system
- Electronic single-lever throttle and gear controls for port and starboard engines
- Fuel gauges
- (2) CAT Electronic Engine displays
- Full engine instrumentation including; tachometers, temperature gauges, battery condition indicators, audible alarms and engine hour meters
- (2) Garmin GMI 10 digital multi-function instrument system with colour display
- Garmin VHF 300i marine radio
- Garmin GPS MAP 5012
- Helm position indicator
- High speed magnetic compass

- Hydraulic steering
- Opening side window (manual)
- Random teak floor
- Red night-light illumination to helm
- Remote anchor winch controls
- Searchlight controls
- Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans
- Trim tab controls

Deck

- Anchor chain locker
- Anchor winch (electric)
- Anchor winch controls
- Calibrated anchor chain
- Delta anchor 16kg with 45m chain
- Fender set
- Foredeck lockers
- Fuel fillers
- Full set of IMCO navigation lights
- Horn to radar mast
- Hot and cold water transom shower
- Moulded non-slip deck surface
- Recessed self-draining area on foredeck for coachroof sun cushions
- Riding light
- Stainless steel bow, spring and stern cleats
- Stainless steel bow fairlead(s)
- Stainless steel handrails
- Stainless steel pulpit
- Stainless steel stemhead roller
- Swim ladder
- Teak laid bathing platform
- Toughened glass curved windscreen
- Transom gates from cockpit to integral bathing platform
- Water filler(s)
- Windscreen wipers

Hullform and Construction

- All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings
- Antifouling protection to hull
- Deep 'V' forward 12.5° deadrise aft
- Design, layout and detailing by the Fairline Design Team. Naval architecture and structural

engineering by Bernard Olesinski

- Full length hull design
- Full length moulded spray deflectors
- Hull/deck join bolted and bonded
- Integrally moulded engine bearers
- Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat
- Panoramic hull windows
- Stainless steel gunwale with rubber insert
- The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation
- The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings
- The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle
- Transverse and longitudinal strengthening stringers throughout hull

Engines and Sterngear

- CAT C-7 in lieu of the Volvos D6 250 hrs.
- Access through cockpit hatch
- Aerodynamically designed engine air intakes
- Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override
- Automatic engine bay fire extinguisher system with warnings at both helms
- Balanced rudders
- Cathodic protection
- Dripless shaft seals
- Electric engine bay fan(s)
- Electro-hydraulic trim tabs with cathodic protection
- Engine bay lights
- Engine room soundproofing
- Exhaust overheat warning system
- High capacity emergency manual bilge pump system with changeover valves
- Manganese bronze 'P' brackets
- Manganese bronze propellers contra-rotating
- Sea cocks on all inlets/outlets below waterline
- Stainless steel alloy shafts
- Water cooled engine exhausts with silencers and side outlets

Electrical Systems

- Air conditioning Tropical Specification with domestic appliance pack with combination microwave oven/hob - Includes 9.5kW Generator

- All 240V, 24V and 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
- Bow Thruster 6hp
- Heavy duty circuit breakers
- Isolating switches to all batteries

12 Volt

- Batteries - 2 x heavy duty batteries wired in parallel supplying domestic services
- Battery - 1 x heavy duty battery exclusively for port engine starting
- Battery - 1 x heavy duty battery exclusively for starboard engine starting
- Regulated charger

240 Volt

- Polarity check and earth leakage protection system
- Power points throughout the boat (fed from shore power or generator)
- Shore power supply

Tankage

Fuel System

- Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank
- Emergency fuel shut-off valves accessible via cable-operated remote control
- High capacity water separators and fuel filters
- Individual fillers and vents to port and starboard
- Marine grade alloy fuel tanks x 2

Freshwater System

- Automatic, pressurised supply
- Calorifier hot water system
- Water tank(s)

Exclusions


Owner's personal belongings.


Disclaimer


The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS



















CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004