

MY SONG — CUSTOM BUILT



Builder: CUSTOM BUILT

LOA: 66' 8" (20.30m)

Year Built: 2011

Beam: 18' 1" (5.50m)

Model: Performance Sailboat

Min Draft: 8' 10" (2.68m)

Price: PRICE ON APPLICATION

Location: France

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **MY SONG — CUSTOM BUILT** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **MY SONG — CUSTOM BUILT** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	9
Dimensions	9
Speed, Capacities and Weight	9
Accommodations	9
Hull and Deck Information	10
Engine Information	10
PHOTOS	11
CONTACTS	13
Contact details	13
Telephones	13
Office hours	13
Address	13

SPECIFICATIONS

Overview

CONSTRUCTION

Homologation: CE Cat A Ta Yang Yacht Building Ltd November 2010 Design: Hull Ladd Naval Architect - Deck, Interiors engineering Jacaroni Naval Architect, Marine Engineer

- **HULL**

Blue gelcoat/White Waterlines Hand lay-up E-glass/Coremat/PVC foam sandwich (sides) 3/4" thick PVC foam on hull above water line

DECK

Hand-made teak planks 10mm thickness, applied without screws on Deck House, Coach roof and Deck house. Hand lay-up PVC foam sandwich Teak toe rail 10 cm height with custom teak cap rail

- **TANKS AND CAPACITIES**

Diesel

Material: Aluminum 4,5 mm (5052H32) N°2 tanks placed under deck house sole. Total capacity 2044L

Drink water

Material: Inox AISI 314 N°2 tanks placed under deck house sole Total capacity 1173 L

Grey Water

Material: structural GRP N°2 tanks placed under forward and main cabin sole Capacity 120 L

Holding tanks

Material: structural GRP N°3 Tanks placed under forward and main cabin sole and on day head Total Capacity 300 L

AUXILIARY PROPULSION

Yanmar 160 HP 4LHA-HTP series Gearbox: HURT-ZF 45A Alternator 80 A/12V
Mastervolt alternator heavy duty 150A/24V for service batteries Shaft AISI 316 1-3/4"

Bracket: AISI 316 Hi efficiency propulsion pack: SPW Propeller 4 blades 24"+ inclined shaft+ custom gear ratio MORSE bearings VETUS BULLFLEX (antivibration shaft) GRP waterlock RACOR Dual-type diesel-fuel filter for engine RACOR diesel-fuel filter for generator Engine Double electronic Morse control (internal- External starboard position) Safety Morse switches in engine room S/S custom remote valves for engine and generator fuel

Engine Double control Yanmar (internal-External starboard position) Sea Fire automatic fire extinguisher in the two machinery compartments (engine and generator) n°3 Jabsco Electric ventilators for machinery compartment and engine room 2" aluminium sound absorbing veneer insulation surrounding machinery compartments Sidewater bow propeller SP155 TCI- 24V Westerbeke 12.5 EDT 514 230V 50Hz Generator with NMEA 2000 databus Sound guard SST soundproof system with separate exhaust silencer N°2 Reverso Oil change systems for engine and generator Fuel transfer pump between tanks both for water, both for fuel systems.

STEERING SYSTEM

Inox Shaft AISI 316 FRP Fully protected skeg-hung rudder (not hydrodynamically balanced) Edson Independent two-cable steering Emergency tiller N°2 Lewmar Minimaxi bi-spoke 42" steering wheels covered

ANCHORING SYSTEM

N°2 s/s windlasses Maxwell VWC 3500 24V (vertical on deck with integrated warping winch) n°2 * 100 m high load 10mm DIN calibrated chains by Maggi Catene n°2 CQR stainless steel 316L 55 kg custom anchors

Double chain locker with chain stoppers Custom folding Anchor roller for automatic pull down of 2 CQR anchors N°2 remote controls Lewmar stations with evolved functions mod.AA550, chain release function

GENERAL LAYOUT

Deck House with internal steering post. Raised saloon. Cockpit with double steering, wide Teak table (hi gloss coated) drop leaf with central section and pod for G120+keyboard and Yanmar engine control panel type C Twin custom GRP pedestals with Ritchie compasses: port station dedicated to sails controls (4 joysticks), starboard station dedicated to manouvering Teak companionway doors with handle and lock by "Foresti e Suardi" Bimini top 20 sqm inox retractable Stainless steel 316 stern pulpit up to lateral entrances and 2 teak lateral seats Stainless steel 316 bow pulpit Stainless steel 316 stanchions and guard rails Stainless steel 316 custom oval base pipe Stern mast S/S for folding Radar- satellite antenna-horn-CAM100-speaker

Wide afterpeak with ladder flush deck hatch Wide forepeak with ladder flush deck hatch Deep lateral port peak with flush deck hatch Deep cockpit peak for life raft and liquid storage with flush deck hatch Structural teak rub rail for longitudinal strenght and s/s 316 plank running along topsides Fixed lateral port-holes Manship Inox 316 size 1 Screens for port holes Opening lateral port-holes Manship Inox 316 size 1 in forward, centerboard and aft bathrooms. N°8 Low Profile Manship luxury hatches Inox 316 Emergency escape for main cabin below the cockpit seat and fwd shower (CE) Reverse custom stern bathing platform with 3 curved steps, integrated custom swimming ladder and box with shower N°8 s/s Inox mooring cleats Electro-hydraulic external-retractable custom gangway (teak-aluminium blue coated) 3 meters with remote control

DECK HARDWARE

N°2 electric Winches Lewmar 65SEST s/s 316 for halyard and self-tacking genoa N°2 electric Winches Lewmar 77SEST s/s 316 for gennaker and mooring. Lewmar traveller cars, tracks for genoa and main sheet Hardware Lewmar for: cars, tracks, blocks, rope clutches.

Electric furlers Bamar with joystick controls on port pedestal and emergency Boxtron (2nd mainboard)

INTERIORS

Stern main cabin with Queen size berth and leather couch, bathroom with wooden fittings, independent shower stall, table with chair. Bow symmetrical cabins with side double berths, bathrooms with wooden fittings, shared shower stall, table with chair

Crew cabin with 1+1 berths under living room at the centre of the boat

Day head with shower and sink for crew Raised saloon (view from Deck House windows) with hi gloss table murple burl Raised internal steering post. with leather seat for two

Independent kitchen without door and with electric aspiration Pc area underneath internal steering with table, leather armchair, main switchboard and bar on bulkhead Main engine room Second Machinery compartment for generator and auxiliary with access on the side of the saloon Lazarette area for large storage Forward area for storage

SPECIFICATIONS

Poliurethane satin varnishing 50% Hand-finished Full Teak: bulkheads and doors, trim plates. Polished, bi-colour saloon table Burr instrument pod of internal steering Internal teak coating of deck house and of windows frames Full oak internal floor (10 mm) with elegant fair wooden contours finishing (bathrooms included) Solid floor boards with looks Full teak grating for shower stalls Corian countertops for bathrooms (cod. MH503)and kitchen (MM 704) Removable ceiling panels with vinyl headliner and teak planks Mirror PVC top panel of bathrooms Custom climate water chilled control system with custom air outlets in bathrooms by Cruisair.

Kitchen equipment

Miele 220V Stand up fridge with freezer 4 burner cooktop with Force 10 s/s oven S/S microwave oven Miele Automatic gas safety shut-off valve in external LPG storage compartment Miele 220V coffe-maker

Miele 220V Dishwasher with separate Jabsco drain box Macerator with separate drain Cover for stove

Others: Electric sliding curtains for deck house and Manual curtains for portlights. Soft green colour. New custom mattress for berths Beige leather covering mod.0708 for saloon, internal steering, seats Lewmar “Roller shade screens” in all cabins and bathrooms against sunlight and insects. FSE Robline Cruising sheets. Covers for cockpit table and steering wheels and winches. Cushions “Luxury” for cockpit n°4 Complete bathroom kit (4 pieces) Tender crane on mast Tender 40HP with cockpit and cushions (Disp 500kg)

PLUMBING SYSTEM

Pressurised hot and cold water with 24V Jabsco & Flojet pump with automatic water sensor(rigid circuit). 220V Seaward Electric boiler with heat exchanger connected to the main engine with switch valves. Ceramic sinks with single-lever taps for bathrooms Variable led marine faucets S/s double sink with single-lever taps and pull-out sprayer for kitchen N°3 internal showers and n.1 pull-out shower with hot and cold water for stern spoiler Sea Recovery Ultrawhisper modular water-maker mod. UW300 24V with selfwashing Miele 220V Washing machine Deck wash down with two Jabsco outlets: on cockpit (flexible pipe) and near bow chain lockers (flush mounted outlet on deck) Henderson manual pumps for Lazarette, engine and main saloon bidge compartments n°3 24V electric pumps (Jabsco) with filter for holding tanks drain with on/off switch N°4 Vacuflush toilets with electronic remote control Sealand 4800 Fresh water tanks vents Holding tank vents overboard Vetus and odour filter Tank master and tank tender with key and automatic drain by Dometic n°2 24V electric pumps (Jabsco) and macerator Air pressure Tank tender for fuel and water tanks Fuel tank vents Sea water inlets for watermaker, water pumps and auxiliary. Water transfer pump between tanks

ELECTRIC SYSTEM AC 220V 50 Hz DC 12V & 24V

Solar panels 24 V 300w, solar charge master and automatic day/night sensor switch on electric panel for anchor lights, spreaders lights, nav lights, engine lights. Custom electric panel with digital displays for: AC Volt, DC Volt, DC Amp(Battery selected),

Mastervolt COMBO Charger/inverter 24V/4000W 220V 50Hz with remote control panel Mastervolt electronic charger 24V for alternator 150 A AC Switch for: Shore-Generator-Inverter Main switches and electrical parts by Lewmar

Mastervolt Battery isolator between battery banks and engine alt. Maringo receptacle and shore power socket Newmar Galvanic isolator for shore power earth ground galvanic corrosion 220V schuko sockets in all spaces and below cockpit table

n°2 Mastervolt DC 24V-12V converters 12V sockets in nav station, engine room and below cockpit table Ticino Axolute series plugs and switches with led courtesy lights

Faraday gauge and grounding: isolation from lightnings and grounding system All metal parts are interconnected Grounding of all metal parts zinc protected by 6 anodes flush mounted on the hull

Heavy Duty Accumulators: Engine and Generator: according to the producer's specifications House bank AGM: 4*200 Ah 12V Inverter Bank AGM: 4*200 Ah 12V Bow Thruster e winches AGM: 4*200Ah 12V

Lighting:

Overhead led lights: Cantalupi Tony L Cantalupi ZEUS (living-room) Reading lights Cantalupi ASTOR (Foreward cabin starboard side and crew cabin) Cantalupi ONDINE (Foreward cabin port side and main cabin) Led courtesy lights color red on 3 cabins

Courtesy Led tube on Deck House sides, steps, portlights on cabins Hanging locker lights n°6 spreaders led lights top mounted for mast (RGB variable colours) Lazarette and engine room lights

Navigation Lights: Aqua Signal Deck lights: Aqua Signal Cockpit lights: n°4 Catalupi Tony L ext, near hood and steerings, n°2 blue colour led strips IP65, n°2 alogen spot lights (1 Million cdl) on rollbar. Table lights: n°2 osculati led Cockpit led lights on table. Transom lights with: n°1 underwater light Lateral bow lights with n.2 underwater lights

Climate control system: Cruisair water chilled, with 4 climate controls and handlers with outboard drain Ventilation available without switch on the Generator Webasto DBW 2010 - 24V diesel heater integrated

n°2 LCD 20" Samsung TV white color integrated on the ceiling of the fwd cabins, manually sliding n°1 LCD 32" Hisense TV fixed on bulkhead for owner's cabin n°1 LCD 15" Hitachi TV for 4th cabin sliding on bulkhead

Raymarine electronics: Pack Autopilot: Control unit ST 7002/S3 Corepack/T3 Linear Hydraulic actuator Complete Electronic Pack : N°1 processor GPM400 G series N°1 Monitor G150 for dashboard internal steering N°1 Monitor G120 for cockpit table N°2 Complete keyboards for Monitor G series N°1 GVM400 audio-video unit N°1 Antenna gps Raystar N°1 Antenna radar radome 48 HD digital 4 Kw (MARPA) N°2 Videocameras cam 100 ccd for anchors and bow/stern pulpit N°1 Trasponder AIS 250 N°1 Graphic Sonar HD DSM30 unit N°1 Transducer 1Kw HD depth' bulb N°1 Tranducer speed/temp N°1 Transducer anemometer N°4 ST 350 CI monitor for steerings N°1 Smartcontroller

wireless for remote autopilot control and nav data. N°1

Steering Joystick for internal steering N°2 VHF 240E with interphone, hailer, fog horns
N°2 Lifetag, safety bracelets MOB

N°1 Satellite TV system Ray 45STV Europe with n°5 outlets yet wired N°2 Horn buttons
on ext/int. Steering post

ALARMS: Sicurit Alarm Italia complete system with remote control

Local tracking system by SMS

Basic Information

Category: Performance Sailboat

Model Year: 2011

Year Built: 2011

Country: France

Dimensions

LOA: 66' 8" (20.30m)

Beam: 18' 1" (5.50m)

Min Draft: 8' 10" (2.68m)

Speed, Capacities and Weight

Gross Tonnage: 44 Pounds

Water Capacity: 1173 Gallons

Holding Tank: 300 Gallons

Fuel Capacity: 2044 Gallons

Accommodations

Total Cabins: 4

Total Heads: 8

Hull and Deck Information

Hull Material: GRP


Engine Information

Manufacturer: Yanmar

Model: 4LHA-HTP

PHOTOS





CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004