


CHIONE — OYSTER YACHTS



Судостроитель: [Oyster Yachts](#)

Длина общая: 58' 9" (17.89m)

Год постройки: 2014

Модель: Cutter

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: Spain

Купить **Chione — Oyster Yachts** а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **Chione — Oyster Yachts** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Размещение	4
Корпус и палуба	4
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Construction	6
DECK LAYOUT AND EQUIPMENT	6
RIG AND SAIL HANDLING	7
INTERIOR	7
ENTERTAINMENT	8
Engineering	9
Tankage and Plumbing	9
Electrics	10
Navigation and Communication	10
Safety	11
General	11
Исключения	11
Отказ от ответственности	11
ФОТОГРАФИИ	12
КОНТАКТЫ	14
Контактная информация	14
Телефоны	14
Время работы	14
Адрес	14

ХАРАКТЕРИСТИКИ

Обзор

BROKER'S COMMENTS Recently launched in 2014, Oyster 575 Chione has barely been used and only just completed her warranty period. This is a superb opportunity for any buyer wanting an updated Oyster 575 that is ready to sail away today. From the hugely successful range, Chione is a fine example of the latest Oyster 575 styling above and below decks, including the triple 'seascape' windows adding extra illumination to the saloon. Her modern interior feels light and spacious with American light oak joinery contrasted with walnut plank-effect flooring. Chione's well thought out interior layout boasts eight berths in four ample cabins, a good-sized galley leading aft from the saloon and two large heads – for comfortable, easy cruising with family and friends. Cutter-rigged with push button hydraulic furling to her mainsail, genoa and staysail make Chione simple to handle for a couple and she is an obvious choice for those seeking the ultimate shorthanded blue-water cruiser under 60 feet. Berthed at Oyster Palma, Chione is available for viewing at your convenience.

Основная информация

Тип судна: Cutter

Модельный год: 2014

Год постройки: 2014

Страна: Spain

Размеры

Длина общая: 58' 9" (17.89m)

Размещение

Всего кают: 4

Корпус и палуба

Материал корпуса: GRP/Wood

Информация о двигателе

Производитель: Volvo Penta

ПОДРОБНОЕ ОПИСАНИЕ

Construction

1. CONSTRUCTION HULL NUMBER Oyster 575/25. HULL CONSTRUCTION Composite construction comprising a combination of E glass, Kevlar and Carbon fibre, moulded from female tools. Outer hull laminate incorporating Kevlar and Carbon fibre. HULL FINISH White hull with cove line and double boot top lines in 'Silver Grey'. DECK CONSTRUCTION Moulded in GRP with balsa core. DECK FINISH Teak laid decks, with 'rolled edge' GRP bulwarks. KEEL High performance bulb (HPB) external lead keel. RUDDER Fully protected skeg-hung rudder. STERN DESIGN 'Sugar scoop' stern design with bathing platform trimmed with laid teak. Stainless steel steps for access to the stern deck and stainless steel bathing ladder. EURCD Built to comply with the requirements for Category A – Ocean.

DECK LAYOUT AND EQUIPMENT

2. DECK LAYOUT AND EQUIPMENT ANCHOR 34kg (75lb) CQR anchor plus 100m of 12mm galvanized chain. Spade S80 collapsible kedge anchor plus 10m of 12mm chain and 100m of 18mm Octoplat. Stowage for kedge anchor in divided anchor locker with removable athwart ships partition. WINDLASS Lewmar V4 vertical capstan type 24V electric anchor windlass with adjacent foot controls and Lewmar AA560 remote control and chain counter in cockpit. DECK ACCESS Mid ship gateway stanchions with stainless steel hinged boarding ladders, which close up to form the side-gates. Gate to push pit. Stainless steel bathing ladder. 2.3m carbon fibre folding passarelle with bag, stanchions, brace lines, spreader bar, extra halyard and clutch. HATCHES Oyster custom drop-down washboard system for main companionway. Flush deck hatches. Gebo alloy-framed coaming port lights. Gebo alloy-framed opening hull ports, with fly screens. CANVASWORK Fold down companionway spray hood in Weathermax 'Sandstone' with leather covered stainless steel grab rail to aft end. Bimini in Weathermax 'Sandstone' including cover for storage, and zip on mesh side awning and aft section. Covers for cockpit table, pedestals, steering wheels and aft winches in Weathermax 'Sandstone'. Cockpit cushions in Silvertex 'Storm' vinyl with Silvertex 'Ice' piping. Scatter cushions in Sunbrella 'Charcoal' with Sunbrella 'Natural' piping. Foredeck cushions and push pit seat cushions in Silvertex 'Storm' vinyl with Silvertex 'Ice' piping. RIB cover in Weathermax 'Sandstone'. DECK PLUMBING Hot and cold freshwater deck shower in transom locker. Freshwater anchor/deck wash pump on bow. COCKPIT Walk-through teak-laid cockpit. Stainless steel drinks holders on pedestals and at companionway. COCKPIT TABLE Varnished cockpit table with stainless steel frame, folding leaves and refrigerated GRP box. Elevated fiddles on table base. STEERING Whitlock Constellation cable steering system with twin Oyster designed custom pedestal tops mounted on GRP up stands. Two 1.02m stainless steel wheels with leather covers and friction brakes. DAVITS Cooney S300 Electric Davits (300kg max. total load) with bellybands and ratchet straps. GENERAL Stainless steel pulpit and push pit. 5 pairs of stainless steel C-Quip AQ300 folding cleats with chafe strip, including additional pair on aft deck for Mediterranean style mooring. 1 pair stainless steel cleats in cockpit for sheets. Stainless steel dorade vents, with stainless steel

guards. Lazarette locker with twin stainless steel gas struts plus extra shelf. Stowage for 2 dive cylinders in lazarette. Stainless steel bar for hanging warps in lazarette. Additional horizontal divider in anchor locker for storage of fenders. Life raft storage built into push pit, starboard side. Stern quarter push pit seats in teak and stainless steel. Sovereign gas BBQ on push pit with deck filler plate in gas locker lid for connection of gas hose. Gas locker for 2 bottles.

RIG AND SAIL HANDLING

3. RIG AND SAIL HANDLING MAST and RIGGING Cutter rig. Formula Stoway hydraulic in mast furling rig. Painted white. Hydraulic reversing outhaul cylinder in boom including annual bypass valve. Boom preventer lines with fittings and stowage on boom, attaches to a dedicated fore guy. Solid rod vang. Navtec manually operated hydraulic backstay and vang adjuster. 4 x folding mast steps; 2 at masthead and 2 at gooseneck. Extra halyard and clutch fitted for passarelle, which doubles up as second main halyard. Removable carbon bowsprit including all fittings. Karver top-down furler system for asymmetric sail with K5TD drum, head swivel, snap shackle, HR shackle, custom stay, continuous furling line, single and double block. HEADSAIL FURLING Reckmann hydraulic furling head stay. Reckmann manual furling on staysail. WINCHES Lewmar, chrome self tailing - 2 x 68 CEST electric primary winches. 2 x 58 CST secondary winches. 1 x 54 CEST electric mainsheet winch. 2 x 50 CST mainsail and genoa halyard winches on mast. 1 x 30 CST mainsheet traveller winch. SPINNAKER GEAR Carbon spinnaker pole stowed vertically on mast. Package includes chain plates, deck fittings, halyard, pole topping lift, a pair of sheets, fore guy and all required blocks. SAILS Dolphin sails, DYS - Mainsail, furling. 140% genoa, D4 membrane with single taffeta. White UV strips when furled. Staysail with white UV strips when furled. 1.5oz asymmetric with Karver top-down furler system.

INTERIOR

4. INTERIOR GENERAL 8 berths in 4 cabins, excluding the saloon. Interior joinery finished in American light oak with horizontal grain. Designed to be modern and coordinated, whilst remaining practical and durable at sea. Essential features include sculpted fiddles and grab rails, and Oyster custom knobs for lockers and drawers. Cabin sole in matt walnut with planking effect. Surfaces in galley and heads in Avonite. Headlining in off-white vinyl. Upholstery in Alcantara 'Sea sand' with kick panels in 'Jab Panama Brown'. Lee screens on sea berths. Ocean air 'Skysol' blind system on windows in all cabins. Oceanair skyscreens on all deck hatches. Flyscreens for all opening hull ports. Folding coat hooks in each cabin and heads. 4 x Caframo fans. FORWARD DOUBLE Centerline double berth with two drawers beneath. Two lift-top bins in side shelving, CABIN clothes locker with shelves to port and hanging locker to starboard and vanity mirror. Walnut sole boards. Direct access to shared head/shower. SHARED HEAD/SHOWER Accessed from passageway and forward double cabin, including Dometic Masterflush 8600 freshwater toilet, washbasin and separate shower stall with Hudson Reed folding teak shower seat. Countertop in Avonite 'Midnight Sky'. Removable 4 hook wet weather gear hanger in headlining. Heated towel rail. PORT FORWARD With upper and lower berths, hull side lockers for clothes, a bedside cabinet with a shelved BUNK CABIN locker and a hanging locker

with two drawers beneath. Walnut sole boards. GALLEY Satin finish, Avonite countertops with up stands. Colour 'Coastline'. SINKS Twin stainless steel sinks. OVEN/HOB Gimbaled GN Espace Ocean Chef XL cooker in stainless steel with 5 burners, grill and oven. Stainless steel splash back behind. MICROWAVE Panasonic 900W Stainless steel combined microwave / grill. REFRIGERATOR Front opening door to a stainless steel fridge with Frigomatic 24V keel-cooled refrigeration unit. FREEZER Front opening door to a stainless steel freezer with Frigomatic water-cooled twin compressor. DISHWASHER Fisher Paykel dish drawer. WASHER/DRYER Bosch Exxel washer/dryer. GENERAL Sliding rubbish bin system. Jabsco charcoal filter on galley cold water supply. Knife block installed by galley sink. SALOON The light and airy saloon features seven windows, of which two of the three forward ones open. This allows for great views while at anchor and abundant light in the area. The vertical 'Seascape' hull windows are a striking feature, further enhancing the light in the area. The rectangular saloon table to port forms an occasional table when in its closed position. The table then extends, with a central infill piece (stored in the pedestal top when not in use) to form a large dining table. The table is mounted on a substantial pedestal incorporating a bottle locker in its base. Two directors chairs with appropriate stowage for dining in-harbour. A comfortable settee to starboard. Access to the saloon from the companionway is down a set of shaped teak and stainless steel steps with stainless steel grab handles. A hanging rail for wet gear is fitted behind the steps to starboard, with a drip tray beneath and an additional fiddle to prevent water from spreading into the saloon. NAVIGATION AREA Chart table is designed to hold a half-folded Admiralty chart. Navigation instruments are flush mounted on a walnut panel with horizontal grain. AFT STARBOARD Twin berth cabin with hull side lockers. A vanity mirror is fitted above an aft low-level locker. CABIN Extra locker on bulkhead for Racors and water maker, with a teak worktop above including a removable vice and tool fastening slot. A second locker is positioned above the worktop with drawer. Walnut sole boards. OWNER'S STATEROOM With a double berth offset from the centerline, with a large single drawer beneath. To starboard is a settee, a locker adjacent to the berth with extra shelving and a locker outboard. A large hanging locker and additional stowage is installed to port. Outboard and aft to port is a locker. Forward, beneath the cockpit is a large TV unit with drawers and lockers beneath. Cedar lined hanging lockers. Full height headboard. 2 brick safe with digital keypad mounted between cedar lining and hull. 40" TV on aft bulkhead. Laid carpet, colour 'Stone Fibre'. Full-length mirror on head door. EN SUITE HEAD/ Counter top in Avonite 'Midnight Sky'. SHOWER With Dometic Masterflush 8600 freshwater toilet, washbasin and locker with mirror above. Separate shower stall with Hudson Reed folding teak shower seat. Removable 4 hook wet weather gear hanger in headlining. Heated towel rail.

ENTERTAINMENT

5. ENTERTAINMENT AUDIO VISUAL SYSTEMS SALOON Samsung 32" widescreen LED TV on electric lifting panel. Fusion MS-IP700i FM tuner CD/DVD player with control for 4 zones (saloon, aft cabin plus 2 zones in cockpit). Wireless control via Fusion link app. Fusion FM-504 4 channel amplifier. 4 x JL Audio C5-650X 165mm coaxial speakers with external crossover. Apple TV 3rd generation media player. Sony PlayStation 4 Blu-ray player/ games console

connected to saloon TV. Dolphin eye Q Magic eye for Apple TV and saloon TV. Synology DS411SLIM NAS drive with Raid for movie storage and backup. Status Omni directional aerial mounted at masthead for TV and FM. OWNER'S Samsung 40" widescreen LED TV, audio via 2 x JL audio C5-650X 165mm coaxial speakers. STATEROOM Apple TV 3rd generation media player. Dolphin eye-Q magic eye for Apple TV control. Fusion MS-NRX200i fixed remote control to allow saloon stereo to be operated from the aft cabin. COCKPIT Fusion MS-NRX200i waterproof remote control for stereo on starboard pedestal. 4 x Fusion waterproof speakers.

Engineering

6. ENGINEERING ENGINE Volvo Penta D3-150 5 cylinder. 150hp at 3000rpm. Halyard Marine exhaust water separator and GRP water lock. Electronic throttle and gearshift controls. Meets both EURCD and USA EPA Tier 3 emissions requirements. ENGINE HOURS Approximately 496 hours in October 2015. PROPELLER Brunton 4-bladed Varifold propeller. ROPE CUTTER Ambassador rope cutter on shaft. ALTERNATORS 12V alternator to charge engine start batteries. Mastervolt 110A, 24V alternator to charge domestic batteries with Mastervolt Alpha-Pro 3 stage regulator. GENERATOR Onan 11.0 generator, 11.0kW, 220V, 50Hz. Parallel plumbing for engine and generator Racors with stainless steel drip trays. GENERATOR HOURS Approximately 225 hours in October 2015. BOWTHRUSTER Sleipner SE170, 10.7hp 250mm tunnel bow thruster with dedicated bank of AGM batteries, charged by Mastervolt Magic DC, DC converter. STEERING SYSTEM Whitlock Constellation cable and Mamba torque rod systems. HYDRAULICS Lewmar Commander 400 hydraulic power pack to power headsail, main and outhaul. AIR CONDITIONING 220V, 60Hz Cruisair reverse cycle system, comprising of 3 x units – 1 x 16,000BTU in saloon, 2 x 12,000 BTU in aft cabin and forward cabins to give a total of 40,000 BTU. HEATING Webasto Thermo 90 heating system with black thermostats. Three single and one double fan coil units in lazarette including protection cage. WATERMAKER Seafresh 206A, 220V water maker (approx. 104L/h) including product gauge and remote panel. Seafresh automatic freshwater back flush with dedicated pump.

Tankage and Plumbing

7. TANKAGE AND PLUMBING FUEL 1,300 litres approximately (285 imp/343 US gallons) in 2 GRP tanks. One 950 litre (250 imp/209 US gallons) tank under saloon floor, and one 350 litre (76 imp/93 US gallons) tank under forward cabin sole. WATER 950 litres approximately (250 imp/208 US gallons) in 1 GRP tank under saloon floor. TANK TENDER GAUGES Offshore Instruments tank gauge system linked to all tanks. HOT WATER From an insulated approximately 73 litre (16 imp/19 US gallons) tank heated by the engine's heat exchanger, or by thermostatically controlled 220V, 1.25kW immersion heater element powered by the generator or dockside power. Thermostatic safety blender valve and expansion tank. PRESSURISED HOT AND COLD FRESHWATER SYSTEM HOLDING TANKS Polyethylene toilet holding tank for each head. Plumber for gravity discharge or pump out from deck using shore station.

Electric capacity gauges fitted. GREY WATER Two sump tanks (for heads) evacuated by electric Whale 'Gulper' pump. Galley sink also empties via dedicated electric Whale 'Gulper' pump. MANIFOLD SYSTEM Manifold for seawater inlets to reduce through-hull fittings.

Electrics

8. ELECTRICS SHIP'S SUPPLY 24V. RINGMAIN 230V AC ring main with 8 double, EU standard type outlet sockets located as appropriate within the layout. OTHER ELECTRICAL 12V waterproof socket including dropper inside companionway storage tray for halogen SOCKETS spotlight. BATTERIES Domestic: 12 x 6V gel cell batteries giving 600Ah. Engine start: 95Ah 12V battery. Generator start: 12V battery. Thruster: 24V AGM thruster batteries. BATTERY Chargers: 2 x Mastervolt Chargemaster 24V, 100A battery chargers for domestic batteries. MANAGEMENT Monitors: Mastervolt Masterview Easy control panel. Regulators: Mastervolt Alpha Pro regulator. Emergency link: 12V generator/engine battery bank 'emergency link' parallel switch. INVERTER Mastervolt 220V MASS Sine Inverter 24/2500W (230V, 50Hz). SHOREPOWER 2 x 32A dockside power cable (second cable needed for air conditioning loads). Hubbell socket in transom. INTERIOR LIGHTING Down light type LED lights in polished chrome finish. LED strip lights over outboard galley work surfaces. Reading light for each berth. 2 x Quick Sharon reading lights in owners cabin. Concealed LED strip lights in saloon/galley head linings and at chart table fascia. Concealed LED strip lights in kick recess of saloon berth and above hull ports in owners cabin. Red courtesy light at sole level for saloon steps. Red night light function in forward head. 2 LED lights in engine room. Flexible LED chart table light. Auto door light for refrigeration. Dimmer on saloon lights. EXTERIOR LIGHTING Boom light over cockpit table. Pair of lower spreader 'down' lights, switched at pedestal. 3 pairs 'up' spreader lights, switched separately at pedestal. Light mounted in lazarette. Pair of Ocean LED underwater lights 24V/150W to illuminate transom, switched at pedestal. Low-level courtesy lights in cockpit and aft walkway. Blue water LED bow and stern navigation lights. Blue water LED steaming/deck floodlight. Blue water LED tri-white anchor/navigation light at masthead.

Navigation and Communication

9. NAVIGATION AND COMMUNICATION COMPASSES SIRS Major 150mm diameter compass with internal lighting on each pedestal. SAILING Raymarine i70 multifunction displays. INSTRUMENTS 4 x i70 displays at companionway. 1 x i70 display at chart table. 1 x i70 display in owner's stateroom. RADAR/GPS/ 2 x Raymarine e125 Hybrid Touch plotter with HD colour radar and built in 50 channel GPS, CHART PLOTTER interfaced with the autopilot. One at chart table and one at starboard pedestal. AIS AIS 650 unit at chart table with GPS and VHF antennas. AUTOPILOT Raymarine Evolution autopilot with twin rams. P70 pilot control at port pedestal. WINDEX Windex at masthead. VHF RADIO 2 x Raymarine Ray 240E Class D-DSC VHF. One at chart table, one at port pedestal. Horn/hailer linked to VHF. SSB RADIO Wide copper strip from chart table to lazarette and twin large ground plates as SSB earth.

Backstay insulators for retrofit of SSB. SATELLITE PHONE Sailor Fleet 150 BGAN satellite telephone with voice and data at 150kbps maximum. PC Vasari PC with AG Neovo screen. WI-FI Inventica Yachtspot 4G wireless client 400MW wireless card and router for connection to shore hotspots and 3G/4G networks. Shakespeare LMR240 Wi-Fi antenna. Comrod AP21 Mast mounted 4G cellular antenna.

Safety

10. SAFETY LIFERAFT Ocean Safety 8 man ISO 9650 SOLAS B life raft with hydrostatic release. Next service date July 2017. EPIRB Kannad Safelink Class 2 EPIRB with hydrostatic release. RADAR REFLECTOR Echomax Active-XS dual band RTE, with antenna at masthead. LIGHTNING STRIKE Ion dissipaters on masthead. BILGE PUMPS Henderson Mk V manual bilge pump operated from cockpit. Jabsco Utility 3000 puppy electric bilge pump. Whale 9000 electric submersible bilge pump. Bilge high water alarm at pedestal. DECK SAFETY Webbing jackstays on Wichard folding pad eyes forward and aft. Emergency tiller. FIRE EXTINGUISHERS Various including automatic fire extinguisher in engine bay with release cable in cockpit. Fire blanket in galley. ALARMS Gas detector with 2 sensors, 1 in galley and 1 in bilge. OTHER SAFETY Fire flaps with remote cable releases for engine room air in/outlet pipe work in cockpit. FEATURES On/Off switch for ER fans in cockpit. Fog horn/hailer system.

General

11. GENERAL RIB/DINGHY Grand Silver Line 370NS rigid inflatable boat. Yamaha 40FETL 40hp four-stroke engine. WARPS AND FENDERS CROCKERY Oyster customised Wedgwood bone china crockery CUTLERY Oyster customised Sheffield / Robert Welch stainless steel cutlery SAFE 2 brick safe in owner's stateroom. HEYCO MARINE TOOL KIT ASSORTED TOOLS, SPARES AND MANUALS






Исключения


При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ





КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**


США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004