

R2D2 — TIARA



Судостроитель: TIARA

Год постройки: 2010

Модель: Катер для спортивной
рыбалки

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 48' 0" (14.63m)

Ширина: 15' 11" (4.85m)

Макс. осадка: 4' 0" (1.22m)

Купить **R2D2 — TIARA** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **R2D2 — TIARA** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Основная информация	3
Размеры	3
Скорость, вместимость и масса	3
Размещение	3
Корпус и палуба	3
Информация о двигателе	4
ПОДРОБНОЕ ОПИСАНИЕ	5
Vessel Information	5
Исключения	13
Отказ от ответственности	13
ФОТОГРАФИИ	14
КОНТАКТЫ	19
Контактная информация	19
Телефоны	19
Время работы	19
Адрес	19

ХАРАКТЕРИСТИКИ

Основная информация

Тип судна: Катер для спортивной рыбалки

Подкатегория: Convertible

Модельный год: 2011

Год постройки: 2010

Страна: United States

Верх: Hardtop

Открытая палуба мостика: Да

Кубрик: Да

Размеры

Длина общая: 48' 0" (14.63m)

Ширина: 15' 11" (4.85m)

Макс. осадка: 4' 0" (1.22m)

Скорость, вместимость и масса

Вместимость воды: 150 Gallons

Вместимость сточного бака: 50 Gallons

Объем топливного бака: 1000 Gallons

Размещение

Всего кают: 3

Спальные места: 7

Всего ком. состава: 2

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2

Производитель: CAT

Модель: C18

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Vessel Information

HULL AND DECK

- Fresh white gelcoat hull & deck
- Imron® bootline (Carbon is standard)
- Hull constructed w/ a gelcoat outer layer, balsa cored hullsides and bottom, w/ fiberglass skin coat hand-laid using AME® premium vinylester resin. Closed mold technology w/
- AME® premium vinylester resin is used for the remainder of the hull process.
- Deck constructed w/ a gelcoat outer layer, balsa coring, & laminated w/ AME® 1000 resin using closed mold technology
- Tiara custom diamond pattern non-skid deck & cockpit surfaces
- Wood & foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Gelcoated bilge
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside engine room ventilation
- Bennett Marine® 24V hydraulic recessed trim tabs
- Three (3) Bomar® cast aluminum & acrylic opening forward deck hatches w/ adjusters & built-in Ocean Air® screens & privacy covers
- Molded-in fiberglass bow pulpit w/ S.S. roller
- One-piece welded 1 1/4" brushed aluminum bow rail w/ pulpit, staff & Tiara burgee
- Flush forward anchor rod locker w/ overboard drain
- Automatic rope/chain anchor windlass system w/ operation from foredeck foot pedal & remote switch at helm. Includes one (1) 10"
- S.S. foredeck cleat, 50' chain rode, 200' rope rode, & Delta® 55 lb. galvanized anchor.

- Painted brow mask
- White rubrail w/ 316L S.S. cap
- Eight (8) 12" S.S. cleats for lines

LOWER COCKPIT

- Starboard entry to salon w/ sliding tinted glass door
- Port mezzanine seat w/ insulated cooler tub under seat
- Engine room access door in mezzanine seat
- Teak-covered cockpit step to mezzanine seat & salon entry door. Insulated cooler tub under companion step, & storage tub under seat step.
- Ladder or stairway to flybridge -- see options
- Molded-in steps to deck walkways, port & starboard, w/ safety handrails above
- Fiberglass covering boards w/ upholstered coaming bolsters
- Four (4) Lee® rod holders in covering boards, two port & two starboard
- Two (2) corner cast S.S. hawse pipes
- Two (2) 6" S.S. cockpit fender cleats
- Cockpit LED courtesy lighting with remote control
- 120V GFI outlet, port
- Cockpit shower, hot & cold water
- Fresh water washdown outlet w/ S.S. fittings & 25 ft. coiled blue hose
- Raw water washdown outlet w/ S.S. fittings & 25 ft. coiled yellow hose
- Self-draining cockpit w/ scupper drains
- Two (2) insulated flush floor storage boxes, one (1) port and one (1) starboard, w/ split lids & hinges. Large floor box includes drain.
- Aft lazarette hatch
- Aluminum backing plate, 24" x 24", laminated in center of cockpit floor (access via lazarette hatch)
- Molded-in, inward opening transom door & gate

FLYBRIDGE

- TV antenna
- Two (2) Release Marine® teak helm chairs w/footrests
- Forward center bench seat w/ storage underneath
- Starboard lounge w/ top-access insulated cooler aft
- Port lounge w/ top-access storage aft
- Clarion® AM/FM/CD stereo w/ four (4) flybridge speakers, two lower cockpit speakers, & remote panel located in lower cockpit. Includes Clarion® iPod®/MP3 interface.
- Weather covers for helm console & helm chairs

INTERIOR

- Mold & mildew resistant vinyl hull and headliner treatment
- Teak interior - NOTE: Variations in Teak wood grain are natural & cannot be controlled in the manufacturing process
- Cable TV/phone outlet
- 120V outlets throughout
- 12V/24V DC lighting

SALON

- Teak hardwood floor
- Starboard lounge/dinette seating w/ storage below. Includes table w/ fixed pedestal.
- Port lounge seating with pull-out sleeper
- Manually operated blinds for port, starboard & aft windows
- 40" LCD TV mounted on a hi-lo actuator to conceal the TV when not in use. Includes iPod®/ MP3/game port interface.
- Bose® Lifestyle 18 media/entertainment system w/ integrated DVD/CD player
- Marine Air Systems® 20,000 BTU air conditioner w/ reverse cycle heat (supplies salon & galley)

GALLEY / LOWER SALON HALLWAY

- Teak hardwood flooring in galley & teak steps to hallway; hallway is carpeted.
- Quartz galley countertop and backsplash
- Stainless steel undermount sink w/ hot/cold water faucet
- Three-burner surface mount electric cooktop w/ sea rails
- Forward upper cabinets w/ storage & microwave/convection oven
- Forward lower cabinets w/ storage
- Aft lower cabinets w/ safety handrail & concealed trash can
- Two Sub-Zero® drawer-style refrigerator/freezer units; one unit includes ice maker
- Exhaust fan
- Drawer storage and sub-floor access underneath hallway steps (hinge lift with gas spring)
- Hallway closet with bi-fold door

MASTER STATEROOM

- Carpeted floor
- Full frame door separating master stateroom from hallway
- Private sliding door entry to head
- Manually actuated queen pedestal berth w/deep quilted innerspring mattress, quilt, two (2) pillow shams, & ten (10) throw pillows
- Storage under berth
- Two (2) nightstands w/ storage
- Hanging locker
- Upper hullside storage cabinets, port
- Two (2) reading lights, independently switched
- 19" LCD TV
- 12V DVD player

- Clarion® AM/FM/CD stereo w/ two (2) Polk Audio® in-ceiling speakers, iPod®/MP3 interface
- Marine Air Systems® 12,000 BTU air conditioning w/ reverse cycle heat (supplies master stateroom & master head)

MASTER HEAD

- Tile flooring
- Full fiberglass head w/ shower sump pump & tempered glass window/door
- Corian® countertop w/ porcelain sink
- Mirrored vanity w/ storage above sink
- VacuFlush® toilet
- Exhaust fan
- Air conditioner discharge

FORWARD GUEST STATEROOM

- Carpeted floor
- Full frame door w/ entry from hallway
- Two (2) bunks, single upper/double lower, w/ innerspring mattresses, quilts, & two (2) pillow shams
- Storage under lower berth
- Night stand integrated into cedar-backed hanging locker
- Three (3) reading lights, independently switched

GUEST HEAD

- Tile flooring
- Full frame door w/ entry from forward guest stateroom and hallway
- Full fiberglass head w/ shower sump pump & tempered glass shower door/window
- Corian® countertop w/ porcelain sink
- Mirrored vanity w/ storage above sink

- Lower vanity storage
- VacuFlush® toilet
- Exhaust fan
- Air conditioner discharge

SIDE GUEST STATEROOM

- Carpeted floor
- Full frame sliding entry door from hallway
- Two (2) bunks, upper and lower, w/ innerspring mattresses, quilts, & two (2) pillow shams
- Cedar-backed hanging locker
- Two (2) reading lights, independently switched
- Marine Air Systems® 14,000 BTU air conditioning w/ reverse cycle heat (supplies side guest stateroom, forward guest stateroom & guest head)

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V/24V and 120V/240V electrical system. Master AC consolidated w/ salon monitoring panel with main DC panel in engine room
- One (1) 240V 50A 65' shore power cord w/Glendinning® cord recoiler
- Cable TV and phone inlets/outlets w/ 65' dockside power cord
- TV and AM/FM radio antennas installed in the flybridge
- Onan® 13.5kw MDKBN generator w/ sound shield and ultra-quiet muffler (Onan® 11.0kw MDKBN for 220v)
- Battery charger (1), 80 amp
- 12V/24V two bank battery system w/ batteries & battery switches (four (4) engine batteries & eight (8) house batteries)
- Battery parallel system w/ battery equalizer for 12V battery bank
- Reverse polarity indicator
- Electrical bonding system - hardware bonded to main DC return
- Zincs - trim tabs, transom & shafts

- Bronze axe head rudders & high-rake, high performance struts
- Aquamet® 22 Hi-Strength S.S. prop shafts
- Water cooled shaft logs w/ PSS® dripless shaft
- Two (2) propellers
- Sea Star® full power steering w/ 15" aluminum steering wheel
- Electronic engine controls w/ engine synchronizer and push-start ignition
- Helm instrument panel w/ MPD® electronic display. Separate fuel gauges and rudder position indicator.
- Beede® indicator LED's for aft bilge pump, mid bilge pump, forward bilge pump, & generator
- Ritchie® SuperSport SS-2000 compass
- High output alternators, 140 amps
- Clean & quiet engine room; includes fiberglass bulkhead covers/centerline floor/chine floor, sound tiles, insulation, vibration isolation, & fuel/water/air separators
- Six (6) 24V engine room lights
- Two (2) Racor® fuel filters/raw water intake strainers
- Plate mounted, thru-bolted engine system
- Five-port oil changing system for main engines, transmissions, & generator
- ProMariner® ProSafe FS galvanic isolator
- One (1) Delta T® 9" bilge blower fan
- Three (3) automatic/manual bilge pumps w/ monitors at helm & high-water alarm (2000 GPH each): One (1) forward, one (1) mid, & one (1) aft
- Two (2) composite fuel tanks, 500 gallons each, w/ electric gauges & fuel shut-off valve on top of tank
- Dockside water inlet
- One= (1) fresh water tank, 150 gallons
- Fresh water pressure system w/ Headhunter Excalibur® variable speed pump, 10 GPM

- One (1) holding tank, 70 gallons, w/ vent filter
- Fresh water tank/holding tank monitor
- One (1) water heater w/ exchanger, 20 gallons
- Kahlenberg® chrome dual trumpet air horn
- FE-241 agent automatic/manual fire extinguisher system in engine room
- Five (5) handheld fire extinguishers
- Carbon monoxide detectors
- Smoke detectors
- Eight (8) 5/8" x 50' black dock lines
- Eight (8) Tiara life vests (domestic boats only)
- USCG safety & medical kit
- USCG/international LED navigation lighting (anchor light shipped loose for dealer installation)
- NMMA certified using ABYC standards
- International certification options available

MECHANICAL

- Glendinning® side mount engine controls on flybridge console
- Reverse osmosis water maker, 19 GPH
- Auxiliary gauge panel, engine room
- Bilge crash pumps
- Bow thruster, 24V
- Macerator for waste system
- Fresh water washdown, flybridge
- Anchor locker washdown with S.S. fittings

HULL, DECK & COCKPIT

- Underwater Lights (2), Xenon 12V/50W

- Cockpit mezzanine seat
- Teak package, helm
- Hardtop, Tournament Style
- FISHING FEATURES
- Macerator
- Rupp outriggers - bridge mount

ELECTRONICS

- Full State of the Art Raymarine package


Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.


ФОТОГРАФИИ











КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: **shestakovyachtsales.com**

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004