

MANDRAKE — NAUTOR'S SWAN



Builder: NAUTOR'S SWAN

Year Built: 1997

Model: Cruising Sailboat

Price: PRICE ON APPLICATION

Location: Spain

LOA: 62' 9" (19.12m) Beam: 17' 7" (5.34m) Max Draft: 10' 3" (3.10m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs MANDRAKE — NAUTOR'S SWAN from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht MANDRAKE — NAUTOR'S SWAN or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	4
Hull and Deck Information	5
Engine Information	5
DETAILED INFORMATION	6
SWAN 60-010 MANDRAKE	6
Exclusions	12
Disclaimer	12
PHOTOS	13
image00043	13
image00042	13
image00032	13
image00033	13
image00041	14
image00001	14
image00039	14
image00040	14
image00031	15
image00038	15
image00023	15
image00028	15
image00027	16
image00024	16

	image00025	16
	image00018	16
	image00029	17
	image00030	17
	image00007	17
	image00010	17
	image00021	18
	image00012	18
	image00022	18
	image00019	18
	image00013	19
	image00016	19
	image00017	19
	image00020	19
	image00002	20
	image00005	20
	image00026	20
С	ONTACTS	21
	Contact details	21
	Telephones	21
	Office hours	21
	Address	21

SPECIFICATIONS

Overview

The Swan 60 "Mandrake was delivered to the one owner so far in the shipyard in Pietaarsari in summer 1996, where they started its sailing adventure.

This Swan has been taken care of, maintained upgraded, and sailed by the same Boat Captain for over twenty years now.

Basic Information	
Category: Cruising Sailboat	Sub Category: Cruising/Racing Sailboat
Model Year: 1997	Year Built: 1997
Country: Spain	

Dimensions

LOA: 62' 9" (19.12m)	LWL: 52' 2" (15.90m)
Beam : 17' 7" (5.34m)	Max Draft: 10' 3" (3.10m)

Speed, Capacities and Weight

Displacement: 62.83174467 Pounds Water Capacity: 113.59398236 Gallons

Fuel Capacity: 79.2516156 Gallons

Accommodations

Total Cabins: 3

Total Heads: 3

Hull and Deck Information

Hull Material: GRP

Deck Material: Teak and Fiberglass

Hull Color: NAVY BLUE

Hull Designer: German Frers

Engine Information

Engines: 1

Manufacturer: Perkins

Fuel Type: Diesel

DETAILED INFORMATION

SWAN 60-010 MANDRAKE

The Swan 60 "Mandrake was delivered to the one owner so far in the shipyard in Pietaarsari in summer 1996, where they started its sailing adventure. This Swan has been taken care of, maintained upgraded, and sailed by the same Boat Captain for over twenty years now.

HULL & APPENDAGES

CONSTRUCTION

The hull is of single skin construction using glass/aramid hybrid fiber reinforced polyester laminate.

A high proportion of the fibers are unidirectional, giving a stiff laminate with excellent strength and fatigue properties.

Structural bulkheads are of marine plywood laminated to hull and deck with foam strips between.

Stiffener flanges are unidirectional lay-ups over foam cores.

Engine beds are of GRP.

Topside color is white NGA gelcoat white Hydraulic driver platform on transom

The keel is a lead casting with antimony and carefully finished to accurate shape.

Cast-in keel bolts are of high-tensile stainless steel.

The mast is stepped through the deck onto a composite mast step.

Rudder is of foam filled GRP with tubular tapered stock of E-glass composite, supported by two self-aligning roller bearings.

Retractable bow thruster Max Power 2017Dual steering gear, sheaves provided with guards to prevent jamming.

Steering quadrant bolted to rudderstock.

Two 41" destroyer type stainless wheels with elk hide cover,1.9 turns H.O. to H.O.

Two pedestals with roller bearings.

Emergency tiller stowed in lazarette.

Hull painted Blue Navy AWL Grip 2012Preventive osmosis treatment 2016/17

DECK

Deck is of sandwich construction, using glass/aramid hybrid fiber reinforced polyester laminate, with low-density closed cell foam core, and glued to the hull. High-density core under deck fittings. New teak deck as per original design 12mm 2017 dark grey caulking

- 2 X 77 hydraulic primary sheet winches
- 2 x 64 secondary sheet winches
- 2 x 40 mainsheet traveler control winches secondary.
- 1 x 64 hydraulic mainsheet winch
- 2 x 64 halyard winches
- 1 x 50 staysail halyard
- Hydraulic central system overhauled 2018
- New staysail Harken furler 2019
- New boom vang hydraulic 2019
- New furling engine mainsail 2018
- New Anchor windlass 2016 for the 80 meters chain 12mm
- Stainless steel stem head fitting with headsail tack hooks and one anchor roller.
- Stainless steel main shroud chain plates bolted to reinforced mast bulkhead.
- Backstay chain plate attached to hull structure.
- Lifeline gates each side amidships.
- Support on push pit for outboard auxiliary engine All deck hatches are "flush"

INTERIOR

General

- Floorboards with laid teak veneer, providing access to the bilge.
- Overhead lined with removable paneling.

FO'C'SLE

• Two wooden berths over sail bins.

GUEST CABINS

• Upper and lower berths both sides, P side double lower berth Hanging lockers on central bulkhead.

CREW CABIN

• Hand rubbed teak furniture 2 x pipe berthsSide lockers above berths Electric toilet

SALOON

• L-shaped settee (Leather upholstery) with table and chairs PS, settee with bookshelf outboard.

GALLEY

- Stainless steel sinks
- Front loaded 240 I, 240 I front-loaded vegetable locker, and top loaded 150 I freezer.
- Refrigerator, and freezer Iceberg a compressor run by 220 V and inverter
- Counter tops of Cameo White Corian
- Stainless steel four-burner Force 10 gas stove with oven and grill, gimballed and provided with fiddles.
- Microwave
- Extractor

OWNER'S CABIN

- Central double berth. Mirror on fwd. bulkhead Settee/berth STB side
- Hanging locker P sideSB side, Writing desk with chair forward

TOILETTE

- Porcelain washbasin.
- White GRP lining up to washbasin level.
- Teak grating on floor.
- Separate shower compartment for Owner.
- Vacuflush vacuum assisted toilets using fresh water for flushing and discharging through seacock.

 Holding tank for day toilet amidships emptied by electric pump or deck suction line. Washing machine Candy 2018

ENGINE

- Engine Perkins Sabre 135hp 7000 hours, refrigeration system changed in 2014
- New inverter 2019.
- Engine strictly serviced and maintained in perfect working conditions
- Maxprop orientable three blade propeller
- New bow thruster Maxpower in 2017
- New Anchor windlass 201680 meters chain 12mm
- Delta Anchor
- Fuel capacity I 900.
- Separ KWA-50 fuel filter/water separator with water alarm and shut-off valve on feed line to engine and diesel generator.
- Tanks are vented to deck edge.

PLUMBING

- Hot and cold pressure water with back-up foot pumps in galley.
- Water capacity 1000LTank vent pipes terminate at galley sink.
- The consumable water can be heated either with engine cooling water, or with a heating element working on AC.
- Hot water tank capacity 60 | Watermaker Isomar 150L MC1-2-3-J
- Deck shower, hot and cold waterDeck washSeawater spout in galley with foot pump.
- Galley sinks drained through seacock.
- Washbasin and shower trays drain to sump tanks, capacity about 60 l each.
- Sump tanks are emptied by electrical pumps.
- Back-up Whale manual pumps.
- Bilge pumps 1 Electric bilge pump Mari Sub, manual and automatic
- Two manual Whale Titan 100 l/min, one in cockpit, one below deck.
- Outlets above waterline.

ELECTRICAL SYSTEM

- 24 V DC system with insulated return
- For lightning protection, the headstay, backstay, main shroud chain plates and mast step are grounded to ballast keel bolts with heavy cable
- One battery set for general service, 640 Ah, 24 V 5 h new 2019
- Engine starting battery 135 Ah 12 new 2019
- Diesel generator starting battery 90 Ah 12 V. new 2019

- Set of batteries for Instrument with battery charter Mass 24150 A, 220 VParallel between service and instruments batteries
- The service batteries are charged by Battery charger Quik 110 A plus a 110 A alternator on the main engine
- The starting batteries are charged by battery charger Mastervolt 80 A plus an 80 A alternator on the main engine, and a 50 A alternator on the generator engine.
- Diesel generator Westerbeke 5kv 1600 hours always maintained refrigeration system new 2014Inverter Mastervolt 24/2500, Sine Wave, 230 V
- The AC system can be fed either by a 5kVA 50 hz diesel generator, or a 230 V 50
- A shore power inlet provided with polarity alarm, main switch, and land connecting cable.
- Outlets provided with earth fault protection.
- Connection to battery charger and water heater resistor element

Interior:

- Red dome lights over galley and chart table.
- Red night lights at floor level in main cabin and nav. area.
- Automatic lights in all hanging lockers
- Indirect lights behind shelves in saloon
- Indirect lights under the side lockers in owner's cabin

Outside:

- Downward floodlight on forward side of mast, and spreader lights Compass light with rheostat
- Boom light with rheostat
- Mast Light up and down

Navigation lights:

- All the lights are LEDRed and green sidelights on pulpit
- White stern light on push pit
- White bow light on forward side of mast
- Tricolor lights on masthead

NAVIGATION INSTRUMENTS

- Brooks & Gatehouse Hydra 3000 CPU
- Two SUUNTO 5" magnetic compasses on steering pedestals.
- Navigational Brookes & Gatehouse Hydra 3000 CPU pack 240-PK2with 1 NMEA FFD at chart table, 1 Non- NMEA FFD 240-PK10 in owner's cabin

- Hydraulic autopilot B&G Hydra Pilot240-PK-ACP2
- 1 analogic repeater 360° 215-H L-016 in aft cockpit
- 1 analogic repeater 45° 215-HL-017 in aft cockpit.
- Plotter Raymarine E120 at the chart table .
- Computer at the chart table
- AIS transmitter receiver 650 Garmin class A.
- Radar Raymarine
- Radio VHF Sailor chart table Independent VHF radio aft cockpit Shipmate

MAST & RIGGING

- Standing rigging 2012, mast and spreaders fully revised
- Mast and boom painted in 2012
- Hydraulic boom vang with high pressure return new 2019
- Hydraulic tensioner for backstay

SAILS

- Furling mainsail North Sails 2015 3D
- Furling Genoa 140% North Sails 2011
- Jib 100% Quantum 2011 lightly used Stay sail 2008 Quantum
- Asymmetric Quantum with socket 2008 lightly used
- Code 0 Quantum 2012 furling lightly used

Price may be changed without notice

Boat is offered subject to still being available

The particulars are believed to be correct but not guaranteed

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

image00043



image00042



image00032







image00001



image00039







image00038



image00023







image00018



image00024







image00007



image00030







image00022



image00012









image00016



image00017





image00005





Page 21 of 21

CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004