

ICEBERG — OUTER REEF YACHTS



Builder: OUTER REEF YACHTS

Year Built: 2012

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: Australia

LOA: 63' 2" (19.25m)

Beam: 17' 2" (5.23m)

Max Draft: 4' 10" (1.47m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **ICEBERG — OUTER REEF YACHTS** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **ICEBERG — OUTER REEF YACHTS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	8
Dimensions	8
Speed, Capacities and Weight	8
Accommodations	9
Hull and Deck Information	9
Engine Information	9
PHOTOS	10
CONTACTS	13
Contact details	13
Telephones	13
Office hours	13
Address	13

SPECIFICATIONS

Overview

CONSTRUCTION GENERAL

- Hand laid-up FRP hull, with PVC core sandwich construction above water line and vinylester barrier lamination for osmosis protection
- Hand laid-up FRP deck/house and flybridge with PVC rigid foam sandwich construction
- Full length longitudinal engine stringers and athwartship stringers
- Windows with 3/8" tempered glass in salon, 1/2" tempered in pilothouse
- Rub rails with stainless steel capping
- Bilge are finished smooth and coated with bright white
- Rub rails with stainless steel capping
- Bilge area finished smooth and coated with bright white epoxy paint
- Built-in swim platform with stainless steel swim ladder and rails
- Quiet Roll integrated spray rail system
- SeakKits® Marine Maintenance System

ENGINES AND MECHANICAL

- Twin Caterpillar C-9 Acert (503 hmp) diesel engines w/ZF transmissions and electronic instruments for dual stations
- Generator - Northern Lights (1) 12kws and (1) 16kw
- ABT 12" - 16 hp hydraulic bow & stern thruster and upgrade windlass to hydraulic
- A/C - Cruise air 230v chilled water air conditioning system
- ABT Trac 220 stabilizers w/7.5 sq. ft. fins and dual station controls
- Ball-valve bronze seacocks on all through-hulls below waterline
- Evolution anti vibration system with soft engine mounts
- Fiberglass drip pans under engines
- Glendining electronic engine controls for dual stations with handheld remote and three plug-ins
- Exhaust - Northern Lights water-sep exhaust
- Maxwell NWC3500C hydraulic dual capstand/chain wheel horizontal windlass with dual anchor rollers, with foot switches on fore deck and remote control for stations
- Oil change pump for engines and generator - two (2)
- Racor 1000 MA single fuel filter for main engines - two (2)
- Racor 1000 MA single fuel filter for generator
- Fuel polishing system
- Stainless steel Aquamet 22® prop shafts (2) and (2) propellers
- Stainless steel rudders with bearings
- Stainless steel struts with bearings
- Steering wheel - custom Outer Reef wheel at helm in pilothouse
- Tides packless shaft seals with one (1) spare seal for each shaft

- Under water exhaust system w/bypass and FRP mufflers
- Bilge blower - installed (1) under accommodation space (forward)
- VDO Rubber indicators - single station

ELECTRICAL

- Main electric distribution panel with gauges and circuit breakers for 240v AC and 24/12v DC systems
- Accessible wiring raceway throughout
- Batteries in FRP boxes: a. Tow (2) engine banks w/two (2) 8D batteries for reach bank b. One (1) house bank w/six (6) batteries c. Two (2) generator banks w/one (1) battery in each bank
- Battery chargers - one (1) 24v and one (1) 12v
- Battery isolators two (2)
- Blowers in engine room - four (4) 24v DC
- Blowers for head ventilation - two (2) 24v DC
- Converter - 24v DC to 12v DC
- Compasses - two (2) 4" magnetic
- Copper bonding system to all underwater fittings with zinc anodes
- Engine battery interconnection system
- Glendinning 50 amp cablemaster w/75' of cable transom w/ additional 50 amp shore power inlet
- 2.5kw inverter/charger (24v DC to 230v AC - 50 hz)
- Isolation transformers 50 amp - two (2)
- Kahlenburg D-AO dual-trumpet air horn with compressor
- Lights - 24 v DC chart light
- Lights - 24 v DC courtesy/step lights throughout and automatic in wardrobe
- Lights - 24 v DC overhead LED fixtures throughout
- Lights - 24v DC rope style valance at salon and staterooms
- Lights for engine room - LED 240v AC and 24v DC
- Lights - Aqual Signal navigation set of five (5)
- Prop shaft brushes - two (2)
- Shoreline power transfer rotary switches

ENGINE ROOM

- Acoustically insulated, lined with sound absorbing material
- Edura coin dot flooring in engine room
- Fireboy fire suppression system, including both intake and outlet air shutdown system with aluminum louvers
- Fresh water hose bibb
- Lights - LED 240v AC and 24v DC
- Outlets - 240v AC GF with waterproof cover
- Stainless steel safety rails around engines and transmissions
- Two watertight bulkheads

- Watertight aluminum engine room doors w/sight windows

FLYBRIDGE

- Cabinets ibstarbiard sude - FRP
- U-Line fridge and ice maker on flybridge
- Davit - Sea Star 1300/lb600 KGS 4 way hydraulic control with rotating base, luff, lift and fixed arm (10.4 ft)
- Exclusive Deluxbridge, full beam width all way fwd. above the pilothouse
- Bench seat L-shap FRP with storage beneath and FRP fixed table on port side
- Instrument console molded FRP
- Two (2) deck lights
- Safety rails -SS on flybridge/boat deck
- Hatch and stairs down to pilothouse
- Steering wheel SS Destroyer
- Stidd helm seat, model 500 Slimline series w/powder coated base and naugahyde
- Sunbrella® furniture fabric for flybridge cushions
- Venturi windscreen with SS grab rails
- Hard top over flybridge
- Sliders for FB table
- Stidd seat 500 N Slimline low back help with naugahyde seat and pweder coated base
- Working lights - two (2) halogen lights with FRP cover on radar arch
- Teak on deck at fore section of flybridge

EXTERIOR

- Anchors _ (1) 75 lib plow type polished SS (1) 95 lb plow type polished SS
- Maxwell dual capstan/chain wheel horizontal windlass with dual anchor rollers, 300' of 3/8 ht hain, and 2nd chain locker
- Anchor chute/roller - dual SS ata abow
- Chain counters (4) Maxwell, model 560 for dual windlasses at dual stations
- Bottom: two (2) coats of black antifouling paint over five (5) coats of epoxy primer
- Deck: white gelcoat with beighte color non-skid
- Exterior lighting, Imtra LED
- Gate doors at foredeck, both sides on aft deck and to swim platform, FRP
- Hatch - SS framed plexiglass on fore deck
- Hatch - flush FRP over chain locker
- Hauser holes - SS with cleats
- Hull and deck house side: white color gelcoat
- Windshield wipers (3) Exalto dual speed self parking with wash down system
- Portlights - SS framed tempered glass with screens
- Safety package: U.S. Coast Guard safety package included
- Sunbrella*® furniture fabric for Portuguese seats (* included in decor allowance)
- Swim ladder on swim platform is SS and removable
- Teak swim platform extended by 12"

- U-rails - 2" removable SS on swim platform
- Weather tight doors on both sides of pilothouse and transom - FRP
- Aft deck bench seat with storage beneath - FRP
- Aft deck teak table with sliders
- Teak on aft deck
- Breast plate SS on bow
- Covers: Stamoid covers for BBQ, windlass, Portuguese seating, flybridge and aft deck seating. Webblon covers for wheelhouse windows
- Handrail SS on top of bulwark on port side, stbd side and Portuguese
- Handrail SS on transom and gate door
- Searchlight - ACR model #100D (24vdc) with dual station controls
- Wet bar cabinet on aft deck
- Wing doors on aft deck - Port & Stb
- Drawer fridge on aft deck

INTERIOR

- Galley window with option to open
- Soap dispenser at galley sink
- Galley appliances: a. LG 567L side x side refrigerator w/ice and water b. Fisher Paykel dishwasher c. LG 600mm Touch Control Ceran cooktop d. LG 600mm 7 function oven e. LG Solardom under counter SS multifunction light wave oven
- Granite countertop in galley and heads w/Kohler sinks
- Heads and shower floors Mosaic tumbled marble floors
- Cushion w/muslin cover for berths and seats
- Drawers finished with Formica, including full extension guides
- Hanging lockers with automatic lighting
- Headliner - removable foam backed vinyl
- Light valance in salon and staterooms
- L-shaped settee in salon with 5" foam seats
- Reading lights in master stateroom, cantlupi chrome
- Reading lights in VIP, guest and crew staterooms, Cantalupi chrome
- Salon to include: entertainment center, (1) free standing coffee table & (1) end table
- Satin varnish on interior teak
- Shower lighting - Imtra LED
- Shower wall panel is white FRP
- Stidd helm seat, model 500 N Slimline low back series with powder coated and naugahyde
- Teak and wenge trim cabin sole at galley, pilothouse and heads
- Teak cabin doors and cabinet doors
- Teak veneer panel/vinyl covering on bulkhead
- Wallpaper on walls in heads
- Bosch washer and dryer in Lazarett
- Broan 380mm automatic trash copactor SS in Lazarette
- Ntone Central vacuum system with additional outlets

- Euro Interior by Ken Freivokh

PLUMBING AND TANKAGE

- Bilge high water alarm system with warning panel at pilothouse
- Bilge pumps - four (4) automatic 24v DC and emergency bilge suction on engine
- Cleanout and sight gauge for tanks
- Faucets - Grohe single level mixing taps for sinks at galley, head and shower
- Fresh water faucet in engine room
- Fresh water pump, two (2) Headhunter model XR-124, w/accumulator tank, 24v DC
- Fuel manifold system SS (supply & return)
- Rigid fresh water pipers and color coded copper fuel lines
- Shore water inlet on transom
- Shower sump pumps - two (2) automatic 24v DC
- Tank gauge for fuel and water tanks
- Transom shower in recessed box with hot and cold supply
- Wash down outlets fresh water on fore deck, aft deck and f/b
- Wash down salt water pump w/outlet on fore deck
- Water heater with heat exchanger - 76 lts
- Tankage - two (2) 500 gallon fuel tanks in engine room, plus two (2) 150 gallon fuel tanks in lazarette with valving and plumbing
- Tankage - holding tank capacity : 100 gallons FRP with two (2) macerator pumps
- Tankage - water tank capacity: 300 gallons stainless steel with two (2) freshwater pumps
- Toilets - two (2) Tecma 24v electronic marine with y-valves and sanitary hose for all discharge plumbing
- Transom shower in recessed box with hot and cold supply
- Wash down outlets fresh water on fore deck, aft deck and f/b
- Wash down salt water pump w/outlet on fore deck
- Water heater with heat exchanger - 76 lts

ELECTRONICS AND NAVIGATION

- Three (3) Raymarine E120 wide Multi Function Displays - two (2) Pilothouse and one (1) Flybridge
- Raymarine Seataalk High Speed Network Hub
- Raymarine DSM 300 Sounder modules
- Raymarine Raystar 125 GPS transducers
- Raymarine B260 Fishfinder 1 KW transducers
- Raymarine Seataalk NG transducer pods (Wind/Depth/Speed)
- Raymarine Through-hull bronze ultrasonic speed transducer
- Raymarine Through-hull bronze long stem depth transducer
- Raymarine Forward facing wind transducer
- Raymarine Open array 4kW radar scanner Digital Super HD
- Raymarine i70 multifunction instruments Pilothouse and Flybridge
- Raymarine T400 thermal imaging camera with joystick controller

- Raymarine Ray 218E VHF radio w/2nd station Microphone for Flybridge
- Raymarine Hailer Horn
- Raymarine AIS 650 Transceiver
- Raymarine Autopilot SPX-30 course computer
- Two (2) Raymarine Sat60 domes (satellite TV and satellite phone)
- Raymarine Sat60 satellite TV receiver with Australian LNB
- Raymarine Cam 100 Bullet cameras
- Volo Next G voice and data system with wireless router
- Uniden Satellite phone

AUDIO VISUAL

- Salon Samsung UA40-D-6600 40" Smart TV Bose V25 audio system with iPod dock Samsung BD-D6900A Blu-ray system Foxtel pay TV
- Master Stateroom Samsung UA32D6000 32" TV Samsung BD-D6900A Blu-ray system Foxtel pay TV
- VIP Stateroom Samsung UA22D-5010 22" TV Fusion Audio MS-AV600 DVD/CD/AM/FM head unit
- Flybridge Bose SA3 amplifier with remote Sonance speakers
- Aft Deck Bose SA3 amplifier with remote Sonance speakers

Basic Information

Category: Motor Yacht

Model Year: 2012

Year Built: 2012

Country: Australia

Dimensions

LOA: 63' 2" (19.25m)

Beam: 17' 2" (5.23m)

Max Draft: 4' 10" (1.47m)

Speed, Capacities and Weight

Water Capacity: 300 Gallons

Holding Tank: 100 Gallons

Fuel Capacity: 1300 Gallons

Accommodations

Total Cabins: 3

Hull and Deck Information

Hull Material: FRP

Engine Information

Engines: 2

Manufacturer: Caterpillar

Model: C-9

Fuel Type: Diesel

PHOTOS







CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004