

ICEBERG — OUTER REEF YACHTS



Судостроитель: OUTER REEF YACHTS

Год постройки: 2012

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: Australia

Длина общая: 63' 2" (19.25m)

Ширина: 17' 2" (5.23m)

Макс. осадка: 4' 10" (1.47m)

Купить **ICEBERG — OUTER REEF YACHTS** а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **ICEBERG — OUTER REEF YACHTS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Обзор	3
Основная информация	8
Размеры	8
Скорость, вместимость и масса	8
Размещение	9
Корпус и палуба	9
Информация о двигателе	9
ФОТОГРАФИИ	10
КОНТАКТЫ	13
Контактная информация	13
Телефоны	13
Время работы	13
Адрес	13

ХАРАКТЕРИСТИКИ

Обзор

CONSTRUCTION GENERAL

- Hand laid-up FRP hull, with PVC core sandwich construction above water line and vinylester barrier lamination for osmosis protection
- Hand laid-up FRP deck/house and flybridge with PVC rigid foam sandwich construction
- Full length longitudinal engine stringers and athwartship stringers
- Windows with 3/8" tempered glass in salon, 1/2" tempered in pilothouse
- Rub rails with stainless steel capping
- Bilge are finished smooth and coated with bright white
- Rub rails with stainless steel capping
- Bilge area finished smooth and coated with bright white epoxy paint
- Built-in swim platform with stainless steel swim ladder and rails
- Quiet Roll integrated spray rail system
- SeakKits® Marine Maintenance System

ENGINES AND MECHANICAL

- Twin Caterpillar C-9 Acert (503 hmp) diesel engines w/ZF transmissions and electronic instruments for dual stations
- Generator - Northern Lights (1) 12kws and (1) 16kw
- ABT 12" - 16 hp hydraulic bow & stern thruster and upgrade windlass to hydraulic
- A/C - Cruise air 230v chilled water air conditioning system
- ABT Trac 220 stabilizers w/7.5 sq. ft. fins and dual station controls
- Ball-valve bronze seacocks on all through-hulls below waterline
- Evolution anti vibration system with soft engine mounts
- Fiberglass drip pans under engines
- Glendining electronic engine controls for dual stations with handheld remote and three plug-ins
- Exhaust - Northern Lights water-sep exhaust
- Maxwell NWC3500C hydraulic dual capstand/chain wheel horizontal windlass with dual anchor rollers, with foot switches on fore deck and remote control for stations
- Oil change pump for engines and generator - two (2)
- Racor 1000 MA single fuel filter for main engines - two (2)
- Racor 1000 MA single fuel filter for generator
- Fuel polishing system
- Stainless steel Aquamet 22® prop shafts (2) and (2) propellers
- Stainless steel rudders with bearings
- Stainless steel struts with bearings
- Steering wheel - custom Outer Reef wheel at helm in pilothouse
- Tides packless shaft seals with one (1) spare seal for each shaft

- Under water exhaust system w/bypass and FRP mufflers
- Bilge blower - installed (1) under accommodation space (forward)
- VDO Rubber indicators - single station

ELECTRICAL

- Main electric distribution panel with gauges and circuit breakers for 240v AC and 24/12v DC systems
- Accessible wiring raceway throughout
- Batteries in FRP boxes: a. Tow (2) engine banks w/two (2) 8D batteries for reach bank b. One (1) house bank w/six (6) batteries c. Two (2) generator banks w/one (1) battery in each bank
- Battery chargers - one (1) 24v and one (1) 12v
- Battery isolators two (2)
- Blowers in engine room - four (4) 24v DC
- Blowers for head ventilation - two (2) 24v DC
- Converter - 24v DC to 12v DC
- Compasses - two (2) 4" magnetic
- Copper bonding system to all underwater fittings with zinc anodes
- Engine battery interconnection system
- Glendinning 50 amp cablemaster w/75' of cable transom w/ additional 50 amp shore power inlet
- 2.5kw inverter/charger (24v DC to 230v AC - 50 hz)
- Isolation transformers 50 amp - two (2)
- Kahlenburg D-AO dual-trumpet air horn with compressor
- Lights - 24 v DC chart light
- Lights - 24 v DC courtesy/step lights throughout and automatic in wardrobe
- Lights - 24 v DC overhead LED fixtures throughout
- Lights - 24v DC rope style valance at salon and staterooms
- Lights for engine room - LED 240v AC and 24v DC
- Lights - Aqual Signal navigation set of five (5)
- Prop shaft brushes - two (2)
- Shoreline power transfer rotary switches

ENGINE ROOM

- Acoustically insulated, lined with sound absorbing material
- Edura coin dot flooring in engine room
- Fireboy fire suppression system, including both intake and outlet air shutdown system with aluminum louvers
- Fresh water hose bibb
- Lights - LED 240v AC and 24v DC
- Outlets - 240v AC GF with waterproof cover
- Stainless steel safety rails around engines and transmissions
- Two watertight bulkheads

- Watertight aluminum engine room doors w/sight windows

FLYBRIDGE

- Cabinets ibstarbiard sude - FRP
- U-Line fridge and ice maker on flybridge
- Davit - Sea Star 1300/lb600 KGS 4 way hydraulic control with rotating base, luff, lift and fixed arm (10.4 ft)
- Exclusive Deluxbridge, full beam width all way fwd. above the pilothouse
- Bench seat L-shap FRP with storage beneath and FRP fixed table on port side
- Instrument console molded FRP
- Two (2) deck lights
- Safety rails -SS on flybridge/boat deck
- Hatch and stairs down to pilothouse
- Steering wheel SS Destroyer
- Stidd helm seat, model 500 Slimline series w/powder coated base and naugahyde
- Sunbrella® furniture fabric for flybridge cushions
- Venturi windscreen with SS grab rails
- Hard top over flybridge
- Sliders for FB table
- Stidd seat 500 N Slimline low back help with naugahyde seat and pweder coated base
- Working lights - two (2) halogen lights with FRP cover on radar arch
- Teak on deck at fore section of flybridge

EXTERIOR

- Anchors _ (1) 75 lib plow type polished SS (1) 95 lb plow type polished SS
- Maxwell dual capstan/chain wheel horizontal windlass with dual anchor rollers, 300' of 3/8 ht hain, and 2nd chain locker
- Anchor chute/roller - dual SS ata abow
- Chain counters (4) Maxwell, model 560 for dual windlasses at dual stations
- Bottom: two (2) coats of black antifouling paint over five (5) coats of epoxy primer
- Deck: white gelcoat with beighte color non-skid
- Exterior lighting, Imtra LED
- Gate doors at foredeck, both sides on aft deck and to swim platform, FRP
- Hatch - SS framed plexiglass on fore deck
- Hatch - flush FRP over chain locker
- Hauser holes - SS with cleats
- Hull and deck house side: white color gelcoat
- Windshield wipers (3) Exalto dual speed self parking with wash down system
- Portlights - SS framed tempered glass with screens
- Safety package: U.S. Coast Guard safety package included
- Sunbrella*® furniture fabric for Portuguese seats (* included in decor allowance)
- Swim ladder on swim platform is SS and removable
- Teak swim platform extended by 12"

- U-rails - 2" removable SS on swim platform
- Weather tight doors on both sides of pilothouse and transom - FRP
- Aft deck bench seat with storage beneath - FRP
- Aft deck teak table with sliders
- Teak on aft deck
- Breast plate SS on bow
- Covers: Stamoid covers for BBQ, windlass, Portuguese seating, flybridge and aft deck seating. Webblon covers for wheelhouse windows
- Handrail SS on top of bulwark on port side, stbd side and Portuguese
- Handrail SS on transom and gate door
- Searchlight - ACR model #100D (24vdc) with dual station controls
- Wet bar cabinet on aft deck
- Wing doors on aft deck - Port & Stb
- Drawer fridge on aft deck

INTERIOR

- Galley window with option to open
- Soap dispenser at galley sink
- Galley appliances: a. LG 567L side x side refrigerator w/ice and water b. Fisher Paykel dishwasher c. LG 600mm Touch Control Ceran cooktop d. LG 600mm 7 function oven e. LG Solardom under counter SS multifunction light wave oven
- Granite countertop in galley and heads w/Kohler sinks
- Heads and shower floors Mosaic tumbled marble floors
- Cushion w/muslin cover for berths and seats
- Drawers finished with Formica, including full extension guides
- Hanging lockers with automatic lighting
- Headliner - removable foam backed vinyl
- Light valance in salon and staterooms
- L-shaped settee in salon with 5" foam seats
- Reading lights in master stateroom, cantlupi chrome
- Reading lights in VIP, guest and crew staterooms, Cantalupi chrome
- Salon to include: entertainment center, (1) free standing coffee table & (1) end table
- Satin varnish on interior teak
- Shower lighting - Imtra LED
- Shower wall panel is white FRP
- Stidd helm seat, model 500 N Slimline low back series with powder coated and naugahyde
- Teak and wenge trim cabin sole at galley, pilothouse and heads
- Teak cabin doors and cabinet doors
- Teak veneer panel/vinyl covering on bulkhead
- Wallpaper on walls in heads
- Bosch washer and dryer in Lazarett
- Broan 380mm automatic trash copactor SS in Lazarette
- Ntone Central vacuum system with additional outlets

- Euro Interior by Ken Freivokh

PLUMBING AND TANKAGE

- Bilge high water alarm system with warning panel at pilothouse
- Bilge pumps - four (4) automatic 24v DC and emergency bilge suction on engine
- Cleanout and sight guage for tanks
- Faucets - Grohe single level mixing taps for sinks at galley, head and shower
- Fresh water faucet in engine room
- Fresh water pump, two (2) Headhunter model XR-124, w/accumulator tank, 24v DC
- Fuel manifold system SS (supply & return)
- Rigid fresh water pipers and color coded copper fuel lines
- Shore water inlet on transom
- Shower sump pumps - two (2) automatic 24v DC
- Tank gauge for fuel and water tanks
- Transom shower in recessed box with hot and cold supply
- Wash down outlets fresh water on fore deck, aft deck and f/b
- Wash down salt water pump w/outlet on fore deck
- Water heater with heat exchanger - 76 lts
- Tankage - two (2) 500 gallon fuel tanks in engine room, plus two (2) 150 gallon fuel tanks in lazarette with valving and plumbing
- Tankage - holding tank capacity : 100 gallons FRP with two (2) macerator pumps
- Tankage - water tank capacity: 300 gallons stainless steel with two (2) freshwater pumps
- Toilets - two (2) Tecma 24v electronic marine with y-valves and sanitary hose for all discharge plumbing
- Transom shower in recessed box with hot and cold supply
- Wash down outlets fresh water on fore deck, aft deck and f/b
- Wash down salt water pump w/outlet on fore deck
- Water heater with heat exchanger - 76 lts

ELECTRONICS AND NAVIGATION

- Three (3) Raymarine E120 wide Multi Function Displays - two (2) Pilothouse and one (1) Flybridge
- Raymarine Seataalk High Speed Network Hub
- Raymarine DSM 300 Sounder modules
- Raymarine Raystar 125 GPS transducers
- Raymarine B260 Fishfinder 1 KW transducers
- Raymarine Seataalk NG transducer pods (Wind/Depth/Speed)
- Raymarine Through-hull bronze ultrasonic speed transducer
- Raymarine Through-hull bronze long stem depth transducer
- Raymarine Forward facing wind transducer
- Raymarine Open array 4kW radar scanner Digital Super HD
- Raymarine i70 multifunction instruments Pilothouse and Flybridge
- Raymarine T400 thermal imaging camera with joystick controller

- Raymarine Ray 218E VHF radio w/2nd station Microphone for Flybridge
- Raymarine Hailer Horn
- Raymarine AIS 650 Transceiver
- Raymarine Autopilot SPX-30 course computer
- Two (2) Raymarine Sat60 domes (satellite TV and satellite phone)
- Raymarine Sat60 satellite TV receiver with Australian LNB
- Raymarine Cam 100 Bullet cameras
- Volo Next G voice and data system with wireless router
- Uniden Satellite phone

AUDIO VISUAL

- Salon Samsung UA40-D-6600 40" Smart TV Bose V25 audio system with iPod dock Samsung BD-D6900A Blu-ray system Foxtel pay TV
- Master Stateroom Samsung UA32D6000 32" TV Samsung BD-D6900A Blu-ray system Foxtel pay TV
- VIP Stateroom Samsung UA22D-5010 22" TV Fusion Audio MS-AV600 DVD/CD/AM/FM head unit
- Flybridge Bose SA3 amplifier with remote Sonance speakers
- Aft Deck Bose SA3 amplifier with remote Sonance speakers

Основная информация

Тип судна: Моторная яхта

Модельный год: 2012

Год постройки: 2012

Страна: Australia

Размеры

Длина общая: 63' 2" (19.25m)

Ширина: 17' 2" (5.23m)

Макс. осадка: 4' 10" (1.47m)

Скорость, вместимость и масса

Вместимость воды: 300 Gallons

Вместимость сточного бака: 100 Gallons

Объем топливного бака: 1300 Gallons

Размещение

Всего кают: 3

Корпус и палуба

Материал корпуса: FRP

Информация о двигателе

Двигатели: 2

Производитель: Caterpillar

Модель: C-9

Тип топлива: Diesel

ФОТОГРАФИИ







КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрыто**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004