

INTERLUDE — DEFEVER



Builder: DEFEVER

Year Built: 1987

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 44' 0" (13.41m)

Beam: 14' 9" (4.50m)

Min Draft: 4' 7" (1.40m)

Max Draft: 4' 7" (1.40m)

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 10 Kts. (12 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Interlude — DEFEVER** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Interlude — DEFEVER** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

| | |
|-----------------------------------------|----|
| TABLE OF CONTENTS | 2 |
| SPECIFICATIONS | 6 |
| Overview | 6 |
| Basic Information | 6 |
| Dimensions | 6 |
| Speed, Capacities and Weight | 6 |
| Accommodations | 7 |
| Hull and Deck Information | 7 |
| Engine Information | 7 |
| DETAILED INFORMATION | 8 |
| 44' DeFever Vessel Walkthrough | 8 |
| 44' DeFever Accommodations | 8 |
| 44' DeFever Salon | 8 |
| 44' DeFever Galley | 8 |
| 44' DeFever Dining | 9 |
| 44' DeFever Lower Helm | 9 |
| 44' DeFever Master Stateroom | 9 |
| 44' DeFever Guest Stateroom | 9 |
| 44' DeFever Sundeck | 9 |
| 44' DeFever Flybridge | 9 |
| 44' DeFever Audio/Visual Equipment | 10 |
| 44' DeFever Electronics | 10 |
| 44' DeFever Electrical System | 11 |
| 44' DeFever Engine/Mechanical Equipment | 11 |
| 44' DeFever Deck Equipment | 12 |
| 44' DeFever Safety and Fire Protection | 13 |
| 44' DeFever Exclusions | 13 |
| 44' DeFever Disclaimer | 13 |

| | |
|---------------------------------------------|----|
| Exclusions | 13 |
| Disclaimer | 13 |
| PHOTOS | 15 |
| 44' DeFever starboard profile | 15 |
| 44' DeFever starboard aft profile | 15 |
| 44' DeFever port forward profile | 15 |
| 44' DeFever port aft profile | 15 |
| 44' DeFever aft profile | 15 |
| 44' DeFever anchor windlass | 15 |
| 44' DeFever foredeck | 15 |
| 44' DeFever foredeck aft | 15 |
| 44' DeFever port side deck photo1 | 16 |
| 44' DeFever port side deck photo2 | 16 |
| 44' DeFever starboard side deck photo1 | 16 |
| 44' DeFever starboard side deck photo2 | 16 |
| 44' DeFever flybridge forward | 16 |
| 44' DeFever flybridge aft | 16 |
| 44' DeFever flybridge port | 16 |
| 44' DeFever flybridge starboard | 16 |
| 44' DeFever flybridge helm | 17 |
| 44' DeFever flybridge port aft seating | 17 |
| 44' DeFever flybridge starboard aft seating | 17 |
| 44' DeFever tender davit | 17 |
| 44' DeFever sundeck | 17 |
| 44' DeFever sundeck port | 17 |
| 44' DeFever sundeck starboard | 17 |
| 44' DeFever sundeck forward | 17 |
| 44' DeFever sundeck BBQ grill | 18 |
| 44' DeFever swimplatform | 18 |

| | |
|------------------------------------------|----|
| 44' DeFever salon forward | 18 |
| 44' DeFever salon aft | 18 |
| 44' DeFever salon port | 18 |
| 44' DeFever salon starboard | 18 |
| 44' DeFever salon port seating | 18 |
| 44' DeFever salon starboard seating | 18 |
| 44' DeFever galley photo1 | 19 |
| 44' DeFever galley photo2 | 19 |
| 44' DeFever galley refrigeration | 19 |
| 44' DeFever lower helm | 19 |
| 44' DeFever lower helm electronics1 | 19 |
| 44' DeFever lower helm electronics2 | 19 |
| 44' DeFever master stateroom | 19 |
| 44' DeFever master stateroom port | 19 |
| 44' DeFever master stateroom starboard | 20 |
| 44' DeFever master stateroom forward | 20 |
| 44' DeFever master stateroom closet | 20 |
| 44' DeFever master stateroom head | 20 |
| 44' DeFever master stateroom shower | 20 |
| 44' DeFever guest stateroom | 20 |
| 44' DeFever guest stateroom head | 20 |
| 44' DeFever engine room forward | 20 |
| 44' DeFever engine room aft | 21 |
| 44' DeFever port main engine photo1 | 21 |
| 44' DeFever port main engine photo2 | 21 |
| 44' DeFever port Racor fuel filter | 21 |
| 44' DeFever starboard main engine photo1 | 21 |
| 44' DeFever starboard main engine photo2 | 21 |
| 44' DeFever starboard Racor fuel filter | 21 |

| | |
|---------------------------------------|----|
| 44' DeFever fuel manifold | 21 |
| 44' DeFever fuel polishing system | 22 |
| 44' DeFever oil change system | 22 |
| 44' DeFever sea chest | 22 |
| 44' DeFever stabilizer system | 22 |
| 44' DeFever port stabilizer head | 22 |
| 44' DeFever starboard stabilizer head | 22 |
| 44' DeFever water heater | 22 |
| 44' DeFever engine room work bench | 22 |
| 44' DeFever electrical panel | 23 |
| 44' DeFever generator | 23 |
| 44' DeFever inverter | 23 |
| 44' DeFever battery charger1 | 23 |
| CONTACTS | 24 |
| Contact details | 24 |
| Telephones | 24 |
| Office hours | 24 |
| Address | 24 |

SPECIFICATIONS

Overview

Interlude is a classic, stabilized 44' DeFever Offshore Cruiser offering a full beam master stateroom aft, galley up layout, large sundeck and flybridge, fuel efficient Ford Lehman 135 hp main engines and fuel polishing system. You also get probably the largest engine room of any boat this size! Her seller has moved back to the West Coast, so Interlude is seriously for sale. She would be a perfect Great Loop candidate.

Basic Information

Category: Motor Yacht

Sub Category: Offshore

Model Year: 1987

Year Built: 1987

Country: United States

Vessel Top: Open W/Bimini

Fly Bridge: Yes

Dimensions

LOA: 44' 0" (13.41m)

LWL: 38' 6" (11.73m)

Beam: 14' 9" (4.50m)

Min Draft: 4' 7" (1.40m)

Max Draft: 4' 7" (1.40m)

Speed, Capacities and Weight

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 10 Kts. (12 MPH)

Displacement: 44000 Pounds

Water Capacity: 370 Gallons

Holding Tank: 20 Gallons

Fuel Capacity: 935 Gallons

Accommodations

Total Cabins: 2

Total Berths: 4

Sleeps: 6

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Deck Material: Composite Fiberglass

Hull Configuration: Modified V-Hull

Hull Color: White

Hull Finish: Steel

Engine Information

Engines: 2

Manufacturer: Ford Lehman

Model: SP135

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

44' DeFever Vessel Walkthrough

From the covered sundeck, you can walk out either side deck, step up to the flybridge or step down into the salon. Once inside the salon, you will find the under-counter refrigeration to starboard, 2 lounge chairs and a table to starboard, lower helm and side deck access door starboard forward, galley port aft, sleeper sofa and folding, hi/lo teak table to port and another side deck access door port forward. The master stateroom is aft and the guest stateroom is forward with access to the engine room.

44' DeFever Accommodations

Interlude offers a full beam aft master stateroom with ensuite head and a guest stateroom forward, which also has an ensuite head. There is also a sleeper sofa in the salon.

44' DeFever Salon

The large salon offers under-counter refrigeration starboard aft, 2 lounge chairs and a table to starboard, lower helm starboard forward, sleeper sofa with a folding, hi/lo teak table and end table to port, ottoman, fans, chart countertop and drawers port forward and the galley port aft. There are side deck access doors with screens on both sides forward, teak parquet sole, reading lights and large side windows with blinds and windshield for loads of natural light.

44' DeFever Galley

The galley on the 44' DeFever is located port aft in the salon and offers opening side window and aft windows for plenty of light and ventilation. There is also plenty of counter space and storage.

- Galley Maid Empress 3-burner electric cooktop and stove
- Sharp Carousel II Half Pint microwave oven
- Double stainless steel sinks
- 2 X Nova-Kool under-counter refrigerator/freezers in salon and one in the master stateroom walk-in closet (One unit new in 2005 and the other unit new in 2016)
- Storage drawers and cabinets

- Nova-kool freezer in the master stateroom closet
- U-Line ice maker in the wetbar on sundeck (Rebuilt in 2016)
- West Marine stainless steel BBQ grill on sundeck
- Darby refrigerator on the sundeck

44' DeFever Dining

Dining is available at the folding, hi/lo teak table in the salon.

44' DeFever Lower Helm

The lower helm is located starboard forward in the salon and offers a side deck access door for easier docking and line handling.

44' DeFever Master Stateroom

The full beam aft master stateroom offers a centerline queen size berth, hanging lockers, storage drawers and cabinets, walk-in closet, teak parquet sole, ensuite head with enclosed shower, nightstands, reading lights, vanity/desk, 2 transom portlights and six side portlights for loads of natural light and ventilation.

44' DeFever Guest Stateroom

The guest stateroom forward offers a v-berth with insert, 4 portlights and an overhead hatch for plenty of natural light and ventilation, teak parquet soles, hanging locker, storage drawers and shelves, reading lights and ensuite head.

44' DeFever Sundeck

Interlude offers a teak covered sundeck with a hard top, deck furniture, wetbar with stainless steel sink, refrigerator and U-Line icemaker, transom gate to the stainless steel and teak swimplatform ladder, bulwark doors on each side, same level side deck access, teak steps to the flybridge, 2 rod holders, 2 deck storage boxes, 2 dive tank racks and a stainless steel BBQ grill.

44' DeFever Flybridge

The huge flybridge offers a full console forward with storage underneath, benchseats port and starboard, Todd helm seat, Bimini forward and aft of the Radar arch, benchseat starboard aft, L-shaped benchseat port aft, arch overhead lights and non-skid decks.

44' DeFever Audio/Visual Equipment

- Pioneer DEH-P3900MP AM/FM/CD/MP3/Sat ready player in salon
- Pioneer CD-MR80D satellite radio remote on the flybridge
- Jensen speakers on the flybridge
- Jensen JXL-35 stereo-cassette player in the master stateroom
- Polyplaner speakers on the sundeck

44' DeFever Electronics

- Furuno Navnet chart plotter/MFD on flybridge and at lower helm (2005)
- Furuno RDP-139 Radar on the flybridge and networked to the Navnet MFD's (2005)
- Furuno Navpilot autopilot at the lower helm and remote on the flybridge (2006)
- Furuno depth sounder (2014)
- Garmin 7212 multi-function display on the flybridge (2012)
- Standard Horizon Eclipse DSC+ VHF on flybridge
- Icom IC-M402S VHF at the lower helm
- SEA 222 SSB at the lower helm
- Raytheon Ray410 loudhailer at the lower helm
- Ritchie Powerdamp Plus magnetic compass at the lower helm
- Ritchie magnetic compass on the flybridge
- Ensign Digital Tach panel at the lower helm
- Weems & Plath clock, barometer and hygrometer in the salon

44' DeFever Electrical System

- Westerbeke WMD 12.5-6 12.5 kW generator with approximately 3,715 total hours (Rebuilt in 2006 and now has 150 hours since rebuild)
- 50 amp shore chord
- Trace 2000 watt inverter/charger with a RC2000 remote panel
- Xantrex Truecharge2 60 amp battery charger
- Leece-Neville 90 amp alternator
- 4 X AGM 8D house/start batteries (2014)
- 1 X AGM Group 27 generator battery (2014)
- 12vdc outlet at each helm, the master stateroom and on the sundeck
- 110vac outlets on the sundeck and flybridge

44' DeFever Engine/Mechanical Equipment

- Twin Ford Lehman SP 135 main engines with approximately 6,000 hours
- Twin Disc MG5011 SC gearboxes (1998)
- Morse engine controls
- VDO gauges
- Racor 900MA fuel filters for main engines (2004)
- Racor 900MA fuel polishing and transfer filter
- Racor 500FG fuel filter for generator (2004)
- Fuel manifold
- Reverso oil change system (2014)
- Naiad 160 Series stabilizer system (1998)
- Cruisair reverse cycle air conditioning system (3 units)
- Capilano hydraulic steering system
- Sea chest

- Work bench
- Raritan 12 gallon water heater
- Incinolet WB composting toilet in the master stateroom head
- Galley Maid electric toilet in the guest stateroom head

44' DeFever Deck Equipment

- Maxwell 3500 anchor windlass with foot controls and remote controls on the flybridge (1998)
- Delta 60lb anchor with 175' 3/8" anchor chain
- CQR 60lb anchor with 25' 3/8" anchor chain and 100' 3/4" nylon rode
- Custom stainless steel dual anchor roller assembly (1998)
- 2 X Sampson posts
- Fresh water washdown on foredeck
- Storage lockers on foredeck
- Teak cap rails on stainless steel stanchions with canvas covers
- Stainless steel cleats and deck hardware
- Stainless steel fender racks on foredeck
- Non-skid decks on each side and forward
- Marquipt Tide Ride gangway
- Aluminum boarding ladder
- Windscreen cover
- Teak swimplatform
- Stainless steel and teak ladder from the sundeck to the swimplatform
- Stainless steel swim ladder
- Deck storage box on sundeck
- Hot/cold fresh water shower

- Marquipt 1000lb tender davit

44' DeFever Safety and Fire Protection

- Fireboy 1301 engine room fire suppression system
- Fireboy emergency engine shutdown at helms
- Fire extinguishers
- Carbon monoxide alarm
- Smoke alarm
- Rule bilge pumps
- ACR searchlight
- Jabsco air horn
- Lifesling overboard retrieval system

44' DeFever Exclusions

- Seller's personal belongings
- Tools

44' DeFever Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Exclusions

Owner's personal belongings.


Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot


guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS


44' DeFever starboard profile




44' DeFever starboard aft profile




44' DeFever port forward profile



44' DeFever port aft profile




44' DeFever aft profile




44' DeFever anchor windlass



44' DeFever foredeck




44' DeFever foredeck aft




44' DeFever port side deck photo1




44' DeFever port side deck photo2




44' DeFever starboard side deck photo1




44' DeFever starboard side deck photo2




44' DeFever flybridge forward



44' DeFever flybridge aft



44' DeFever flybridge port



44' DeFever flybridge starboard




44' DeFever flybridge helm



44' DeFever flybridge port aft seating




44' DeFever flybridge starboard aft seating



44' DeFever tender davit




44' DeFever sundeck




44' DeFever sundeck port



44' DeFever sundeck starboard



44' DeFever sundeck forward



44' DeFever sundeck BBQ grill



44' DeFever swimplatform



44' DeFever salon forward



44' DeFever salon aft




44' DeFever salon port




44' DeFever salon starboard



44' DeFever salon port seating



44' DeFever salon starboard seating



44' DeFever galley photo1



44' DeFever galley photo2




44' DeFever galley refrigeration




44' DeFever lower helm



44' DeFever lower helm electronics1 **44' DeFever lower helm electronics2**



44' DeFever master stateroom



44' DeFever master stateroom port





**44' DeFever master stateroom
starboard**




**44' DeFever master stateroom
forward**




44' DeFever master stateroom closet 44' DeFever master stateroom head




**44' DeFever master stateroom
shower**



44' DeFever guest stateroom



44' DeFever guest stateroom head



44' DeFever engine room forward



44' DeFever engine room aft



44' DeFever port main engine photo1




44' DeFever port main engine photo2



44' DeFever port Racor fuel filter




44' DeFever starboard main engine photo1




44' DeFever starboard main engine photo2



44' DeFever starboard Racor fuel filter



44' DeFever fuel manifold



44' DeFever fuel polishing system



44' DeFever oil change system



44' DeFever sea chest



44' DeFever stabilizer system




44' DeFever port stabilizer head



44' DeFever starboard stabilizer head




44' DeFever water heater




44' DeFever engine room work bench




44' DeFever electrical panel




44' DeFever generator



44' DeFever inverter



44' DeFever battery charger1



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004