

LOON — OFFSHORE



Судостроитель: OFFSHORE

Год постройки: 1999

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 54' 0" (16.46m)

Ширина: 15' 10" (4.83m)

Крейс. скорость: 12 Kts. (14 MPH)

Макс. скорость: 18 Kts. (21 MPH)

Купить **Loon — OFFSHORE** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **Loon — OFFSHORE** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	4
Размещение	4
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
Salon	6
Galley	6
Pilothouse	6
Flybridge	7
Master Stateroom	7
Guest Stateroom, Port	7
Guest Stateroom, Starboard	8
Electronics and Navigation	8
Deck Equipment	8
Flybridge and Boat Deck	9
Mechanical Equipment	10
Electrical Equipment	11
Offshore Hull and Construction	11
Exclusions	12
Исключения	12
Отказ от ответственности	12
ФОТОГРАФИИ	13
КОНТАКТЫ	18

Контактная информация	18
Телефоны	18
Время работы	18
Адрес	18

ХАРАКТЕРИСТИКИ

Обзор

This 54 has a high-utility 3-stateroom layout and is powered by an economical Cummins engines. The Offshore 54 is known for high-quality construction, impressive functionality, traditional styling, wide walk-around decks, and its William Crealock design offering the "Softest ride on the water." **LOON** has been maintained in flawless condition and upgraded constantly - Truly turnkey!

Основная информация

Тип судна: Моторная яхта

Подкатегория: Pilothouse

Модельный год: 2000

Год постройки: 1999

Страна: United States

Верх: Bimini Top

Открытая палуба мостика: Да

Размеры

Длина общая: 54' 0" (16.46m)

Ширина: 15' 10" (4.83m)

Трапы: 20' 0" (6.10m)

Скорость, вместимость и масса

Крейс. скорость: 12 Kts. (14 MPH)

Макс. скорость: 18 Kts. (21 MPH)

Размещение

Всего кают: 3

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2

Производитель: Cummins

Модель: 6СТА 8.3-M3

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Salon

- Convertible U shaped settee w/storage beneath
- Custom Scoponich high gloss cherry wood hi/lo cocktail/dining table w/fold down leaves & extension leaf
- (2) upholstered barrel chairs
- 40" Samsung thin screen LED TV
- Sony Blu-Ray Disc/DVD player BDP-BX18
- Sony stereo system with (2) overhead stereo speakers
- Hunter Douglas Duet window shades
- Upholstered window valances
- Bound edge carpeting
- (12) overhead recessed lights
- Perimeter rope lighting

Galley

- Jenn-Air side by side refrigerator & freezer w/in door water & ice dispenser
- GE turntable microwave oven
- Broan trash compactor
- Kenyon 3-urner electric stove
- Oven below cooktop
- Corian countertops
- Storage drawers
- Over head storage cabinets
- Franke stainless steel sink w/ garbage disposal
- Cherry & holly sole
- Mingood Intercom

Pilothouse

- (2) Pompanette helm chairs (Platinum Series)
- Simrad AP20 autopilot
- Naiad roll stabilizers
- ICOM M127 VHF
- Furuno radar
- Furuno NAV Net 3D chart plotter

- ACR RCL 100 spot light
- Wesmar bow thruster
- Raytheon digital depth
- Northstar 951X GPS
- Samsung TV
- Tank tender

Flybridge

- Standard Horizon VHF
- Furuno radar
- Furuno NAV Net 3D chart plotter
- Simrad AP20 auto pilot
- Interpahse twin scope sonar
- Norcold refrigerator
- Bimini top

Master Stateroom

- Queen size berth w/custom mattress, fitted sheets, bed spread & shams
- (4) storage drawers beneath berth
- Built-in nightstands
- (2) reading lights
- Panasonic 13" TV
- (8) storage cabinets
- (2) cedar lined hanging lockers
- Built-in chest of drawers w/mirror above
- (2) Manship portlights w/custom fabric curtains
- Manship overhead hatch
- Mirrored forward bulkhead access doors to anchor locker
- Bound edge carpet sole
- Mingood Intercom

Guest Stateroom, Port

- Double berth w/fitted sheets, bedspread, upholstered headboard
- (4) storage drawers beneath berth
- Cedar lined hanging locker
- (2) storage cabinets
- Panasonic 13" TV
- Manship portlight w/curtain

- (2) reading lights
- Mingood Intercom

Guest Stateroom, Starboard

- Upper & lower berths w/fitted bedspreads & custom fitted sheets
- 13" Panasonic TV
- (2) storage drawers below lower berth
- Storage cabinet
- (2) reading lights
- Built-in night stand w/drawer, cabinet & mirror above
- Cedar lined hanging locker
- Manship portlight w/curtains & valence
- Mingood Intercom

Electronics and Navigation

- (2) Furuno NavNet 3D, 12.1" Multi Function Displays w/GPS chart plotter, depth, (Flybridge & Pilothouse, 2013)
- Furuno 1942 MK2, 6kW, 64nm radar (Pilothouse)
- Furuno FMD 811 radar remote display (Flybridge)
- Simrad AP28 autopilot control head (Pilothouse)
- Simrad AP20 autopilot control head (Flybridge)
- Simrad AP21 wired remote autopilot control
- Raytheon ST60 LCD depth display
- Interphase Twin Scope forward looking sonar (Flybridge)
- ICOM IC-M127 VHF radio/hailer (Pilothouse)
- Standard Horizon VHF radio (Flybridge)
- (2) Ritchie Powerdamp 5" compasses
- Naiad Muultisea II stabilizer controls
- KVH Tracvision M5 HDTV Satellite TV system
- Wave WiFi wireless bridge, ethernet converter
- ACR remote searchlight control
- Hart Tank Tender
- Sealand Tankwatch 4 holding tank monitor

Deck Equipment

- Maxwell 3500 Vertical electric windlass w/PH, FB, & foot controls
- Delta galvanized plow style anchor
- Dual anchor rollers

- 300' chain anchor rode
- Bow pulpit w/rails
- Bow rail
- Stainless steel rub rail
- Port & Starboard boarding gates
- Extended Stamoid cockpit canopy top (2014)
- Stainless steel ladder w/fiberglass non-skid treads to flybridge
- Cockpit helm station w/wheel, engine & thruster controls
- Molded fiberglass cockpit storage cabinet
- Cockpit boarding steps, can be mounted port or starboard
- Varnished teak caprail
- Rupp removable outriggers mounted port & starboard caprail
- (4) Lee rod holders in caprail
- Salt water fresh water wash down
- Transom gate
- Integrated fiberglass swim platform
- Swim ladder
- Transom hot/cold shower
- (2) safety stainless hoop rails on platform
- Dockside TV/phone inlets fore & aft
- Transom shore power inlets
- International navigation lights
- Courtesy lights
- Cockpit spreader lights
- ACR RCL 100 searchlight
- Overhead cockpit stereo speakers
- (3) windshield wipers w/washers
- Sunbrella covers for teak caprail, side windows, deck hatches
- Textiline windshield cover
- Electric air horns

Flybridge and Boat Deck

- Stamoid Bimini top (2014)
- MarQuipt 1000 lb hydraulic davit
- Radar arch w/dome lights
- Centerline helm station w/stainless steel destroyer wheel & complete instrumentation
- Lexan Venturi windshield
- Pompanette ladder back helm & companion chairs on stainless steel pedestals
- Molded fiberglass L-shaped settee w/cushions
- (2) teak trim cocktail tables on stainless steel pedestals
- Sunbrella covers for settee, tables, helm station, helm chairs, tender (2013)

- Zodiac Offshore 6-person life raft in cannister w/stainless steel mount
- Norcold AC/DC 3.2 Cu. ft. refrigerator
- Sink w/faucet
- Boat deck stainless steel stanchions & rails

Mechanical Equipment

- Twin Cummins 6CTA 8.3-M3, 450 hp engines (1824 hours port; 1799 hours starboard)
- Northern Lights 12 kW gen set (1988 hours)
- ZF 301A transmissions w/2:1 reduction gears
- Wesmar 3-station bow thruster - dual prop, model DPC12E
- Naiad Stabilizers w/Multisea II controls
- Sealand VacuFlush sanitation system w/all new hoses (2014)
- Cruisair 54,000 BTU reverse cycle air conditioning system w/4 compressors
- SMX2 AC/Heat controls throughout
- Central vacuum system
- Stainless steel engine beds
- Glendinning engine synchronizers
- (2) bilge blowers
- (3) Aluminum epoxy painted fuel tanks
- Dual Racor 1000 MA fuel filters on main engines
- Racor 500 MA fuel filter, generator
- Copper fuel system with manifolds and sight gauges
- Easy access cleanouts on fuel tanks
- Fresh water washdown, engine room
- Flo Jet saltwater pump with strainer
- (4) Groco sea water strainers for mains and generator
- (5) Rule 3700 bilge pumps
- Reverso oil changing system for main engines, transmissions and generator
- Bennett trim tabs, 12" X 54"
- Hynautic hydraulic steering
- Hynautic hydraulic engine controls
- Wesmar bow thruster (3 station) - Dual Prop model DPC12E
- Tides dripless shaft & rudder seals
- Spur line cutters on shafts
- Nibral 4-blade propellers
- Aquamet 22 stainless steel shafts
- 20 gal hot water tank located under master berth
- Whale Gusher hand bilge pump
- Bilge high water alarm
- 3 bronze gate valves at bulkheads
- (2) Rule shower sump pumps

- Fireboy FE-241 fire suppression system
- Underwater exhaust
- Asko #10505 clothes washer
- Asko #7005 clothes dryer

Electrical Equipment

- 12 kW Northern Lights generator in sound shield w/1988 hrs.
- Xantrex Heart Interface Link 2000 inverter/charger
- Charles Marine Iso-Boost automatic isolation and boosting transformer
- (12) 6V AGM batteries , house banks (2011)
- (2) 24V AGM battery banks, engine start (2014)
- 12V AGM generator start battery
- 24V AGM battery bank, bow thruster (2013)
- Battery chargers, engines & thruster
- Central bonding system
- Vanner Voltmaster converter

Offshore Hull and Construction

10/2014: Bottom was stripped, new barrier coat and anti-fouling paint applied.

Offshore utilizes the best FRP materials available including solid hand laminated Knytex, bi & uni-directional fabric, and vinyl-ester resins below the waterline. This provides greater strength and reduced weight over conventional woven roving / mat construction. Above the water line, closed cell Core Cell material is vacuum bagged to the same bi- and uni-directional fabric using isothalic and vinyl-ester resins.

The hull is one integral laminated component. The main deck and cabin are one laminated component which is laminated to the hull. The boat deck, flybridge, and pilothouse roof are one fiberglass component which is laminated to the cabin structure. When these three individual modules are laminated together, an extremely strong, rigid, and watertight uni-structure is formed that meets or exceeds ABS requirements.

Four massive full-length stringers and multiple athwartship frames are laminated and bonded in the hull to minimize panel size and achieve incredible hull strength.

The bilge areas are divided into four sections to further increase watertight integrity. Each section has it's own automatic bilge pump, and all can be made common by gate valves in each section. Massive main bulkheads consist of multiple layers of balsa-cored fiberglass and each are insulated with multiple insulation materials designed for each bulkhead's sound requirements. Engineered insulation at engine room overhead &

bulkheads and master stateroom bulkheads utilize multiple layers of varying types of sound-deadening and sound-absorbing materials to minimize engine noise and to also insure maximum privacy.

Incorporated in the hulls construction are two heavily laminated rub rails that are structural components of the hull. The substantial rub rails, capped with solid stainless steel, increase the strength of the hull sides and protect the hull when coming alongside a piling or dock. The joint between cabin sides and overhead is bonded with FRP and finished in gel coat instead of caulking.

The running gear is fully protected by an extended keel which also adds stability.

Exclusions

All tools and Owner's personal items and effects Spare parts and equipment, not related to the operation of the vessel



Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ











КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004