

ALEGRE — SYMBOL



Builder: SYMBOL

Year Built: 2004

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: Mexico

LOA: 88' 0" (26.82m)

Beam: 21' 0" (6.40m)

Max Draft: 6' 0" (1.83m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **ALEGRE — SYMBOL** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **ALEGRE — SYMBOL** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	3
Hull and Deck Information	3
Engine Information	4
DETAILED INFORMATION	5
Main Specifications	5
Exclusions	13
Disclaimer	13
PHOTOS	14
CONTACTS	17
Contact details	17
Telephones	17
Office hours	17
Address	17

SPECIFICATIONS

Overview

2004 Symbol 88 @ La Paz, BCS Generators hours: 2800

Basic Information

Category: Motor Yacht

Sub Category: Flybridge

Model Year: 2004

Year Built: 2004

Country: Mexico

Vessel Top: Hardtop

Fly Bridge: Yes

Cockpit: Yes

Dimensions

LOA: 88' 0" (26.82m)

Beam: 21' 0" (6.40m)

Max Draft: 6' 0" (1.83m)

Speed, Capacities and Weight

Displacement: 171800 Pounds

Water Capacity: 350 Gallons

Fuel Capacity: 2500 Gallons

Accommodations

Total Cabins: 4

Sleeps: 12

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: Caterpillar

Model: 3412E

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Main Specifications

I. Deck Hull & Structure

Hull lamination

- Below waterline ... Solid fiberglass, vinylester resin for the first three (3) layers
- Above waterline ... Closed cell high density linear foam cored sandwich lamination
- Gelcoat .. "Cook" - 953 series, off-white

Ø Shaft strut ... two (2) V-struts, 316-grade S/S (stainless steel)

Ø Bottom Paint (with barrier coat) features

- Bottom Paint ... petit "Trinidad"

Ø Boot stripe ... Awlgrip or equivalent

Ø House stripe (if used) - Awlgrip equivalent

Ø Rub rail - Heavy Duty rubber or PVC with Stainless Steel insert

Ø Web Frames & Stringers ... Laminated polyethylene foam

Ø Water Tight Bulkheads

- Four (4) units to separate five (5) compartments
- Closed cell high density PVC foam cored lamination

Ø Main Deck

- Closed cell high density PVC foam cored lamination
- Molded non-skid
- Scuppers and drains for acceptable water run-off

Ø Main Deck Stanchion Rail

- Main deck ... S/S 316, 1 - 1/2 "diameter hand rail w/ 1 1/4" stanchion round tube, 332 high
- Flybridge

1. Side ... 316-grade S/S, 1 ¼" diameter, round tube
 2. Rear ... 316-grade S/S foldable post with S/S lifeline
- Ø Flybridge Venturi Frame ... 1 ¼" diameter, 316-grade S/S
- Ø Radar Arch ... Molded fiberglass construction w/stainless Steel mast light
- Ø Flybridge
- Molded non-skid deck
 - Instrument Panel ... Molded-in fiberglass
 - Helm Seat – Fixed FRP bench type w/reversible back rest
 - Island bar with electric grill, sink, fresh water and refrigerator w/icemaker. (3) stools.
 - Custom raised FRP settee with cushions and hi-lo table with teak flooring.
 - Sunpad area with removable foam cushions covered in sunbrella or equal
 - Molded "hard top" with recessed lighting. Dimensions will be forward of the radar arch forward to windscreen.
 - Shower with drain grate
 - Extended railing around stern end with safety lines.
- Ø Aft deck
- Teak plank flooring
 - Wood table and FRP settee with cushions for 12 person per approved drawings
 - Teak cap railing for aft deck area
- Ø Fore deck
- Built in jacuzzi with removable sun cushions covered with sunbrella or equivalent and cover
 - Built in seating with cover
 - FRP double anchor pulpit with rode, roller, 100' of chain and 100' of rope
- Ø Cockpit – Eurotransom style
- Teak covered F.R.P. steps leading to the aft deck on port and stbd sides with

transom gates

- TNT (or equivalent) boat lift with removable chocks for water toys. Swim ladder
- Cabinet for shower/shore, water/shore, power/TV cable connectors
- Transom shower

Ø Window / Door System

- Forward windshield & sal6n sides ... Frameless fixed Windows
- Salon aft deck door ... 316-grade S/S - Opposing opening
- Salon stbd door (1) ... Pantograph door
- Salon aft Windows ... framed stainless Steel
- Pilothouse side doors (1) ... Pantograph doors (port & starboard)
- Flybridge door ... PCMI, U.S.- made aluminum hinged door
- Tempered glass for all Windows

II. Mechanical Systems

Caterpillar 3412E (1400 HP) engines

Ø Shafts

- Two (2) ANSI 630 (or equivalent) shafts
- Shaft log ... FRP shaft log + PYI dripless stuffing box
- Cooled rubber bearing for shaft support

Ø Propellers (2) magnesium bronze 3-bladed

Ø Engine room vent blower/system

- Two (2) Delta T system 806 XL (or equivalent) for hot air extraction

Ø Engine throttle & shift control

- Dual station, Hynautic

Ø Engine cooling system per engine

- Sea water intake through hull
- Sea water strainer (DIA. 2 1/2")

- Ø Automatic oil change system-for both engines and generators
- Ø Fuel tankage - 2500 gallons as practical.
 - Fuel lines - all color coded copper tubing
 - Grocco fuel transfer pump
- Ø Fuel Filters ... Racor 1000 Series (2 per engine),
 - Gensets -(1) Racor 500 each
- Ø Exhaust System (2) Two semi-wetted exhaust system above waterline (DIA. 8") Unicraft (U.S.-made) F.R.P. tube and mufer
- Ø Steering Wheels -
 - Flybridge 316-grade S/S, DIA. 26"
 - Lower helm Teak, DIA. 26"
- Ø Rudder Blade (2) Two 304-grade S/S, aero foil section, Aquamet 22 (or equivalent)
- Ø Power Steering System
- Ø Rudder Stock Stuffing Box Tide "3000RPP" dripless stuffing box
- Ø Emergency Tiller 304-grade 5/8 in lazarette
- Ø Wesmat Hydraulics System
- Ø Wesmar Stabilizers - 9 sq ft /RS900
- Ø Wesmar Hydraulic Bow Thruster - V2-12H / 40 HP
- Ø Watermaker - 1200 GPD - Village Marine
- Ø Hydraulic System - Wesmar HPT—100
- Ø Passarelle - fixed and storable type to attach on main aft deck level aft with gate designed into railing
- Ø Davit - UMT 1500 lb on flybridge with removable deck chock fittings.
- Ø 133,000 BTU Marine Air Conditioning with digital controls.
 - Back up air-conditioning pump

III. Electrical System

- (2) Northern Lights 25 Kw Gensets w/sound shields GENERATOR HOURS: 2,800
 - Ø Shore Power Receptacle (2-50 AMP VAC outlets)
 - Marincos 6371 EL — 125V AC, 50A or Marincos 6373 EL - 125/250VAC, 50A
 - Ø Service (House) Batteries (all batteries neatly stored in fiberglass boxes)
 - Marine Group 31 (8x), 300 AH @ 24V
 - Ø Engines Start Batteries
 - Marine 8D (2x), 200 AH @ 24V
 - Ø Instrument 8: Electronics Batteries
 - Marine Group 31 (2x), 200 AH @ 12V
 - Battery charger
 - Ø Generator Battery
 - Marine Group 31 (2x), 100 AH @ 12V
 - Ø Battery Charger Professional "Promatic 35 ~ 3" or equivalent
 - Ø Wiring System
 - Color-coded wiring system (identifiable in neatly run bundles and approved conduits). Per A.B.Y.C. guidelines
 - Main feed line fuse/breaker per A.B.Y.C. guidelines
 - Separated VAC 8: VDC conduits
 - Tin-coated copper multi-strand wiring throughout
 - TV Cable and CAT5 type Network prewiring provided throughout
1. Shore Telephone/TV Connector Marincos PH-6592-TV Ø

Main Switch Panel

- 24 VDC distribution panel with ammeter and voltmeter
- 120/240 VAC distribution panel with ammeter and voltmeter
- Selective switch/breaker for genset/shore power selection
- Industry standard thermal breakers — properly labeled with spare circuits.

Ø AC Outlets

- Interior 110 VAC duplex outlets throughout

- G.F.I. outlets... galley, flying bridge, engine room (3: heads
- Exterior outlet G.F.I. + Hubbell CWP26CR (S/S cover)

Ø Lighting Fixtures — Halogen 24 VDC throughout with dimmer switches in main living spaces.

- Spreader lights Three (3) Par 45900-0001
- Exterior Flood lights Two (2) Par 45900-0001
- Exterior courtesy lighting
- Interior courtesy and accent lighting
- Engine room

1. Four (4) 120V fluorescent lights

2. vapor-proof 24 VDC lighting

Ø Bonding System

- Cathodic Zinc(s) Two (2) B-5
- Isolator Newmar "Zinc Save II" Brass shaft grounding brushes

IV. Command & Surveillance Ø Rudder Angle Indicator Ø VDC gauges for ancillary monitors Ø Tank Level Gauge

- Fuel/water WEMA P7W
- Holding tank SeaLand Tankwatch IV
- Bilge water Rule #37 (4)
- Bilge alarm Groco AS-100

Ø Bilge Alarm Panel Flybridge helm & pilothouse Ø Compass — Danforth 580 (1) each for ybridge and lower helm Ø Windshield washer and wipers Ø Air Horn Ø Navigation Lights Aqua Signal 55 series (P., 5., Stern, Mast, Anchor) Ø Searchlight with dual controls Ø Engine Room Fire Alarm System — "Fire Boy" alarm panel Ø Engine Room Fire Extinguisher Fire Boy CG2-1000

- Portable dry chemical fire extinguishers throughout vessel
- Smoke detectors throughout vessel

V. Auxiliary Systems Ø Ventilation System

- Galley fan blower Par 35440-0010 (" diameter)
- Shower compartment vent blower Par 36740—0010 (3" diameter)
- Forward bilge blower Par 36740—0010 (" diameter)

Ø Fresh water

- Tankage 350 U.S. gallons in 4 tanks, "Ronco", polyethylene
- Fresh water pump Grocco PRS

- Back up Groco fresh water pump
- Accumulator Grocco PST—2
- Fresh water system lines

1. Cold "Whale" 22 mm, blue - WS7222

2. Hot "Whale" 22 mm, red — WS722

- Water Heater (2) Torrid MV—30 (30 gallons, U.S.-made)

Ø Windlass Hydraulic

- Control Dual station w/foot switches on foredeck

Ø Anchor Ace - 316L-grade S/S, 90#

- Fiberglass pulpit for two anchors

Ø Cleats Six (6) units at the bow area and amidships

- Hawse w/cleat Two (2) units at the cockpit
- Adequate lines and fenders

Ø Central vacuum system Ø Toilet System

- Electric heads - Par/Jabsco "Quiet Flush" Designer Series
- Y—selector "Bosworth — 95"
- Holding tank One (1) polyethylene tank (50 gallons), SeaLand
- Odor vent filter SeaLand 310002
- Macerator pump One (1) SeaLand T24
- SeaLand OdorSafe® sanitation hose / PVC tube between macerator pump and discharge seacock

Ø Bilge Pump System

- Engine room & lazarette Rule — 16A, 3700 GPH
- Elsewhere Rule - 12A, 2000 GPH
- Manual One (1) Bosworth M-5-V in engine room
- Sump pump One (1) Rule - 12A, 2000 GPH

VI. Accommodations 3: Furnishings Ø Stairways

- Aft deck to ybridge 316-grade 5/5 with ERJ'. Step
- Pilothouse up to flybridge Wood and stainless steel per drawing details
- Pilothouse down to lower level Carpet or teak/holly with wood handrail and accent rope lighting

Ø Forward Cabin Escape Hatch Bomar 2085^a Ø Portholee (8) Eight opening type 8" x

22", oblong shape, 316—grade SIS Ø Interior Wood Paneling - High gloss teak Ø Cabins (4 - to accommodate guests and owner) comprised of: Full Beam Master with centerline queen berth, (2) Guest rooms each with Sictwin beds and single gulhnan berths, and a forward VII' Stateroom with a centerline queen berth. Each room furnished with the following:

- Counter top material Teak (Burl wood optional)
- Flooring carpet
- InneESpring mattresses
- Mirrors (as needed)
- Cabinets 8: drawers (details as agreed upon)
- Hanging lockers Cedar interior with courtesy light
- Vinyl Ceiling panels (removable for access, type "Andri")
- Storage under the mattresses
- Night tables
- Two (2) Reading lights
- Vanity with dressing mirror
- Wall cow-ring material - per décor allowance
- Built-in safes (4 small)

Ø Heads - Each of the four guesowner staterooms shall be ensuite. The day head on the main deck level will also have a shower.

- Electric heads - Pat/Jabsco "Quiet Hush" Designer Series
- Bulkhead finished in selected wood veneer
- Counter top material - Granite
- Ceiling material Minor Plexiglas
- Fixtures - Grohe or equal (see décor allowance)
- Stall types showars with teak gratin-g
- Flooring ~ Teak/Holly
- Mirror

Ø Crew quarters to be located aft of engine room and accessed via aft deck and swim platform. TWO rooms - one to accommodate two persons in a double berth and the other upper/lower bunks. Share separate bath with stall shower. Captain quarters to hold one medium safe. Ø Salon

- Upholstery and window treatments per décor allowance
- Flooring — carpet
- Furniture and cabinetry provided per drawing details
- Vinyl padded ceiling Soffit (is pattern design)
- Counter top material .L. High gloss teak
- Bar with sink, running water, refrigerator with icemaker, 3 fixed bar stools
- Staircase to Flybridge per drawing details
- China and crystal inserts provided in cabinetry

Ø Lower Helm Station

- Pilot chair Pompanette "Prestige"
- Settee per drawings details
- Dash board "Matte" finished black formica
- Counter top High gloss Teak/Holly
- Floor Teak/Holly or wood parquet
- Equipped with complete controls and gauges
- Electronics installed per Electronics allowance

Ø Galley

- Appliances provided per Appliance package
- Galley counter-tops — Granite
- Sink Polar 102-1 or equal
- Flooring to be high quality laminate
- Provided per d'ecor allowance


Exclusions

Owner's personal belongings.


Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS







CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004