

ALEGRE — SYMBOL



Судостроитель: SYMBOL

Год постройки: 2004

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: Mexico

Длина общая: 88' 0" (26.82m)

Ширина: 21' 0" (6.40m)

Макс. осадка: 6' 0" (1.83m)

Купить **ALEGRE — SYMBOL** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **ALEGRE — SYMBOL** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Обзор	3
Основная информация	3
Размеры	3
Скорость, вместимость и масса	3
Размещение	3
Корпус и палуба	3
Информация о двигателе	4
ПОДРОБНОЕ ОПИСАНИЕ	5
Main Specifications	5
Исключения	13
Отказ от ответственности	13
ФОТОГРАФИИ	14
КОНТАКТЫ	17
Контактная информация	17
Телефоны	17
Время работы	17
Адрес	17

ХАРАКТЕРИСТИКИ

Обзор

2004 Symbol 88 @ La Paz, BCS Generators hours: 2800

Основная информация

Тип судна: Моторная яхта	Подкатегория: Flybridge
Модельный год: 2004	Год постройки: 2004
Страна: Mexico	Верх: Hardtop
Открытая палуба мостика: Да	Кубрик: Да

Размеры

Длина общая: 88' 0" (26.82m)	Ширина: 21' 0" (6.40m)
Макс. осадка: 6' 0" (1.83m)	

Скорость, вместимость и масса

Водоизмещение: 171800 Pounds	Вместимость воды: 350 Gallons
Объем топливного бака: 2500 Gallons	

Размещение

Всего кают: 4	Спальные места: 12
----------------------	---------------------------

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2

Производитель: Caterpillar

Модель: 3412E

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Main Specifications

I. Deck Hull & Structure

Hull lamination

- Below waterline ... Solid fiberglass, vinylester resin for the first three (3) layers
- Above waterline ... Closed cell high density linear foam cored sandwich lamination
- Gelcoat .. "Cook" - 953 series, off-white

Ø Shaft strut ... two (2) V-struts, 316-grade S/S (stainless steel)

Ø Bottom Paint (with barrier coat) features

- Bottom Paint ... petit "Trinidad"

Ø Boot stripe ... Awlgrip or equivalent

Ø House stripe (if used) - Awlgrip equivalent

Ø Rub rail - Heavy Duty rubber or PVC with Stainless Steel insert

Ø Web Frames & Stringers ... Laminated polyethylene foam

Ø Water Tight Bulkheads

- Four (4) units to separate five (5) compartments
- Closed cell high density PVC foam cored lamination

Ø Main Deck

- Closed cell high density PVC foam cored lamination
- Molded non-skid
- Scuppers and drains for acceptable water run-off

Ø Main Deck Stanchion Rail

- Main deck ... S/S 316, 1 - 1/2 "diameter hand rail w/ 1 1/4" stanchion round tube, 332 high
- Flybridge

1. Side ... 316-grade S/S, 1 ¼" diameter, round tube
 2. Rear ... 316-grade S/S foldable post with S/S lifeline
- Ø Flybridge Venturi Frame ... 1 ¼" diameter, 316-grade S/S
- Ø Radar Arch ... Molded fiberglass construction w/stainless Steel mast light
- Ø Flybridge
- Molded non-skid deck
 - Instrument Panel ... Molded-in fiberglass
 - Helm Seat – Fixed FRP bench type w/reversible back rest
 - Island bar with electric grill, sink, fresh water and refrigerator w/icemaker. (3) stools.
 - Custom raised FRP settee with cushions and hi-lo table with teak flooring.
 - Sunpad area with removable foam cushions covered in sunbrella or equal
 - Molded "hard top" with recessed lighting. Dimensions will be forward of the radar arch forward to windscreen.
 - Shower with drain grate
 - Extended railing around stern end with safety lines.
- Ø Aft deck
- Teak plank flooring
 - Wood table and FRP settee with cushions for 12 person per approved drawings
 - Teak cap railing for aft deck area
- Ø Fore deck
- Built in jacuzzi with removable sun cushions covered with sunbrella or equivalent and cover
 - Built in seating with cover
 - FRP double anchor pulpit with rode, roller, 100' of chain and 100' of rope
- Ø Cockpit – Eurotransom style
- Teak covered F.R.P. steps leading to the aft deck on port and stbd sides with

transom gates

- TNT (or equivalent) boat lift with removable chocks for water toys. Swim ladder
- Cabinet for shower/shore, water/shore, power/TV cable connectors
- Transom shower

Ø Window / Door System

- Forward windshield & sal6n sides ... Frameless fixed Windows
- Salon aft deck door ... 316-grade S/S - Opposing opening
- Salon stbd door (1) ... Pantograph door
- Salon aft Windows ... framed stainless Steel
- Pilothouse side doors (1) ... Pantograph doors (port & starboard)
- Flybridge door ... PCMI, U.S.- made aluminum hinged door
- Tempered glass for all Windows

II. Mechanical Systems

Caterpillar 3412E (1400 HP) engines

Ø Shafts

- Two (2) ANSI 630 (or equivalent) shafts
- Shaft log ... FRP shaft log + PYI dripless stuffing box
- Cooled rubber bearing for shaft support

Ø Propellers (2) magnesium bronze 3-bladed

Ø Engine room vent blower/system

- Two (2) Delta T system 806 XL (or equivalent) for hot air extraction

Ø Engine throttle & shift control

- Dual station, Hynautic

Ø Engine cooling system per engine

- Sea water intake through hull
- Sea water strainer (DIA. 2 1/2")

- Ø Automatic oil change system-for both engines and generators
- Ø Fuel tankage - 2500 gallons as practical.
 - Fuel lines - all color coded copper tubing
 - Grocco fuel transfer pump
- Ø Fuel Filters ... Racor 1000 Series (2 per engine),
 - Gensets -(1) Racor 500 each
- Ø Exhaust System (2) Two semi-wetted exhaust system above waterline (DIA. 8") Unicraft (U.S.-made) F.R.P. tube and mufer
- Ø Steering Wheels -
 - Flybridge 316-grade S/S, DIA. 26"
 - Lower helm Teak, DIA. 26"
- Ø Rudder Blade (2) Two 304-grade S/S, aero foil section, Aquamet 22 (or equivalent)
- Ø Power Steering System
- Ø Rudder Stock Stuffing Box Tide "3000RPP" dripless stuffing box
- Ø Emergency Tiller 304-grade 5/8 in lazarette
- Ø Wesmat Hydraulics System
- Ø Wesmar Stabilizers - 9 sq ft /RS900
- Ø Wesmar Hydraulic Bow Thruster - V2-12H / 40 HP
- Ø Watermaker - 1200 GPD - Village Marine
- Ø Hydraulic System - Wesmar HPT—100
- Ø Passarelle - fixed and storable type to attach on main aft deck level aft with gate designed into railing
- Ø Davit - UMT 1500 lb on flybridge with removable deck chock fittings.
- Ø 133,000 BTU Marine Air Conditioning with digital controls.
 - Back up air-conditioning pump

III. Electrical System

- (2) Northern Lights 25 Kw Gensets w/sound shields GENERATOR HOURS: 2,800
- Ø Shore Power Receptacle (2-50 AMP VAC outlets)
- Marincos 6371 EL — 125V AC, 50A or Marincos 6373 EL - 125/250VAC, 50A
- Ø Service (House) Batteries (all batteries neatly stored in fiberglass boxes)
- Marine Group 31 (8x), 300 AH @ 24V
- Ø Engines Start Batteries
- Marine 8D (2x), 200 AH @ 24V
- Ø Instrument 8: Electronics Batteries
- Marine Group 31 (2x), 200 AH @ 12V
- Battery charger
- Ø Generator Battery
- Marine Group 31 (2x), 100 AH @ 12V
- Ø Battery Charger Professional "Promatic 35 ~ 3" or equivalent
- Ø Wiring System
- Color-coded wiring system (identifiable in neatly run bundles and approved conduits). Per A.B.Y.C. guidelines
- Main feed line fuse/breaker per A.B.Y.C. guidelines
- Separated VAC 8: VDC conduits
- Tin-coated copper multi-strand wiring throughout
- TV Cable and CAT5 type Network prewiring provided throughout

1. Shore Telephone/TV Connector Marincos PH-6592-TV Ø

Main Switch Panel

- 24 VDC distribution panel with ammeter and voltmeter
- 120/240 VAC distribution panel with ammeter and voltmeter
- Selective switch/breaker for genset/shore power selection
- Industry standard thermal breakers — properly labeled with spare circuits.

Ø AC Outlets

- Interior 110 VAC duplex outlets throughout

- G.F.I. outlets... galley, flying bridge, engine room (3: heads
- Exterior outlet G.F.I. + Hubbell CWP26CR (S/S cover)

Ø Lighting Fixtures — Halogen 24 VDC throughout with dimmer switches in main living spaces.

- Spreader lights Three (3) Par 45900-0001
- Exterior Flood lights Two (2) Par 45900-0001
- Exterior courtesy lighting
- Interior courtesy and accent lighting
- Engine room

1. Four (4) 120V fluorescent lights

2. vapor-proof 24 VDC lighting

Ø Bonding System

- Cathodic Zinc(s) Two (2) B-5
- Isolator Newmar "Zinc Save II" Brass shaft grounding brushes

IV. Command & Surveillance Ø Rudder Angle Indicator Ø VDC gauges for ancillary monitors Ø Tank Level Gauge

- Fuel/water WEMA P7W
- Holding tank SeaLand Tankwatch IV
- Bilge water Rule #37 (4)
- Bilge alarm Groco AS-100

Ø Bilge Alarm Panel Flybridge helm & pilothouse Ø Compass — Danforth 580 (1) each for ybridge and lower helm Ø Windshield washer and wipers Ø Air Horn Ø Navigation Lights Aqua Signal 55 series (P., 5., Stern, Mast, Anchor) Ø Searchlight with dual controls Ø Engine Room Fire Alarm System — "Fire Boy" alarm panel Ø Engine Room Fire Extinguisher Fire Boy CG2-1000

- Portable dry chemical fire extinguishers throughout vessel
- Smoke detectors throughout vessel

V. Auxiliary Systems Ø Ventilation System

- Galley fan blower Par 35440-0010 (" diameter)
- Shower compartment vent blower Par 36740—0010 (3" diameter)
- Forward bilge blower Par 36740—0010 (" diameter)

Ø Fresh water

- Tankage 350 U.S. gallons in 4 tanks, "Ronco", polyethylene
- Fresh water pump Grocco PRS

- Back up Groco fresh water pump
- Accumulator Grocco PST—2
- Fresh water system lines

1. Cold "Whale" 22 mm, blue - WS7222

2. Hot "Whale" 22 mm, red — WS722

- Water Heater (2) Torrid MV—30 (30 gallons, U.S.-made)

Ø Windlass Hydraulic

- Control Dual station w/foot switches on foredeck

Ø Anchor Ace - 316L-grade S/S, 90#

- Fiberglass pulpit for two anchors

Ø Cleats Six (6) units at the bow area and amidships

- Hawse w/cleat Two (2) units at the cockpit
- Adequate lines and fenders

Ø Central vacuum system Ø Toilet System

- Electric heads - Par/Jabsco "Quiet Flush" Designer Series
- Y—selector "Bosworth — 95"
- Holding tank One (1) polyethylene tank (50 gallons), SeaLand
- Odor vent filter SeaLand 310002
- Macerator pump One (1) SeaLand T24
- SeaLand OdorSafe® sanitation hose / PVC tube between macerator pump and discharge seacock

Ø Bilge Pump System

- Engine room & lazarette Rule — 16A, 3700 GPH
- Elsewhere Rule - 12A, 2000 GPH
- Manual One (1) Bosworth M-5-V in engine room
- Sump pump One (1) Rule - 12A, 2000 GPH

VI. Accommodations 3: Furnishings Ø Stairways

- Aft deck to ybridge 316-grade 5/5 with ERJ'. Step
- Pilothouse up to flybridge Wood and stainless steel per drawing details
- Pilothouse down to lower level Carpet or teak/holly with wood handrail and accent rope lighting

Ø Forward Cabin Escape Hatch Bomar 2085^a Ø Portholee (8) Eight opening type 8" x

22", oblong shape, 316—grade SIS Ø Interior Wood Paneling - High gloss teak Ø Cabins (4 - to accommodate guests and owner) comprised of: Full Beam Master with centerline queen berth, (2) Guest rooms each with Sictwin beds and single gulhnan berths, and a forward VII' Stateroom with a centerline queen berth. Each room furnished with the following:

- Counter top material Teak (Burl wood optional)
- Flooring carpet
- InneESpring mattresses
- Mirrors (as needed)
- Cabinets 8: drawers (details as agreed upon)
- Hanging lockers Cedar interior with courtesy light
- Vinyl Ceiling panels (removable for access, type "Andri")
- Storage under the mattresses
- Night tables
- Two (2) Reading lights
- Vanity with dressing mirror
- Wall cow-ring material - per décor allowance
- Built-in safes (4 small)

Ø Heads - Each of the four guesowner staterooms shall be ensuite. The day head on the main deck level will also have a shower.

- Electric heads - Pat/Jabsco "Quiet Hush" Designer Series
- Bulkhead finished in selected wood veneer
- Counter top material - Granite
- Ceiling material Minor Plexiglas
- Fixtures - Grohe or equal (see décor allowance)
- Stall types showars with teak gratin-g
- Flooring ~ Teak/Holly
- Mirror

Ø Crew quarters to be located aft of engine room and accessed via aft deck and swim platform. TWO rooms - one to accommodate two persons in a double berth and the other upper/lower bunks. Share separate bath with stall shower. Captain quarters to hold one medium safe. Ø Salon

- Upholstery and window treatments per décor allowance
- Flooring — carpet
- Furniture and cabinetry provided per drawing details
- Vinyl padded ceiling Soffit (is pattern design
- Counter top material .L. High gloss teak
- Bar with sink, running water, refrigerator with icemaker, 3 fixed bar stools
- Staircase to Flybridge per drawing details
- China and crystal inserts provided in cabinetry

Ø Lower Helm Station

- Pilot chair Pompanette "Prestige"
- Settee per drawings details
- Dash board "Matte" finished black formica
- Counter top High gloss Teak/Holly
- Floor Teak/Holly or wood parquet
- Equipped with complete controls and gauges
- Electronics installed per Electronics allowance

Ø Galley

- Appliances provided per Appliance package
- Galley counter-tops — Granite
- Sink Polar 102-1 or equal
- Flooring to be high quality laminate
- Provided per d'ecor allowance


Исключения

При продаже яхты исключаются личные вещи владельца.


Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ







КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: **shestakovyachtsales.com**

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрыто**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004