

KIAMAR — NAUTOR



Builder: NAUTOR LOA: 76' 6" (23.30m)

Year Built: 2009 **Beam**: 19' 0" (5.79m)

Model: Cruising Sailboat Min Draft: 9' 11" (3.00m)

Price: PRICE ON APPLICATION

Location: Italy

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs KIAMAR — NAUTOR from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **KIAMAR** — **NAUTOR** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	3
Hull and Deck Information	4
DETAILED INFORMATION	5
GENERAL	5
Exclusions	8
Disclaimer	8
PHOTOS	9
CONTACTS	13
Contact details	13
Telephones	13
Office hours	13
Address	13

KIAMAR — NAUTOR Page 3 of 13

SPECIFICATIONS

Overview

This Swan 75FD is the true expression of luxury lifestyle; the most pleasing blend of dynamic styling, technology and luxurious appointment. The two cockpits provide unparalleled relaxation space; the aft for sailing and control while the amidships offers comfortable seating for guests protected by an integrated bimini to shade from the sun, around a semi-permanent table with access to the main companionway. A perfect example of the luxury this Swan possesses is the oil waxed, satin finished teak joinery that compliments the light, welcoming interior creating a voluminous impression. Nautor's hallmark refined lines, makes this the most eye catching competitive shorthanded cruiser available on the world market in the 75ft category. Lightly used and equipped with everything you would need to go anywhere. CERTIFICATE CE Category A Ocean

Basic Information

Category: Cruising Sailboat Sub Category: Sloop

Model Year: 2009 Year Built: 2009

Country: Italy

Dimensions

LOA: 76' 6" (23.30m) **Beam**: 19' 0" (5.79m)

Min Draft: 9' 11" (3.00m)

Speed, Capacities and Weight

Displacement: 83776 Pounds Fuel Capacity: 476 Gallons

Accommodations

Total Cabins: 4

KIAMAR — NAUTOR Page 4 of 13

Hull and Deck Information

Hull Material: GRP

KIAMAR — NAUTOR Page 5 of 13

DETAILED INFORMATION

GENERAL

Hull and Deck equipment

HULL & DECKHull is constructed in single skin glass/aramid hybrid reinforced polyester laminate with vinylester skincoats. Carbon fiber stringers and reinforcementsHull is finished in navy blue gelcoat, with white cove and boot stripesKeel is an antimony lead casting with cast in keel bolts of hi-tensile stainless steel

Hull was originally finished in "Flag Blue" navy blue gelcoat, with white cove and boot stripes, but in 2018 has been painted with Awlgrip (same blue colour)

Steering SystemRudder of foam filled carbon with tapered stock in carbon compositeDual destroyer type steering wheels with teak trim and carbon spokes mounted on carbon pedestalsLightweight aluminum steering quadrantEmergency steering gear stowed in lazaretteAdditional Hull FeaturesHydraulically operated bathing platform with teak surface with wireless remote controlTransom door seals pneumatically preventing water ingressTelescopic electric gangway in stainless steel and teak Max Power 315 retractable thruster with 2 foot switches DECKDeck is a sandwich construction, using glass/aramid hybrid fibre reinforced polyester laminate with a low-density closed cell foam coreHi density core or solid laminate under deck fittings. Deck laminates are finished in gelcoat White NGA 9650Laid teak 9 x 55 mm nominal thickness on side and bridge deck, raised saloon top, cockpit soles and seats Low toe rail inside composite bulwarkDeck EquipmentStainless steel retractable anchor arm.Pulpit and pushpit are 740 mm high and made of Ø 32 mm stainless steel tube. Pushpit has gates for easy access to bathing platform. Recessed sprayhood in front of main companionway Aluminum sprayed white radar post on aft deckMooring cleats on bow and stern, pop-up mooring cleats midshipTender mounting brackets on foredeckWinches (Harken)Primary STHEASASecondary 2 x H B1110.3 STHEASAMain Sheet H B1110.3 STHEASAHalyard 2 x H B70.2 STEAMast Winch B70.2 STEAAnchoring Lewmar 3000 windlass recessed in anchor locker (remote control also in aft cockpit – wireless controls) Mooring

Sanguinetti mooring winch on foredeckAdditional 2 x B 60.2 STA on coamings in aft cockpit

Accommodation and Interior

GeneralTeak interior is finished in hand rubbed satin varnishTopsides where visible lined with teak battensFloorboards with teak veneer finishRemovable overhead linerSky screens/blinds on all deck hatchesOverhead handrails in saloonCantalupi reading lights over each berthCantalupi halogen overhead lightingRed night lights and ceiling level, one in the galley and one prior to entering the owners cabin. Fore PeakStorage space forward of water tight bulkhead in crew headForward Cabin (Crew)Two fixed berths on starboard sideSettee on port sideCorian covered work surface on port sideTeak storage boxes below berth2 full height hanging lockers En suite head with showerTecma silence WC, mirrors, washbasin and storage lockersForward Guest Cabin (Port)Double berth below with folding Pullman berth aboveDrawers below double

KIAMAR — NAUTOR Page 6 of 13

berthHanging locker forward of berthFull height mirror with halogen spotlights on bulkheadBed side table next to lower berthEn suite head with showerTecma silence WC, mirrors, washbasin and storage lockersGalley (STBD)Insulated and sheathed space for cooker1 large stainless steel sinkFolding and recessed garbage binFront Loading refrigerator forwardTop loading freezerDishwasher Counter tops finished in Corian Cameo WhiteStorage lockers, drawers and cupboardsExtra lockers Galley EquipmentStainless Steel four burner Force 10 cooker with oven, gimbaled mountingLavazza Espresso machineMeile Automatic washer/dryer (3KG)Dishwasher Miele for 12 place settingsSaloonL-shaped settee to port with table and two Swan chairs on centerlineSettee on starboard side with electric adjustable height coffee tableBookshelves and lockers either side outboardNav StationCustom starboard facing chart table on aft starboard side of saloonDrawers and bookshelves for navigation materialsElectrical switchboard within reachLED light indicators for electrical consumers Electronic instruments mounted flush on vertical panelsOilskin locker aftEngine RoomInternally sound insulated and fire resistant (SOLAS B-15) Fire shutters and storm covers on ventilation ductsIntegral drip tray below enginesAft Guest Cabin (PORT)Sofa outboard to port with folding Pullman aboveWriting desk and Swan chair inboardFull height hanging locker forward of writing deskEn suite head with showerTecma silence WC, mirrors, washbasin and storage lockersAft Guest Cabin (STBD)Upper and lower fixed berths outboardHanging lockerEnsuite head with shower, Tecma WC, washbasin, mirrors and storage lockersAft Cabin Large owners king size bed Large mirror centerline on forward bulkheadHanging lockers on either side outboard and forward of berthsEn suite head with separate shower stall forward to portTecma silence WC, mirrors, washbasin and storage lockers

Engine and Mechanical

ENGINECummins 6BT5.9-M marine diesel engine 134Kw/180HpZF 63 A hydraulic reverse/reduction gear 2.68:1Hi tensile steel shaft with drip free shaft seal and P-bracketBruntons Varifold 3 blade folding propellerTwo stage silencing exhaust system with fiberglass silencer and gas/water separators fitted to main engine and generator. Cooling water is discharged below waterline and exhaust gasses aftTotal fuel capacity 1800 L in seven stainless steel tanksDual Spare filters for engine, single for generator, all with water in fuel alarm and drain valveFuel and water level meters at chart table**Plumbing Systems**Plumbing SystemsHot and cold pressurized water system, electric pumps that can either be run in parallel or separatelyFresh water capacity 600 litres in two GRP integral tanks.Hot water produced by 220v heating element or engine and stored in 80 litre tank.Deck shower on swim platform with hot and cold water.Sea water pump for fire fighting and deck wash, outlet on foredeck.Freshwater connection to the deck-wash.Fresh water foot pump in galley.Two watermakers:1 x Spectra Newport water maker producing 64 L/H each 24V (in lazarette, control in workshop).1x Sea recovery Aqua whisper water maker 140LPH 240V.

Refrigeration SystemsTwo 230V AC driven Iceberg refrigeration units with hold-over plates for fridge and both freezersPossible to run the units off the inverterThermostatic control enables one freezer to be used as a refrigeratorVentilation SystemForced ventilation in all cabins and for bilge and IazaretteCondaria Reverse cycle Air conditioning system with fan coils in:Owner's CabinAft port cabinAft stbd cabinSaloonForward Guest CabinGalleyForepeakOpenable deck hatches and portholesBattery boxes ventilated outside via fansEngine room exhaust fansDrainage

KIAMAR — NAUTOR Page 7 of 13

SystemTwo manual whale Titan bilge pumps (cockpit and saloon) to pump out main bilgeOne electrical submersible bilge pump in main bilge2 electric & 1 manual bilge pump in lazarette operated from aft cockpitGalley sinks drain directly through sea cockWashbasins and showers drain into sump tanks (capacity 60L), pumped out by individual electric pumpsTecma silence heads use fresh water and drain into stainless holding tanks with level indicatorTanks emptied by electric pumps or via deck suction lines. Back up electric pumps fitted to each tank

Electrical Systems

24v DC system with insulated return230V AC is grounded three wire systemElectrical distribution panel near chart tableWiring sized to minimize voltage dropLightning protection through mast, rigging and keelDC SystemService battery bank 980Ah 5h (960 Ah 20 h)Radio battery bank 240 AhBattery parallel switch for engine and service batteriesSeparate batteries for engine and generator startingAC SystemFed by 50A shore power system, generator or inverterReverse polarity switch for shore power20 KvA Westerbeke diesel generator with sound shield and PTO clutchChargers/Inverters140A alternator on main engine2x 230V 75A service battery chargers 25001x 230V 50A radio battery charger 1500Engine and generator batteries charged by dedicated alternators on each engineMastervolt 24/2500 VA inverter with transfer switchMastervolt 24/1500 inverter for entertainment system

Navigation and Electronic Systems

All the navigation, autopilot, communication, computer and stereo (+ TV in saloon) were new in 2013

Navigation InstrumentsB&G Hydra 3000 Cruise sailing instrumentsHydra main processorNMEA FFD at nav station7 x Non-NMEA FFD's (4 in cockpit, chart table, aft cabin, forepeak)6 x 20/20'sRudder angle displayFuruno Radar M-1833C at chart table2x Furuno GDC-1700C chart plotters one at each helmBackup radar Furuno GDC 1700 at nav station with 45cm antenna on mastFuruno GPS GP-33Radar antenna on 2x Suunto 5" steering compassesAutopilot SystemB&G Hydra 3000 Rexroth twin ramsMeridian constant running pumpDisplay at helm and nav stationComputer SystemsDell Optiplex computer with 17" monitorPrinterMaxSea 3D softwareCommunications SystemsFuruno weatherfax/navtex receiver (NAVNET)Furuno SSB T&T F33 satellite receiverIridium SC 4000 telephoneFuruno FM 2721 VHF with handset at helm and nav station (doubles as intercom)lcom HF1 x lcom Handheld VHF1 x EPIRBEntertainment Systems40" Samsung HD digital TV in saloon on starboard side saloonBose Acoustimass 5.1 surround sound in saloon, subwoofer under tableSamsung Blue Ray Disk

Sails and Rigging

MAST & RIGGINGOffshore Spars standard modulus carbon fiber four-spreader fractional rig, discontinuous rod standing rigging and 25 degree swept back spreadersCarbon fiber park avenue boom with internal lightsSpinnaker track on mastTrack on boom for sun awningHalyards led internally3 x Reefing lines led to mast base Lazy jacks with jammers on mast

KIAMAR — NAUTOR Page 8 of 13

Mast was out of the boat 2017-8 at Nautor service yard in Scarlino and fully checked including testing of rod rigging, parts refitted and replaced as needed and mast re-spetted.

SAILSAII by North, ItalyMAINSAIL, Spectra/Carbon new 2015GENOA, Spectra/Carbon new 2015STAYSAIL, Spectra/Carbon new 2016GENNAKER, 2009

Hydraulic SystemsBosch Rexroth hydraulic power pack operating Genoa furler and mainsail travelerManual rigging hydraulics by Navtec operating:VangBackstayStaysail HalyardGenoa HalyardOuthaul

Accessories**General Equipment**CQR 110lbs anchor with 90M of 12mm chain 25Kg Fortress anchor in bow locker (10m chain, 80m rope)Fenders100m mooring lineBoat HookFlag poleSuction lifters for floor boardsCockpit table with fridge unit built in.Combined bathing/swimming ladderSounding rods for fuel/water tanks6 x camping gaz bottle **Canvas Work**Sprayhood over main companionway Retractable bimini over guest cockpitBimini over helm Steering wheel coversPadded cover for cockpit and saloon tablesMainsail coverSun awning (over the boom) white (2015)**Safety Equipment**Softex total flooding fire extinguisher system for engine and generator space (remote controlled)Portable fire extinguishers in interiorDeck jackstays in webbingSafety belts for navigator and cook1 x 10 person liferaft

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

KIAMAR — NAUTOR Page 9 of 13

PHOTOS













KIAMAR — NAUTOR Page 10 of 13













KIAMAR — NAUTOR Page 11 of 13













KIAMAR — NAUTOR Page 12 of 13





KIAMAR — NAUTOR Page 13 of 13

CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004