

KALLIANASSA — HATTERAS



Судостроитель: HATTERAS

Год постройки: 2008

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 68' 0" (20.73m)

Ширина: 21' 7" (6.58m)

Макс. осадка: 5' 4" (1.63m)

Крейс. скорость: 27 Kts. (31 MPH)

Макс. скорость: 31 Kts. (36 MPH)

Купить **Kallianassa — HATTERAS** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **Kallianassa — HATTERAS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	5
Обзор	5
Основная информация	12
Размеры	12
Скорость, вместимость и масса	12
Размещение	12
Корпус и палуба	12
Информация о двигателе	13
ФОТОГРАФИИ	14
Bow	14
Profile	14
Profile	14
Bow	14
Profile	14
Profile	14
Bow	14
Profile	14
Profile	15
Profile	15
Transom	15
Transom	15
Profile	15
Profile	15
Electronics	15
Flybridge	15
Flybridge	16
Flybridge seating	16

Flybridge seating	16
Flybridge seating	16
Flybridge seating	16
Cockpit	16
Cockpit	16
Engine room	16
Cockpit	17
Cockpit	17
Cockpit	17
Cockpit	17
Cockpit	17
Cockpit	17
Cockpit	17
Cockpit	17
Cockpit	17
Galley	17
Galley	18
Galley	18
Galley	18
Salon	18
Salon	18
Salon	18
Dinette	18
Dinette	18
Dinette	19
Salon	19
Salon	19
Engine room	23
Engine room	23
Engine room	23
Engine room	23

Engine room	23
Engine room	23
Engine room	23
Engine room	23
Engine room	24
Utility room	24
Utility room	24
КОНТАКТЫ	25
Контактная информация	25
Телефоны	25
Время работы	25
Адрес	25

ХАРАКТЕРИСТИКИ

Обзор

2008 Hatteras 68 Convertible - Preliminary Listing, more photos coming soon!

This yacht has had lots of services & updates recently including the following:

Feb 2015 - Tower clear coat - Pipewelders Jun 2015 - New bridge enclosure, new cushions on bridge and cockpit Oct 2015 - Full exterior paint - Jarret Bay Oct 2015 - New teak bridge deck Feb 2015 - Electronics package: - New garmin plotters 4 - Flir - New salon TV

May 2016 - New stereo, exterior: amps, cockpit, bridge, 10 speakers total, fusion head unit, and JL audio speakers and amps May 2016 - Spot zero water purification system May 2016 - Crestron salon and master, Apple TV May 2016 - Water maker serviced with new pump and membrane May 2016 - New cutlass bearing Aug 2016 - New washer and dryer Oct 2016 - Air conditioning serviced and upgraded with Triannis marine Nov 2016 - All new matteras's, sheets, and carpet runners

Dec 2016: - 3000 hour CAT service - All new hoses in engine room - Bow thruster full service - Fish box hoses replaced - Rudder arms / steering replaced - New bottom paint - Salon sub zero refrigerator services and new gaskets

March 2017: - New shaft (stb) - Rudder seals and collers replaced - Props balanced - Touch up bottom **Warranty Info:** Platinum Plus Advantage policies that expire February 3, 2020 or 15,000 hours, whichever comes first.

Custom Options/Upgrades:

Bow Thruster, 12 In, 25 HP, Powered by Gear Box Engine Selection (CAT C-32A 1800 BHP) Wood and Finish Selection (Cherry High Gloss) Four Stateroom, Four Head Lower Arrangement Selection Standard Electrical System Selection Open Flybridge Selection Fiberglass Pulpit Selection with Anchor Chute and Windlass, 2500 Pound, Rope-Chain, with Deck Mount Control Switches Lift Up Coaming Gate Block Mold for Boss Steaming Light Cockpit Transom Fishbox with Recirculating Livewell Cockpit Chipped Ice Machine, Eskimo, One Outlet Only Watermaker - Installed Thru Hulls Freshwater AC Back-Up Pump TEAK COCKPIT SOLE, NATURAL FINISH, CAROLINA EDITION TEAK HELM POD, HIGH BUILD FINISH, CAROLINA EDITION TEAK MEZZANINE DECK (INCLUDING STEPS), NATURAL FINISH, CAROLINA EDITION Drop Down Wing Station With Clutch & Throttle Controls, Starboard WET SPOT WATER CLEANER Air Conditioning Blowers For Cockpit Overhang WASH DOWN, FRESHWATER, FOREDECK, ADDL OUTLET TELEPHONE OUTLET IN BOW STATEROOM (A) TELEPHONE OUTLET IN PORT STATEROOM (A)

UNDERWATER LIGHTS, 2 EACH Freezer (10 Cu Ft) In Lieu Of Std Freezer & Inboard Storage Box - Cockpit Pneumatic Sliding Door, Aft Salon Windlass, 2500 Upgrade To 300 3/8 Chain With Divider AM/FM STEREO WITH CD, COCKPIT PLEXI MIRRORED CEILING, BOW HEAD PLEXI MIRRORED CEILING, MASTER HEAD PLEXI MIRRORED CEILING, PORT HEAD (DAY HEAD) PLEXI MIRRORED CEILING, STARBOARD HEAD SOAP DISPENSER, GALLEY SINK FRESHWATER CONNECTION ON FLYBRIDGE FOR TOWER WASH DOWN Galley and Salon has Raised Panel Cabinet Doors - Galley/Salon - Cherry Galley - Third Unit, Sub Zero Undercounter Appliance (2 Ref and 1 Freezer) POMPANETTE WING BOARD ROD HOLDERS Galley Trash Compactor (Fwd) Port Cockpit Fishbox, Port - Insulated Stbd Cockpit Fishbox, Stbd - Insulated Bow and Flybridge Rails and Ladder - Aluminum

Custom Items:

GALLEY COUNTERTOPS (AMERICAN TILE) OLD GOLD/GOLDEN BEECH WITH BULLNOSE EDGE DINETTE TOP (AMERICAN TILE) OLD GOLD/GOLDEN BEECH WITH BULLNOSE EDGE GALLEY FLOORING (AMTICO) ROSEWOOD W707E WITH ACCENT STRIPS OF (AMTICO) PASTEL ASH W713E MASTER HEAD FLOORING (AMTICO) ROSEWOOD W707E WITH ACCENT STRIPS OF (AMTICO) PASTEL ASH W713E HULL AND SUPER PAINT (ALEXSEAL) CLOUD WHITE, T9132 BOOT STRIPE ROYAL BLUE (ALEXSEAL) T 5150 BOTTOM (SEA HAWK) CUKOTE DARK BLUE 3430

Original Options:

Exterior Finish/Construction Isophthalic gelcoat, exterior layer, white Blister-resistant vinylester resin in hull bottom skin coat Hull and superstructure linear polyester/polyurethane coating Polymer/copper-based anti-fouling bottom paint Boot stripe, linear polyester/polyurethane coating Decks, non-skid surface, polyurethane paint with polymeric beads Solid fiberglass hull bottom Hull sides and superstructure laminated with PVC foam core Fiberglass stringers Steel laminated in stringers at key locations to bolt engine mounts Engine room bulkheads and decks of resin-infused composite construction using PVC foam core with layers of fiberglass laminate on each side

Flybridge Systems monitor with programmable logic controller readout, visual and audible signals for engine, alternator, high bilge water, fire warning in engine compartment, fire extinguisher discharge, AC power loss, smoke detectors, battery voltage, ¾ full holding tank monitor, and carbon monoxide detectors Molded fiberglass Northstar 6101i GPS/plotter, Icom VHF, Simrad autopilot repeater, Furuno RD30 depth and temp Polished anodized welded aluminum rails and stanchions Straight lounge to starboard, U-shaped lounge forward around to port with removable vinyl-covered polyfoam cushions and storage underneath Center control station with all switches Compass with dimmable light Pod console with custom wheel and single-lever clutch and throttle controls (electronic) with emergency backup, engine synchronization, and trolling valve control switches Hydraulic power-assisted steering Twin Murray Sea-19

adjustable teak helm chairs with stainless-steel hardware and footrest DC AM/FM stereo receiver with CD player and speakers Fuel level gauges Rod storage in port, starboard and aft lounges Top-loading insulated drink box Neutral interlock switches allowing engine to start in neutral only Powder-coated grab rails AC weatherproof receptacle Aft facing seat, aft of chill box and starboard lounge Top-loading deep freezer, 8 cubic feet, forward outboard port side of the console

Cockpit Molded fiberglass, 192 square feet including 25 square feet of seating Seating with cushions across upper mezzanine Polished anodized aluminum ladder to flybridge with acrylic steps Transom door Fiberglass cockpit boarding step box with storage Sliding glass door to deckhouse Amplifier, speakers, and volume control integrated with Bose® salon stereo DC overhead lights under flybridge overhang Powder-coated grab rails on cabinside Seat hinged for access to engine compartment Seawater and freshwater wash down outlets with Hatteras patented quick disconnect Shore water connections with pressure-reducing valve and Hatteras patented quick disconnect, one each port and starboard Two tackle drawers with perforated stainless-steel bottom, covered by cabinet door, starboard mezzanine 10 cubic foot bait freezer, port mezzanine Three 18 gallon storage tubs, lower level mezzanine Two 65" fish boxes with macerator, flush in-deck, hinged with gas cylinders Storage in steps to deckhouse, with chill box in top step Aluminum mounting plate laminated in deck for fighting chair Polished stainless-steel rod holders, flush mount, set of 4 Transom hawsers Scuppers Cockpit coaming lights

Utility Room Freezer, 4.6 cubic feet AC duplex outlet AC and DC lights and fixtures Central vacuum

Galley/Dinette Amtico vinyl-strip flooring Padded panel headliner (installed on track system for service access) Fixed frameless windows with dark tinted safety glass Microwave/convection oven covered by cabinet door AC and DC lights and fixtures AC dimmable lights AC duplex outlets Genuine wood inserts to match interior finish on appliance fascia U-shaped dinette with drawer Solid-surface countertops, undermount sink and storage cabinets made of genuine wood to match interior finish AC undercounter refrigerator and freezer drawer units AC four-burner ceramic cooktop One-half hp continuous feed garbage disposal Drawers(2) in galley fascia, (1) in upper cabinet behind door Air conditioning dispersed through fluted valances, port and starboard Fluted wood valances with 2" wood blinds Trash compactor Central vacuum outlet Throw pillows

Salon Carpeting Padded panel headliner (installed on track system for service access) Fluted wood valances with 2" wood blinds Sliding full glass door 42" LCD TV with omnidirectional antenna Bose® Lifestyle 35 home theater with AM/FM, CD/ DVD, and surround sound speakers Whirlpool icemaker Fixed frameless windows with tinted safety glass AC and DC lights and fixtures AC dimmable lights AC duplex outlets U-shaped lounge with rod storage, loose cushions, arm rests and double needle stitching Throw pillows Air conditioning dispersed through fluted valances, port and starboard

Chair Carbon monoxide detector Smoke detector Polished stainless-steel threshold at salon door

Lower Companionway Carpeting Padded panel headliner (installed on track system for service access) Wallcovering Flush-panel genuine wood doors to match interior finish with door stops to master stateroom, guest stateroom and day head Steps to salon DC light fixtures Access to port/starboard storage with DC light Access hatches to all bilges Washer/dryer

Full-Beam Master Stateroom Carpeting Padded panel headliner (installed on track system for service access) Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access) King-sized tapered berth with upholstered headboard Upholstered berth base Polyfoam mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E) Walk-in cedar-lined hanging locker with door and automatic light Nightstands, port and starboard, with drawers Dressers, port and starboard with drawers 19" LCD TV Bose® 3-2-1 GS with AM/FM and DVD/CD w/speakers Full-length mirror AC and DC lights and fixtures AC dimmable lights DC low-voltage lights under berth AC duplex outlets Private access to head Smoke detector Carbon monoxide detector Air conditioning dispersed through fluted valances, port and starboard SMX HVAC compartment controlled Ventilating portlights, port and starboard

Bow Guest Stateroom Carpeting Padded panel headliner (installed on track system for service access) Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access) Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders Upholstered berth base Polyfoam mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E) Cedar-lined hanging lockers with automatic light Nightstands, port and starboard Built-in dresser, port and starboard 19" LCD TV Bose® 3-2-1 GS with AM/FM and DVD/CD w/speakers Full-length mirror AC and DC lights and fixtures AC dimmable lights DC low-voltage lights under berth AC duplex outlets Private access to head Smoke detector Carbon monoxide detector Air conditioning dispersed through fluted wood soffits, port Screened overhead hatch with privacy cover Overhead storage lockers, port and starboard

Starboard Guest Stateroom Carpeting Padded panel headliner (installed on track system for service access) Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access) Convertible twin/queen berths with upholstered headboard and storage under berths Upholstered berth bases Polyfoam mattresses, spreads, throw pillows, pillows, pillow shams, mattress pads and sheets(E) Cedar-lined hanging locker with door and automatic light Nightstand with drawer 19" LCD TV DC AM/FM stereo receiver with CD/DVD player and speakers Full-length mirror AC and DC lights and fixtures AC dimmable lights AC duplex outlets Private access to head Smoke detector Carbon monoxide detector Air conditioning dispersed through fluted wood soffit Blanket locker, outboard Central vacuum outlet

Port Guest Stateroom Carpeting Padded panel headliner (installed on track system for service access) Padded panels on hullside(s) and bulkhead(s) (installed on track system for service access) Upper and lower berths with cedar-lined storage under lower berth (standard four head arrangement only) Convertible side by side sliding berths with storage under berth (optional three head arrangement only) Upholstered berth base(s) Polyfoam mattresses, spreads, throw pillows, pillows, pillow shams, mattress pads and sheets(E) Cedar-lined hanging locker with door and automatic light (optional three head arrangement only) Nighstand with drawer (optional three head arrangement only) Dresser with drawers (standard four head arrangement only) DC AM/FM stereo receiver with CD player and speakers Full-length mirror AC and DC lights and fixtures AC dimmable lights AC duplex outlets Private access to head (standard four head arrangement only) Smoke detector Carbon monoxide detector Blanket locker, outboard (optional three head arrangement only)

Master Head Amtico vinyl-strip flooring Padded panel headliner (installed on track system for service access) Wallcovering Solid-surface countertops with solid-surface backsplash, sidesplash and integral sink over storage cabinet made of genuine wood to match interior finish with bowed fronts Hardwood baseboards Shower with single door, seat and automatic enclosed sump pump Storage cabinet with mirror Towel bar Headhunter freshwater toilet 120 volt AC air freshener blower AC and DC lights and fixtures DC low-voltage lights under toe kicks AC duplex outlet Plexi-mirror around upper cabinet Air conditioning discharge Holding tank $\frac{3}{4}$ full indicator light

Guest Heads Amtico vinyl-strip flooring Padded panel headliner (installed on track system for service access) Wallcovering Solid-surface countertops with solid-surface backsplash, side splash and integral sink over storage cabinet made of genuine wood to match interior finish with bowed fronts Hardwood baseboards Stall shower with door, seat and automatic enclosed sump pump Upper storage cabinet with mirror Towel bar Headhunter freshwater toilet 120 volt AC air freshener blower AC and DC lights and fixtures DC low-voltage lights under toe kicks AC duplex outlet Plexi-mirror around upper cabinet Holding tank $\frac{3}{4}$ full indicator light Screened overhead hatch with privacy cover (bow and starboard head only)

Hardware & Miscellaneous Wood bulkheads, cabinetry and trim with a satin or high-gloss polyester finish in cherry or African mahogany All hardware polished chrome with brushed chrome in galley Fiberglass pulpit with welded and polished stainless steel anchor chute and roller 60-pound Danforth anchor, anchor line and deck hawse pipe Windlass, 2500lb. with 25 feet of acculoy hot dipped galvanized chain and 300 feet of rope with deck mounted control switches Bow thruster tube Four polished stainless-steel springline cleats with chafing strips, through-bolted in aluminum backing plate Polished stainless-steel bow cleats and chocks with chafing strips, through-bolted in aluminum backing plate Two polished stainless-steel stern cleats and hawse pipes, through-bolted in aluminum backing plate Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates Fog bell Dual air horn Zincs on rudders and shafts Black braided nylon mooring lines (6) Alloy

22 high-strength propeller shafts, 4-inch Manganese bronze dripless rudder seals
Dripless shaft seals with spare seals Life jackets (8) Life ring Portable “drychem” fire
extinguishers (10), U.L. approved type in compliance with United States Coast Guard
and ABYC standards Stainless-steel trim tabs Manganese bronze struts Stainless-steel
rudders 8-blade propellers, Nibral high performance Reboarding steps to cockpit
Central vacuum system Black fenders (4) Deck plates for fuel and water fills and waste
pump out Heavy duty engine couplings Generator exhaust, water separator Anchor
locker on bow deck

Engine Compartment & Bilge Water manifold with centralized shut-off valve for
sinks and showers Pultruded fiberglass rudder shelf AC fluorescent lights DC lights DC
exhaust blower Twin diesel, freshwater-cooled main engines with electrically controlled
marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators,
fuel filters and seawater strainers FM200 fixed fire extinguishing system for engine
compartment with automatic and remote manual controls, plus audible and visual
discharge signals Two 27.5kW freshwater-cooled Electronic Quiet Diesel Onan
generators(D) with shock mounts, seawater strainer, remote start, fuel/water
separator, hour meter, water lift muffler and sound enclosure Pressure and
temperature controlled forced air induction system for engine combustion air and fans
ducted from cockpit (single fan reversible for flowthrough ventilation) Polyethylene
water lines Electric fuel transfer system with two pumps, providing back-up capability,
with filtration and dry tank protection for pump Freshwater fill hose for engines and
generator AC compressed air system with air line and regulator 24-volt DC bilge and
sump pumps: four at 3700 gph, two at 3800 gph and three at 2000 gph, with
heavyduty float switches and protective guards Auxiliary emergency bilge pump, 300
gpm in lazarette Bronze/chrome plated ball-valves through-bolted in solid fiberglass on
all underwater through hull fittings with electrical bonding throughout Pressurized 230
volt AC freshwater pump 230-volt AC 40-gallon electric water heater U.L. Marine-listed
fiberglass fuel tanks constructed with fire-retardant resin and bronze fittings, and
coated with fire-retardant paint Fiberglass water tanks, constructed with bronze fittings
and materials which comply with the requirements of Title 21 for food and drugs.
Fiberglass holding tanks, constructed with bronze fittings and 24-volt DC sewage
pump, plumbed for dockside pump-out, with $\frac{3}{4}$ full display and alarm as part of
systems monitor programmable logic controller 110-volt AC reversible oil changing
system for engines, gear and generator with Hatteras patented quick disconnect U.L.
Marine-listed fuel filter/water separator, generator Sealed shower sumps U.L. Marine-
listed duplex fuel filters/water separators with bypass manifold, engines Electric fuel
priming pumps, engines Welded and polished stainless-steel grab rails Painted
polyurethane engine room and bilges Air conditioning compressors and pumps United
States Coast Guard type A1 U.L. Marine-listed fuel lines Isolated discharge sea chests
1” stainless-steel steering tie bar with pivoting selfaligning ball joint connection at all
cylinder and tie bar connections Insulation in deck Pick-up sea chests Monitoring
consoles for main engines include all necessary gauges, start and stop switches
Rubber deck mat between engines Seawater pressure system with AC pump

Transducer well, glycol filled

Electrical Systems Two 24-volt banks of heavy-duty, 12-volt marine batteries mounted in fire-retardant fiberglass boxes U.L. 1426 listed boat cable, tin coated with insulation Gel/lead acid compatible 240-volt automatic/ programmable battery charger, 50/60 Hz Automatic battery paralleling system with switch at control console Two 240 volt, 50 amp, transformer connected retractable shore cords with over-current protection and wireless remote control(cockpit) AC and DC lights and fixtures AC dimmable lights AC duplex outlets with ground fault protection Battery control panels with fuses and isolation switches DC electronics panel with magnetic circuit breakers (flybridge) AC and DC distribution panels with magnetic circuit breakers AC switching panel with voltage source selector switches, volt meter, ammeter, frequency meters, twin generator start/stop controls, interlock selector breakers and voltage boost switches Navigation lights Ground fault protection on AC receptacles and lighting circuits Air conditioning, 66,000 BTU (96,000 BTU with enclosed bridge), with reverse-cycle heating, with A/C compressors, individually controlled by SMX controls Omni-directional TV antenna Ventilation fans in attic space

This Hatteras' 68 Convertible is built on a solid fiberglass, convex hull with deep propeller tunnels. A sliding door leads to the luxurious salon, which features genuine cherry wood in either a satin or high-gloss polyester finish. A U-shaped, wrap-around lounge provides comfortable viewing of the 42-inch plasma TV, as well as storage below for assembled rods. In the galley you'll find several deep storage drawers and surplus pantry space. Under-counter refrigerators and solid-surface countertops keep the area clean, while a four-burner ceramic cooktop and microwave/convection oven keep it functional.

Across from the galley is a large U-shaped dinette with drawers underneath for storage. The area even includes a computer work station for increased productivity on the water. The four-stateroom, four-head layout includes a spacious full-beam master stateroom amidship with king-sized tapered berth and padded headboard. Twin portlights provide ambient light, as well as an emergency exit. Two nightstands, dressers port and starboard, and a walk-in cedar-lined hanging locker accommodate a full complement of gear. The master head features solid-surface countertops, bowed-front cabinetry and Plexi mirror fascia for a spacious feel. Guests can bunk in a VIP guest stateroom in the bow or in the starboard guest stateroom, which includes side-by-side sliding berths. Crew's quarters with an upper/lower bunk arrangement lies to port. All compartments feature padded wall coverings and headliners.

Основная информация

Тип судна: Моторная яхта

Подкатегория: Convertible

Модельный год: 2008

Год постройки: 2008

Страна: United States

Размеры

Длина общая: 68' 0" (20.73m)

Длина по ватерлинии: 59' 10"
(18.24m)

Ширина: 21' 7" (6.58m)

Макс. осадка: 5' 4" (1.63m)

Трапы: 15' 1" (4.60m)

Скорость, вместимость и масса

Крейс. скорость: 27 Kts. (31 MPH)

Макс. скорость: 31 Kts. (36 MPH)

Водоизмещение: 140000 Pounds

Вместимость воды: 400 Gallons

Вместимость сточного бака: 125
Gallons

Объем топливного бака: 2100
Gallons

Размещение

Всего кают: 4

Всего ком. состава: 4

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2

Производитель: Caterpillar

Модель: C-32 Acert

Тип топлива: Diesel

ФОТОГРАФИИ

Bow



Profile



Profile



Bow



Profile



Profile



Bow



Profile



Profile



Profile



Transom



Transom



Profile



Profile



Electronics



Flybridge



Flybridge



Flybridge seating



Flybridge seating



Flybridge seating



Flybridge seating



Cockpit



Cockpit



Engine room



Cockpit



Cockpit



Cockpit



Cockpit



Cockpit



Cockpit



Cockpit



Galley



Galley



Galley



Galley



Salon



Salon



Salon



Dinette



Dinette






Dinette





Salon



Salon









Engine room



Engine room




Engine room




Engine room




Engine room




Engine room



Engine room



Engine room




Engine room



Utility room



Utility room



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: **shestakovyachtsales.com**

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004