

TERRAPIN — DEFEVER



Builder: DEFEVER

Year Built: 1982

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 44' 0" (13.41m)

Beam: 14' 9" (4.50m)

Min Draft: 4' 7" (1.40m)

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 10 Kts. (12 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Terrapin — DEFEVER** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Terrapin — DEFEVER** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	6
Overview	6
Basic Information	6
Dimensions	6
Speed, Capacities and Weight	6
Accommodations	7
Hull and Deck Information	7
Engine Information	7
DETAILED INFORMATION	8
44' DeFever Vessel Walkthrough	8
44' DeFever Accommodations	8
44' DeFever Salon	8
44' DeFever Galley	8
44' DeFever Dining	9
44' DeFever Master Stateroom	9
44' DeFever Guest Stateroom	9
44' DeFever Lower Helm	9
44' DeFever Flybridge	9
44' DeFever Sundeck	10
44' DeFever Audio/Visual Equipment	10
44' DeFever Electronics	10
44' DeFever Electrical System	11
44' DeFever Engine/Mechanical Equipment	11
44' DeFever Deck Equipment	12
44' DeFever Tender	12
44' DeFever Safety and Fire Protection	12
44' DeFever Exclusions	13

44' DeFever Disclaimer	13
Exclusions	13
Disclaimer	13
PHOTOS	14
44' DeFever starboard forward profile	14
44' DeFever starboard aft profile	14
44' DeFever starboard aft profile photo2	14
44' DeFever forward profile	14
44' DeFever anchor windlass Previous Next	14
44' DeFever foredeck	14
44' DeFever foredeck aft	15
44' DeFever port side deck photo1	15
44' DeFever port side deck photo2 Previous Next	15
44' DeFever starboard side deck photo1	15
44' DeFever starboard side deck photo2	15
44' DeFever port boarding gate	15
44' DeFever flybridge aft Previous Next	16
44' DeFever flybridge forward	16
44' DeFever flybridge helm photo1	16
44' DeFever flybridge port	16
44' DeFever flybridge starboard	16
44' DeFever hinged mast	16
44' DeFever tender photo1	16
44' DeFever tender photo2	16
44' DeFever tender outboard	17
44' DeFever tender davit	17
44' DeFever sundeck port Previous Next	17
44' DeFever sundeck	17
44' DeFever sundeck starboard	17

44' DeFever sundeck forward	17
44' DeFever swimplatform	17
44' DeFever salon forward	17
44' DeFever salon aft	18
44' DeFever salon port forward	18
44' DeFever salon port seating	18
44' DeFever salon starboard	18
44' DeFever salon starboard seating Previous Next	18
44' DeFever galley photo1	18
44' DeFever galley starboard cabinet photo1	18
44' DeFever galley photo2	18
44' DeFever galley starboard cabinet photo2	19
44' DeFever lower helm photo1	19
44' DeFever lower helm photo2 Previous Next	19
44' DeFever master stateroom	19
44' DeFever master stateroom starboard	19
44' DeFever master stateroom port	19
44' DeFever master stateroom forward	20
44' DeFever master stateroom head	20
44' DeFever master stateroom shower	20
44' DeFever guest stateroom Previous Next	20
44' DeFever guest stateroom head	20
44' DeFever engine room forward	20
44' DeFever engine room	20
44' DeFever port main engine	20
44' DeFever starboard main engine	21
44' DeFever fuel manifold	21
44' DeFever stabilizer system	21
44' DeFever port stabilizer head	21

44' DeFever starboard stabilizer head	21
44' DeFever water heater	21
44' DeFever generator sound box	21
44' DeFever generator	21
44' DeFever electrical panel	22
44' DeFever battery charger	22
44' DeFever hull bottom	22
44' DeFever port running gear	22
44' DeFever starboard running gear	22
44' DeFever port line cutter	22
44' DeFever port stabilizer fin	22
44' DeFever starboard stabilizer fin	22
CONTACTS	23
Contact details	23
Telephones	23
Office hours	23
Address	23

SPECIFICATIONS

Overview

Terrapin is a classic 2 stateroom 2 head DeFever 44 Offshore Cruiser in good condition. She offers twin Ford Lehman 120 hp main engines, Onan 8 kW generator, Naiad stabilizers and a KVH satellite TV system. Terrapin is a Great Loop veteran, but she is fresh water based and stored each winter inside a heated building. Terrapin is presently stored for the winter, but she is scheduled to be launched and detailed around late April.

Basic Information

Category: Motor Yacht

Model Year: 1982

Year Built: 1982

Country: United States

Vessel Top: Bimini Top

Fly Bridge: Yes

Dimensions

LOA: 44' 0" (13.41m)

Beam: 14' 9" (4.50m)

Min Draft: 4' 7" (1.40m)

Clearance: 14' 0" (4.27m)

Speed, Capacities and Weight

Cruise Speed: 8 Kts. (9 MPH)

Max Speed: 10 Kts. (12 MPH)

Displacement: 44000 Pounds

Water Capacity: 370 Gallons

Holding Tank: 90 Gallons

Fuel Capacity: 935 Gallons

Accommodations

Total Cabins: 2

Total Berths: 3

Sleeps: 4

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Hull Configuration: Modified V-Hull

Hull Finish: Stainless Steel

Engine Information

Manufacturer: Ford Lehman

Model: 120

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

44' DeFever Vessel Walkthrough

Entering the salon from the sundeck, you will find the galley to port, cabinetry to starboard, two Erkornes Stressless lounge chairs and ottoman further forward to starboard, the lower helm and side deck access door starboard forward, chart counter and drawer and a side deck access door port forward and built-in L-shaped seating with table to port. You can then walk forward to the guest stateroom and engine room access or aft to the master stateroom.

The headroom in the salon and guest stateroom is 6'8", 6'2" in the master stateroom and 5' in the engine room.

44' DeFever Accommodations

Terrapin offers a full beam master stateroom aft with ensuite head and a guest stateroom forward with a v-berth and an ensuite head.

44' DeFever Salon

The large salon offers built-in, wrap-around seating and hi/lo table to port, side deck access door and chart counter and drawer port forward, two Erkornes Stressless lounge chairs and ottoman to starboard, side deck access door starboard forward, liquor/trash/storage cabinet starboard aft, opening side windows with curtains, screens on each side door and a Phantom roll-away screen door aft and carpet.

44' DeFever Galley

The galley is located port aft in the salon and offers a side window and aft pass-through window to the sundeck.

- Amana Radarange microwave oven
- Norcold refrigerator/freezer
- Force 10 3-burner electric cooktop and oven
- Hamilton Beach Toastation toaster oven
- Corian countertop
- Double stainless steel sinks

- Teak parquet sole
- Storage cabinets and drawers
- Wine glass rack
- Trash and liquor compartment and storage cabinet to starboard
- Opening aft window
- Raritan icemaker on the sundeck

44' DeFever Dining

Dining space is available in the salon at the port forward built-in seating and table and at the sundeck table.

44' DeFever Master Stateroom

The full beam master stateroom aft offers a centerline queen size berth, reading lights, night stands, 6 portlights with curtains, storage drawers and cabinets, hanging locker, walk-in closet, vanity/desk, teak parquet sole and ensuite head with enclosed shower.

44' DeFever Guest Stateroom

The guest stateroom forward offers a v-berth, overhead deck hatch, 4 portlights, fan, teak parquet sole, hanging locker, storage drawers, shelves, reading lights and ensuite head.

44' DeFever Lower Helm

The lower helm is located starboard forward in the salon and includes a side deck access door.

44' DeFever Flybridge

The large flybridge offers a full helm forward with storage underneath, a Pompanette helm seat, benchseats forward on each side with storage underneath, benchseat starboard aft with storage underneath, hinged mast, bimini and non-skid decks.

44' DeFever Sundeck

The huge sundeck offers a hardtop, teak deck, sun shades, a cabinet forward with a U-Line icemaker, rod storage, 4 deck chairs and table, side deck access and an aft access door to the teak & stainless steel ladder to the swimplatform.

44' DeFever Audio/Visual Equipment

- KVH Tracvision M1 satellite TV system
- Vizio flat screen TV in the salon
- Jensen Marine JSM 94 stereo
- Polyplaner exterior speakers
- Cable TV connection

44' DeFever Electronics

- Raytheon Radar
- Raymarine RL80C Radar/chart plotter at the lower helm and on the flybridge
- Raymarine ST6001 SmartPilot autopilot on the flybridge
- Autohelm ST6000 autopilot at the lower helm
- Raymarine DS500X fish finder on the flybridge
- Raymarine ST60+ Tridata display at the lower helm
- Ritchie magnetic compass at the lower helm and on the flybridge
- West Marine 580 VHF on the flybridge
- Standard Horizon Spectrum + VHF at the lower helm
- Dell Inspiron 1100 laptop at the lower helm
- Waterbury clock in the salon
- Seth Thomas barometer in the salon
- XM weather service connected to the laptop
- AIS receiver

44' DeFever Electrical System

- Onan 8 kW generator with approximately 840 hours reported by seller (No hour meter)
- Xantrex TrueCharge 40+ charger with remote panel
- Xantrex Link Lite battery monitors
- Leece-Neville 65 amp alternator
- 2 X 30 amp shore cords
- 50 amp to two 30 amp splitter
- 12vdc outlet on the sundeck and flybridge

44' DeFever Engine/Mechanical Equipment

- Twin Ford Lehman 120hp main engines
- Borg Warner Velvet Drive gearboxes
- Morse engine controls
- Glendinning engine synchronizer
- Racor 900FG fuel filter with vacuum gauge for each main engine
- Fuel manifold
- Naiad model #160 stabilizer system
- Cruisair reverse cycle air conditioning/heating system (2 X 16,000 BTU units)
- Groco manual head forward
- Raritan electric head aft
- Tank Tender holding tank level monitor
- Raritan 12 gallon water heater
- Workbench
- Shaft line cutters

44' DeFever Deck Equipment

- Ideal anchor windlass with foot controls and a remote control on the flybridge
- Rocna 73 lb anchor with 200' anchor chain
- Spare Fortress anchor with chain and 100' nylon rode
- Stainless steel anchor roller
- Stainless steel deck hardware
- Stainless steel fender holders
- Foredeck storage lockers
- Foredeck raw water washdown and sundeck fresh water washdown
- Teak cap rails on stainless steel stanchions and teak toe rails
- Non-skid decks on each side and forward and teak deck on the sundeck
- Marquipt Tide-Ride gangway
- Boarding gates each side
- Dock water connection
- Teak swimplatform
- Stainless steel and teak swimplatform ladder and swim ladder
- All brightwork done in 2017
- New anti-fouling paint and zincs in 2017

44' DeFever Tender

- Brig F300 RIB
- Mercury 15 hp 4-stroke outboard
- Stainless steel tender davit on the boat deck with a Rule T33 electric winch

44' DeFever Safety and Fire Protection

- Kidde Fyrewatch 385 engine room fire suppression system

- Rule bilge pumps
- Lifering
- Lifesling2 Overboard Recovery system
- Nighthawk smoke and carbon monoxide alarm

44' DeFever Exclusions

- Sellers' personal belongings
- Artwork
- Tools

44' DeFever Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Exclusions


Owner's personal belongings.

Disclaimer


The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS


44' DeFever starboard forward profile



44' DeFever starboard aft profile




44' DeFever starboard aft profile photo2




44' DeFever forward profile



**44' DeFever anchor windlass
Previous Next**



44' DeFever foredeck




44' DeFever foredeck aft




44' DeFever port side deck photo1




44' DeFever port side deck photo2
Previous Next



44' DeFever starboard side deck photo1




44' DeFever starboard side deck photo2




44' DeFever port boarding gate




44' DeFever flybridge forward



**44' DeFever flybridge aft Previous
Next**




44' DeFever flybridge helm photo1



44' DeFever flybridge port




44' DeFever flybridge starboard



44' DeFever hinged mast



44' DeFever tender photo1



44' DeFever tender photo2




44' DeFever tender outboard



44' DeFever tender davit




44' DeFever sundeck



**44' DeFever sundeck port Previous
Next**




44' DeFever sundeck starboard



44' DeFever sundeck forward



44' DeFever swimplatform



44' DeFever salon forward



44' DeFever salon aft



44' DeFever salon port forward




44' DeFever salon port seating




44' DeFever salon starboard




44' DeFever salon starboard seating
Previous Next




44' DeFever galley photo1




44' DeFever galley photo2




44' DeFever galley starboard cabinet
photo1




**44' DeFever galley starboard cabinet
photo2**



44' DeFever lower helm photo1




44' DeFever lower helm photo2
Previous Next



44' DeFever master stateroom



44' DeFever master stateroom port




**44' DeFever master stateroom
starboard**




44' DeFever master stateroom forward




44' DeFever master stateroom head




44' DeFever master stateroom shower



**44' DeFever guest stateroom
Previous Next**




44' DeFever guest stateroom head



44' DeFever engine room forward



44' DeFever engine room



44' DeFever port main engine



44' DeFever starboard main engine



44' DeFever fuel manifold



44' DeFever stabilizer system



44' DeFever port stabilizer head



44' DeFever starboard stabilizer head



44' DeFever water heater



44' DeFever generator sound box



44' DeFever generator



44' DeFever electrical panel



44' DeFever battery charger



44' DeFever hull bottom



44' DeFever port running gear




44' DeFever starboard running gear



44' DeFever port line cutter



44' DeFever port stabilizer fin



44' DeFever starboard stabilizer fin



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004