

# **WALLYKOKONUT** — WALLY YACHTS



Builder: Wally Yachts **LOA**: 86' 1" (26.23m)

Year Built: 2014 **Beam**: 25' 6" (7.75m)

Model: Motor Yacht **Max Draft**: 5' 9" (1.75m)

**Price**: PRICE ON APPLICATION

**Location**: Spain

Cruise Speed: 12 Kts. (14 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs WALLYKOKONUT — Wally Yachts from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht WALLYKOKONUT - Wally Yachts or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

# **TABLE OF CONTENTS**

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	3
Hull and Deck Information	3
Engine Information	3
DETAILED INFORMATION	4
Detailed Specification	4
Exclusions	21
Disclaimer	22
PHOTOS	23
CONTACTS	28
Contact details	28
Telephones	28
Office hours	28
Address	28

## **SPECIFICATIONS**

### **Basic Information**

Category: Motor Yacht Model Year: 2014

Year Built: 2014 Country: Spain

### **Dimensions**

**LOA**: 86' 1" (26.23m) **Beam**: 25' 6" (7.75m)

**Max Draft**: 5' 9" (1.75m)

## **Speed, Capacities and Weight**

Cruise Speed: 12 Kts. (14 MPH) Cruise Speed RPM: 3000 Kts.

**Displacement**: 188000 Pounds Water Capacity: 792.516156 Gallons

Fuel Capacity: 3962.58078 Gallons

## **Accommodations**

Total Cabins: 4 Sleeps: 8

Crew Sleeps: 4

## **Hull and Deck Information**

**Hull Material**: GRP

## **Engine Information**

Engines: 2 Manufacturer: Caterpillar

## **DETAILED INFORMATION**

## **Detailed Specification**

**GENERAL** 

Year Built 2014

**Builder** Wally

**Type** Motor yacht

**Classification** RINA CE Category A

**Flag** Malta

Hull Number IT-WLL FOBACE02J313

**Dimensions** Length O.A. 26.23 m (86ft)

Beam 7.75m (25'5ft)

Draft 1.75m (5'9ft)

**Tonnage** Displacement (half load) 94 tons

**Construction** Hull Composite GRP

Exterior Designer WALLY / Allseas / Luca Bassani Design

Interior Designer WALLY / Luca Bassani Design

**Engine** 2 x Caterpillar C12 287 bkW @ 1800 rpm

**Speed** 12 knots (calm water, 5kn wind)

**Range** 3000 nm @ 10 knots

Fuel Tanks 15000 litres

Fresh water tanks 3000 litres

**Accommodation** 8 guests + 4 crew

#### **ENGINE ROOM**

Access from crew mess through a watertight door and stairway

Fire extinguishing system based on FM-200 agent, automatic operated or manually with shutdown of engines and generator fuel feeding and ventilation dumpers

Thermal and acoustical insulation on bulkheads and ceiling with aluminium sheeting finish

Forced air intake, through MUNTERS air filter and water trap, by means of blowers (2); forced air extraction by means of blowers (2)

Aluminium floorboards, removable for bilge inspection

Soft hatches for engine removal

#### PROPULSION, STEERING AND MANOUVERING SYSTEM

Main engine	CATERPILLAR	C12 287kW	(385hp) @	) 1800 r	pm (2)

Gear boxes TWIN DISK

Twin shaft lines with fixed pitch propoellers

Twin rudders

Electro-hydraulic system

Bow thruster hydraulic powered 19kW (1)

ABT-TRAC Stabiliser model TRAC370 (zero speed stabiliser)

Seakeeper GYRO Stabiliser model M21000

#### **FUEL SYSTEM**

Fuel fill caps concealed on port and starboard deck (4)

Structural fuel tanks with level gauge, 15000 litres capacity

Electric operated (1) and manual (10 pumps for fuel transfer

Copper piping

RACOR filter for engines (2) and generators (2)

Alpha Laval MIB 303S-13/33 - Fuel cleaner system

#### **FRESH WATER SYSTEM**

Fresh water fill caps concealed on port and starboard deck (2)

Shore water connection with pressure gauge

Structural fresh water tanks with level gauge, 3000 litres capacity

Fresh water system made by rigid PVC piping Acorn to serve all users and toilets flush

Fresh water pump, GIANNESCHI, 24 V (1)

Water heater GIANNESCHI 150 litres, 230 V (2)

Hot water loop with circulating electric pump (1)

Water maker IDRIMAR 180 l/hr (1), 380 V

**UV** steriliser

#### **BLACK AND GREY WATER SYSTEM**

ECOMARE 6 Grey and black water processing system

Grey water system with PVC piping, non-smell filters

Grey water from users discharging into collecting tanks (4) discharging into the sewage tank

Black water system with PVC piping, non-smell system

Toilets discharging into the sewage tank

Sewage tank 1000 litres with macerators discharging directly to sea (1) and dock discharge (1)

Sewage tank washing by means Fire-Fighting system

#### **BILGE SYSTEM**

Centralised bilge manifold with suction piping automatic or manual operated by electrovalves (5) and float switches

Cupronickel piping

Main bilge pump GIANNESCHI, 24 V (1)

Submersible bilge pumps, 24 V (4)

Manual bilge pump on deck (1)

Bilge alarm system

Bilge and fire-fighting pump piping connected to back-up each other

#### **NAVIGATION AND COMMUNICATION SYSTEM**

Multifunction display RAYMARINE E140W (1)

Navigation system RAYMARINE ST70PLUS with multifunction displays (2), keypads (2), depth, speed, temp and wind transducers

GPS: RAYMARINE Raystar 125 (1)

Radar RAYMARINE HD 4kW 48 nm (1)

VHF RAYMARINE 240E (1)

Autopilot RAYMARINE SmartPilot X-SOL (1)

Compass RIVIERA (1)

Electronic horn

ICOM BC-121 Walkie Talkie

#### **ENTERTAINMENT SYSTEM**

Saloon: flat TV 40", BOSE lifestyle 235 home theatre 2.1, IPOD dock station, CD/DVD/BR player

Crew mess: flat TV 22", CD/DVD player car stereo type

Exteriors: waterproof speakers (aft cockpit (2), forward cockpit (2), sundeck (4)) linked to the saloon audio system

#### **ELECTRICAL SYSTEM**

ASEA Converter\_AC30Q-3 Yacht Power Converter

Voltage: 230/380 V for high absorption utilities; 24 V for service equipment, electronics and alarm

Shore power plug 15 KVA 63 A 230 V

Shore power plug 20 KVA 63 A 380 V

Shore power cable

Generator: NORTHERN LIGHTS 32 kW, 50Hz (2)

Batteries gel type for engines start, 300 Ah, 24 V (1)

Batteries gel type for generators start, 150 Ah, 24 V (2)

Batteries gel type for services, 600 Ah, 24 V

Batteries gel type for RTF and lights, 400 Ah, 24 V

Batteries switches

Batteries chargers 80 A (2) - 12 A (1)

Engines alternator 175 A (2)

Data command and control system (PLC) and electromechanical system

Cathode protection by zinc anodes

Electric sockets BTICINO

Light switches BTICINO

#### **DECK HARDWARE**

Teak deck with black caulking

Stainless steel stanchions and pushpit on aft cockpit, sundeck and aft platform

Electro-hydraulic OPACMARE multifunctional platform (passarelle and bathing ladder +/-40°) concealed in the aft platform, with teak steps (5)

Fresh water shower on the aft platform (1)

Navigation lights LOPOLIGHTS led lights

Ceiling halogen lights

Courtesy halogen lights

Courtesy lights on passages and stairs

Search light 24V (1) with remote control

Electric outlets 230 V on deck (2) and sundeck (3)

#### **ANCHOR AND MOORING EQUIPMENT**

Galvanised pool anchor, high holding power, 140kg with stud-less chain 150m x 16mm

Anchor electric windlass LEWMAR V8 gipsy/capstan (1) with wired remote control

Stainless steel hull and deck protections

Stainlesss steel cleats (8)

Stainless steel fairleads (8)

Anodised aluminium pop-up cleats (2) on platform

Aft docking electric winches (2), LEWMAR C6, including starters for both directions, 24 V

Mooring lines 30m x 20mm (4), 45m x 20mm (2)

Fenders (8)

Anodised aluminium rapid couplers for fenders (10)

#### **DECK FURNITURE**

Forward cockpit: "U" shape settee with storage underneath, cushions SUNBRELLA finish, power operated pop-up table teak finishing, awning on removable carbon posts

Aft cockpit: sunbed with side tables, "U" shape settee with storage underneath, cushions SUNBRELLA finish, table teak finish, awning on removable carbon posts, stairs to sundeck

Sundeck: bar counter with sink and tap, refrigerator and storage, antennas mast

#### **HELM STATION AREA**

Helmsman seat with storage underneath

Navigation and communication systems equipment

WALLY steering wheel carbon fibre clear coat finish

Tiller angle display

Engine start/stop buttons

**Engine throttle** 

GYRO stabiliser display

CATERPILLAR engine display (2)

TRAC370 stabilisers touch screen/display

Bow thruster control

Touch screen for PLC main electric panel

Windscreen wipers with washer (2)

Search light remote control
Reading light
Electric socket 230 V (3)
Desk with storage underneath on starboard side
Weather-tight door to forward deck
Clear panels separation, with curtains, to saloon area
Stairs to crew area
SALOON
Furniture wood finish: nut or oak or cherry veneer
Plain wood flooring: nut or oak or cherry veneer
Ceiling PARA fabric finish
Sofas with cushions PARA linen finish and storage underneath
Fabric pouf (2)

Low furniture on the sides to store tableware

Dining	table wi	th chairs	B&B	Alma	(8)
--------	----------	-----------	-----	------	-----

Manual white linen shading curtains on the windows

Ceiling halogen lights PALAGI, with dimmer

Courtesy lights

Electric socket 230 V (4)

Stern main entrance door

Clear panel separation, with curtains, to helm station area

Stairs to guest deck

### **STAIRS AND PASSAGEWAYS**

Stairs to living areas under deck

Courtesy lights on steps

### **AFT GUEST CABINS (2)**

Furniture wood finish: nut or oak or cherry veneer

Bulkheads and doors wood and fabric finish

Carpet flooring

Ceiling and hull side fabric finish

Double bed (1) with foam mattresses

Wardrobes with drawers and hanging area with automated light inside

Cupboards on hull side

Manual darkening and shading (linen) curtains on hull portholes and aft windows

Ceiling halogen lights PALAGI, with dimmer, 24 V

Courtesy lights

Reading lights TRIZO 21(2)

Safe box in port side cabin

Manual glass door to aft platform

#### **AFT GUEST BATHROOMS (2)**

White lacquered finish

Cupboard, wood finish, with wash basin and tap, and storage underneath

Wall cupboards, wood finish, with shelves and mirror on doors

Shower with head and hand units, separated by clear glass door

Bidet and WC with electric macerator, separated by clear glass door

Toilet paper holder and brush, hooks (2) and towel rail (4)

Curtains on hull porthole

Air extraction

Ceiling halogen lights PALAGI, 24 V

Electric outlets 230 V under cupboard (1)

#### **AMIDSHIPS GUEST CABINS (2)**

Furniture wood finish: nut or oak or cherry veneer

Bulkheads and doors wood and fabric finish

Carpet flooring

Ceiling and hull side fabric finish

Double bed (1), Twin beds (1) with foam mattresses

Wardrobes with drawers and hanging area with automated light inside

Cupboards on hull side

Manual darkening and shading (linen) curtains on hull portholes

Ceiling halogen lights PALAGI, with dimmer, 24 V

Courtesy lights

Reading lights TRIZO 21 (2)

Electric outlets 230 V (3)

#### **AMIDSHIPS GUEST BATHROOMS**

White lacquered finish

Cupboard, wood finish, with wash basin and tap, and storage underneath

Wall cupboards, wood finish, with shelves and mirror on doors

Shower with head and hand units, separated by clear glass door

Bidet and WC with electric macerator, separated by clear glass door

Toilet paper holder and brush, hooks (2) and towel rail (4)

Curtains on hull porthole

Air extraction

Ceiling halogen lights PALAGI, 24 V

Electric outlets 230 V under cupboard (1)

CA		.EY			М	ıT
GF	۱LL	.E I	EU	UIF	14	4 I

White lacquered finish

Cupboards

Work countertop in black CORIAN

Stainless steel sinks (2)

Sink tap mixer with pull out (1)

Ceramic hob MIELE (1)

Hood above hob MIELE (1)

Oven MIELE (1)

Refrigerator/deep freezer MIELE (2)

Dish washer (1)

Washer/dryer combo machine MIELE (1)

Ceiling halogen lights PALAGI, 24 V

Neon lights under cupboards

Courtesy lights
Electric socket 230 V (3)
Deck prism (1)
Garbage Disposer
GARAGE
Hydraulic operated garage hull side door
Hydraulic operated tender crane (1000 kg max load)
Area to store a tender (max measurement: LOA 5.5m, height 1.2m, weight 1kg) diesel fuel only
Storage area
Watertight door to the crew area
FIRE-FIGHTING SYSTEMS AND SAFETY EQUIPMENT
Fire-fighting pump GIANNESCHI, 24 V (1)
Cupronickel piping
Fire hose attachments (2)
Bilge and fire-fighting pump piping connected to back-up each other

Liferaft 8 people (2), life vest 160N (16+4 kids)

First aid kit, flares and smokes kit

Portable fire extinguisher (12)

#### **VENTILATION AND AIR CONDITIONING SYSTEMS**

Air pre-treatment units (3) to condition the air introduced in the yacht

Air conditioning system FRIGOMAR 120,000 BTU, including heating system

Fan coil, with thermostat and controls, in each cabin, saloon and galley (11)

#### **DISCLAIMER**

These particulars have been prepared from information provided by the seller's and are intended as a general guide to the vessel. It is up to the purchaser to confirm details of concern to him by survey, inspection and/or enquiry of the seller and to ensure that the purchase contract properly reflects his concern and specific details upon which he may rely. An independent survey is always advised.


### **Exclusions**


Owner's personal belongings.


## **Disclaimer**


The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.


# **PHOTOS**











## **CONTACTS**

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

### **Contact details**

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

## **Telephones**

USA: **+1(954)274-4435** 

### Office hours

Monday - Saturday: **9:00 - 21:00** EDT Sunday: **closed** 

### **Address**



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004