

BETSY — NAUTOR'S SWAN



Builder: NAUTOR'S SWAN

Year Built: 2000

Model: Cruising/Racing Sailboat

Price: PRICE ON APPLICATION

Location: Italy

LOA: 62' 9" (19.12m) Beam: 17' 7" (5.34m) Max Draft: 9' 11" (3.00m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs Betsy — NAUTOR'S SWAN from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht Betsy — NAUTOR'S SWAN or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	14
Dimensions	14
Speed, Capacities and Weight	14
Accommodations	14
Hull and Deck Information	14
Engine Information	14
DETAILED INFORMATION	15
Detailed information	15
Exclusions	26
Disclaimer	26
PHOTOS	27
CONTACTS	31
Contact details	31
Telephones	31
Office hours	31
Address	31

SPECIFICATIONS

Overview

HULL & APPENDAGES

The hull is of single skin construction using glass/aramid hybrid fibre reinforced polyester laminate.

Hull windows one each side of the saloon

Gelcoats are of weather-resistant NGA type.

Bottom treated with epoxy primer for improved blistering resistance

Hull is of single skin construction using glass/aramid hybrid fibre reinforced polyester laminate

Engine beds of GRP

Hull colour: Blue Awlgrip,

Double Coaming stripes Awlgrip G5002 Flag Blue

Mast stepped through deck onto composite mast step

The keel is a lead casting with antimony

Cast-in keel bolts are of high-tensile stainless steel

Retractable bow thruster Max Power 2012

Transom

Bathing platform hydraulically operated

Steering System

Rudder is of foam filled GRP with tubular tapered stock of E-glass composite

Supported by two self-aligning roller bearings rudder bearings changed on 2016

Dual steering gear with two 41' Wheels

Steering quadrant bolted to rudder stock.

Emergency tiller stowed in lazarette.

DECK

Cockpit cushions Spray hood for forward cockpit Cockpit table for forward cockpit with cover Teak on side decks, bridge deck and in cockpits, coamings and on coach roof 13 mm thick Colour of deck where not teak, white gelcoat, NGA 8533 Removable footrest, four pcs,

Deck Equipment

Anchor windlass, electric Lewmar Concept 3 Gypsy/capstan recessed in deck in port side of forepeak hatch. Gate on pushpit Gangway fitting on the stern and on platform Outboard bracket on pushpit Batting Ladder on platform stored behind the platform Folding cleats amidships one each side Roller fairleads with open top, one pair forward, two pair aft Mug holder on pedestal, 2 pcs each pedestal Stainless steal chafe plate for anchor chain Navtec function hydraulic system New rudder bushing 2016

Winches Lewmar

Two primary sheet winches Lewmar 77/3 AEST – electric

Two secondary sheet winches Lewmar 64 AEST - manual for the runners

One main sheet winch Lewmar 66/3 AEST - electric

One main halyard winch Lewmar 66/2 AEST_ Electric - on port side

One main sheet traveller control winches Lewmar 40 AST manual

Three winches at the mast Lewmar 50 AST manual

One manual halyard winches Lewmar 64 AST manual

Sailing Hardware

Carbon Bowsprit

Staysails sheeting tracks on coamings

Spinlock jammers to be used all over

Lines for adjusting genoa cars to run on deck to the secondary winches including harken block and spinlocks

Block for gennaker / spinnaker sheeting and runners

First reef as a conventional system

Second reef operate as a single system

INTERIOR

General

The interior is finished in hand-rubbed satin varnished teak

Removable floorboards are finished in teak

Any exposed hull areas are covered with teak battens

Overhead panels re finished in vinyl and easily removable

Mosquito screens and blinds for hatches

All joinery work in the living area is done in accordance with the best yacht practice, using firstgrade materials. Teak with hand rubbed satin finish is used for the visible woodwork

Lockable floorboards with laid teak veneer, providing access to the bilge

Overhead lined with removable white ceiling panelling

Cabinets, tables, bureaus, seats, dressers etc. have rounded corners

Doors, partitions and panelling are teak-faced plywood or foam

Self-engaging latches with bumpers to hold doors in open position. Hanging lockers are equipped with rods and hooks, and their doors are provided with louvres

Drawers are secured with latches

Companionway ladder with non-slip steps

Roller blinds/mosquito screens recessed into large deck hatch frames

Teak floorboards

Interior Layout

Crew Cabin

2 berths

Side lockers above berths

Toilet crew cabin 2007

Install washer-dryer 2007

Forward Guest Cabin

Big stowage under double berth in guest cabin forward of the mast

Owners Cabin

Double central berth, sofa on starboard side. Writing desk with chair forward. Hanging locker port side

Saloon

L-shaped settee with table port side,

Coffee table and settee to starboard

Icemaker

Galley

Galley is located on the port side aft of saloon

Work surfaces finished in Corian

Double stainless stell sinks

Storage lockers and drawers for galley items

Galley Equipment

Force 10 oven with four burner stove

240L refrigerator

240L Freezer

Microwave Whirlpool 2012

Nav Station

Forward facing chart table on starboard side aft of saloon

Instruments recessed in teak panels

Teak chart table with chart storage below

Engine Room

Engine space internally sound insulated, fire resistance meeting SOLAS B-15 requirements.

Drip tray integral with engine bed

ENGINE & SYSTEMS

Yanmar, 140 HP, from 2005 new Turbine 2013

Max Prop 3-blade propeller 635 mm

Fuel Filter Racor

Fuel capacity 900 L

Exhausts for engine and generator to be under the transom

Replacement turbine engine 2013

COOLING SYSTEMS

Thermostat controlled fresh water cooling with exchanger on engine. A separate heat exchange for the consumable fresh water is included in the same circuit making hot water avalaible whenever the engine running. Seawater intake with strainer, Discharge through exhauster system

Plumbing Systems

Hot and cold pressurized water system with back up foot pedal system

Total water capacity 840L in stainless steel tanks

Water maker Schenker 150 L

Drinking water purifier

Deck shower, hot and cold water port side at the bathing platform

Fresh water connection to deck wash

Deck wash sea water

230v hot water heater

Ventilation System

Air conditioning Air Clima, in all boat, including shore power inlet

Hella Turbo fans 8 pcs two in aft cabin, one at the nav. Station, one in galley, one in saloon, two

in fwd guest cabin and one in forepeak

Drainage System

2x Manual bilge pumps, Whale Titan 100/min, one in cockpit, one near nav. station

Electric bilge pump in main bilge,. Automatic or manual operation

Galley Sinks drained through sea cock

Stainless steel holding tank with electric pump and deck suction line for toilets

Washbasin and shower trays drain to sump tanks, Sump tanks are emptied by electrical pumps, Back-up Wale Manual pumps

Toilet Vacuflush vacuum assisted toilets using fresh water for flushing

ELECTRICAL SYSTEM

DC System

- 24v DC electrical system
- Service battery bank 280 AH
- Engine start batteries 12v
- Generator start batteries 12v
- All batteries stored in ventilated GRP boxes

AC System

- 230V AC system powered b shore power inlet, generator or inverter
- 50A shore power system with polarity alarm
- Westerbeke 12 KVA 50Hz generator

Chargers/Inverters

1 Mastervolt 24/25 batteries charged,

1 Mastervolt 24/75 batteries charged,

1 Shark MS2612 batteries charged,

Mastervolt 24/300 watt inverter

Service batteries charged by alternator on engine

Engine and generator start batteries charged by alternators on each engine

ELECTRONIC SYSTEMS

Navigation Instruments

B&G Hercules 2000 sailing instruments (speed, log, depth, temp, wind)

One FFD in aft cabin

One FFD in guest cabin

Two FFD in Saloon

One FFD in aft cockpit

Two 20/20 displays on mast below gooseneck

Magnified wind direction analogue in cockpit

masthead unit for wind speed/direction

Halcyon gyro compass

Suunto 5" steering compasses on each pedestel

Barograph special marine altitude

Quartz ships clock at Nav station

Furuno Radar on Nav Station and remote LCD rdar display on aft cockpit changed on 2009

New Radar Antenna on the mast 2013

GPS Plotter Northstar 951 XD on pedestal

Autopilot B&G Hydra

Raymarine E120 at nav Station and in cockpit Rymarine E80 new 2012

Communications Systems

SSB (with out antenna on the backstay)

Antenna Pacifc

VHF Icom M-127 in aft cockpit

Entertainment Systems

TV Sharp in saloon

Eclipse radio Cd system 2 speaker on saloon 2 speaker on AFT cabin, 2 speaker on FWR cabin, 2 speaker on cockpit

MAST & RIGGING

Carbon fiber mast (T-300) from Hall Spars (checked on 2012 / 2016)

With hydraulic Mast jack

Two 20/20 displays on mast below gooseneck

Park avenue Boom carbon fibre from Hall Spars, boom light

One spinnaker pole NOT ON BOARD

First reef as a conventional system

Second reef operate as a single system

Antal combination bolt/slider Luff Track

Navtec three function hydraulic system – backstay, vang and outhaul (Checked 2016)

Reckmann Hydraulic genoa furling RF-90 3 R40 driven by Reckmann Power Pack

EQUIPMENT

General Equipment

Anchor CQR 42LB

M. 120 anchor Chain 10 mm

- Spare anchor Danfoth
- Two Sprayhood
- Cockpit table
- Cockpit cushions
- Radar post with crane for lift outboard engine (radar antenna on mast)

Reverso Oil change pump OP703,24V connected to both main engine, gearbox and generator

Installing retractable bow thruster Max Power 2012

Safety Equipment

Fixed fire extinguisher system in engine room

Two portable fire extinguishers

Fire blanket in galley

Jackstays

SAILS

Sail

Year Sailmaker Material/Notes

MAINSAILS 2009 One Good condition

UPWIND

Genoa	2009 One	Good Condition
Storm Jib	2009 One	Dacron never used

DOWNWIND

Spinnaker 2000

Never used

Price may be changed without notice

Boat is offered subject to still being available

Basic Information

Category: Cruising/Racing Sailboat

Year Built: 2000

Model Year: 2000

Country: Italy

Dimensions

LOA: 62' 9" (19.12m)

Beam: 17' 7" (5.34m)

LWL: 52' 2" (15.90m)

Max Draft: 9' 11" (3.00m)

Speed, Capacities and Weight

Displacement: 62831.74467 Pounds Water Capacity: 221.90452368 Gallons

Fuel Capacity: 237.7548468 Gallons

Accommodations

Total Cabins: 3

Hull and Deck Information

Hull Material: GRP

Hull Color: Blue

Hull Designer: Germán Frers

Engine Information

Engines: 1

Manufacturer: Yanmar

DETAILED INFORMATION

Detailed information

HULL & APPENDAGES

The hull is of single skin construction using glass/aramid hybrid fibre reinforced polyester laminate.

Hull windows one each side of the saloon

Gelcoats are of weather-resistant NGA type.

Bottom treated with epoxy primer for improved blistering resistance

Hull is of single skin construction using glass/aramid hybrid fibre reinforced polyester laminate

Engine beds of GRP

Hull colour: Blue Awlgrip,

Double Coaming stripes Awlgrip G5002 Flag Blue

Mast stepped through deck onto composite mast step

The keel is a lead casting with antimony

Cast-in keel bolts are of high-tensile stainless steel

Retractable bow thruster Max Power 2012

Transom

Bathing platform hydraulically operated

Steering System

Rudder is of foam filled GRP with tubular tapered stock of E-glass composite

Supported by two self-aligning roller bearings rudder bearings changed on 2016

Dual steering gear with two 41' Wheels

Steering quadrant bolted to rudder stock.

Emergency tiller stowed in lazarette.

DECK

Cockpit cushions Spray hood for forward cockpit Cockpit table for forward cockpit with cover Teak on side decks, bridge deck and in cockpits, coamings and on coach roof 13 mm thick Colour of deck where not teak, white gelcoat, NGA 8533 Removable footrest, four pcs,

Deck Equipment

Anchor windlass, electric Lewmar Concept 3 Gypsy/capstan recessed in deck in port side of forepeak hatch. Gate on pushpit Gangway fitting on the stern and on platform Outboard bracket on pushpit Batting Ladder on platform stored behind the platform Folding cleats amidships one each side Roller fairleads with open top, one pair forward, two pair aft Mug holder on pedestal, 2 pcs each pedestal Stainless steal chafe plate for anchor chain Navtec function hydraulic system New rudder bushing 2016

Winches Lewmar

Two primary sheet winches Lewmar 77/3 AEST - electric

Two secondary sheet winches Lewmar 64 AEST - manual for the runners

One main sheet winch Lewmar 66/3 AEST - electric

One main halyard winch Lewmar 66/2 AEST_ Electric - on port side

One main sheet traveller control winches Lewmar 40 AST manual

Three winches at the mast Lewmar 50 AST manual

One manual halyard winches Lewmar 64 AST manual

Sailing Hardware

Carbon Bowsprit

Staysails sheeting tracks on coamings

Spinlock jammers to be used all over

Lines for adjusting genoa cars to run on deck to the secondary winches including harken block and spinlocks

Block for gennaker / spinnaker sheeting and runners

First reef as a conventional system

Second reef operate as a single system

INTERIOR

General

The interior is finished in hand-rubbed satin varnished teak

Removable floorboards are finished in teak

Any exposed hull areas are covered with teak battens

Overhead panels re finished in vinyl and easily removable

Mosquito screens and blinds for hatches

All joinery work in the living area is done in accordance with the best yacht practice, using firstgrade materials. Teak with hand rubbed satin finish is used for the visible woodwork

Lockable floorboards with laid teak veneer, providing access to the bilge

Overhead lined with removable white ceiling panelling

Cabinets, tables, bureaus, seats, dressers etc. have rounded corners

Doors, partitions and panelling are teak-faced plywood or foam

Self-engaging latches with bumpers to hold doors in open position. Hanging lockers are equipped with rods and hooks, and their doors are provided with louvres

Drawers are secured with latches

Companionway ladder with non-slip steps

Roller blinds/mosquito screens recessed into large deck hatch frames

Teak floorboards

Interior Layout

Crew Cabin

2 berths

Side lockers above berths

Toilet crew cabin 2007

Install washer-dryer 2007

Forward Guest Cabin

Big stowage under double berth in guest cabin forward of the mast

Owners Cabin

Double central berth, sofa on starboard side. Writing desk with chair forward. Hanging locker port side

Saloon

L-shaped settee with table port side,

Coffee table and settee to starboard

Icemaker

Galley

Galley is located on the port side aft of saloon

Work surfaces finished in Corian

Double stainless stell sinks

Storage lockers and drawers for galley items

Galley Equipment

Force 10 oven with four burner stove

240L refrigerator

240L Freezer

Microwave Whirlpool 2012

Nav Station

Forward facing chart table on starboard side aft of saloon

Instruments recessed in teak panels

Teak chart table with chart storage below

Engine Room

Engine space internally sound insulated, fire resistance meeting SOLAS B-15 requirements.

Drip tray integral with engine bed

ENGINE & SYSTEMS

Yanmar, 140 HP, from 2005 new Turbine 2013

Max Prop 3-blade propeller 635 mm

Fuel Filter Racor

Fuel capacity 900 L

Exhausts for engine and generator to be under the transom

Replacement turbine engine 2013

COOLING SYSTEMS

Thermostat controlled fresh water cooling with exchanger on engine. A separate heat exchange for the consumable fresh water is included in the same circuit making hot water avalaible whenever the engine running. Seawater intake with strainer, Discharge through exhauster system

Plumbing Systems

Hot and cold pressurized water system with back up foot pedal system

Total water capacity 840L in stainless steel tanks

Water maker Schenker 150 L

Drinking water purifier

Deck shower, hot and cold water port side at the bathing platform

Fresh water connection to deck wash

Deck wash sea water

230v hot water heater

Ventilation System

Air conditioning Air Clima, in all boat, including shore power inlet

Hella Turbo fans 8 pcs two in aft cabin, one at the nav. Station, one in galley, one in saloon, two

in fwd guest cabin and one in forepeak

Drainage System

2x Manual bilge pumps, Whale Titan 100/min, one in cockpit, one near nav. station

Electric bilge pump in main bilge,. Automatic or manual operation

Galley Sinks drained through sea cock

Stainless steel holding tank with electric pump and deck suction line for toilets

Washbasin and shower trays drain to sump tanks, Sump tanks are emptied by electrical pumps, Back-up Wale Manual pumps

Toilet Vacuflush vacuum assisted toilets using fresh water for flushing

ELECTRICAL SYSTEM

DC System

- 24v DC electrical system
- Service battery bank 280 AH
- Engine start batteries 12v
- Generator start batteries 12v
- All batteries stored in ventilated GRP boxes

AC System

- 230V AC system powered b shore power inlet, generator or inverter
- 50A shore power system with polarity alarm
- Westerbeke 12 KVA 50Hz generator

Chargers/Inverters

1 Mastervolt 24/25 batteries charged,

1 Mastervolt 24/75 batteries charged,

1 Shark MS2612 batteries charged,

Mastervolt 24/300 watt inverter

Service batteries charged by alternator on engine

Engine and generator start batteries charged by alternators on each engine

ELECTRONIC SYSTEMS

Navigation Instruments

B&G Hercules 2000 sailing instruments (speed, log, depth, temp, wind)

One FFD in aft cabin

One FFD in guest cabin

Two FFD in Saloon

One FFD in aft cockpit

Two 20/20 displays on mast below gooseneck

Magnified wind direction analogue in cockpit

masthead unit for wind speed/direction

Halcyon gyro compass

Suunto 5" steering compasses on each pedestel

Barograph special marine altitude

Quartz ships clock at Nav station

Furuno Radar on Nav Station and remote LCD rdar display on aft cockpit changed on 2009

New Radar Antenna on the mast 2013

GPS Plotter Northstar 951 XD on pedestal

Autopilot B&G Hydra

Raymarine E120 at nav Station and in cockpit Rymarine E80 new 2012

Communications Systems

SSB (with out antenna on the backstay)

Antenna Pacifc

VHF Icom M-127 in aft cockpit

Entertainment Systems

TV Sharp in saloon

Eclipse radio Cd system 2 speaker on saloon 2 speaker on AFT cabin, 2 speaker on FWR cabin, 2 speaker on cockpit

MAST & RIGGING

Carbon fiber mast (T-300) from Hall Spars (checked on 2012 / 2016)

With hydraulic Mast jack

Two 20/20 displays on mast below gooseneck

Park avenue Boom carbon fibre from Hall Spars, boom light

One spinnaker pole NOT ON BOARD

First reef as a conventional system

Second reef operate as a single system

Antal combination bolt/slider Luff Track

Navtec three function hydraulic system – backstay, vang and outhaul (Checked 2016)

Reckmann Hydraulic genoa furling RF-90 3 R40 driven by Reckmann Power Pack

EQUIPMENT

General Equipment

Anchor CQR 42LB

M. 120 anchor Chain 10 mm

- Spare anchor Danfoth
- Two Sprayhood
- Cockpit table
- Cockpit cushions
- Radar post with crane for lift outboard engine (radar antenna on mast)

Reverso Oil change pump OP703,24V connected to both main engine, gearbox and generator

Installing retractable bow thruster Max Power 2012

Safety Equipment

Fixed fire extinguisher system in engine room

Two portable fire extinguishers

Fire blanket in galley

Jackstays

SAILS

Sail

Year Sailmaker Material/Notes

MAINSAILS 2009 One Good condition

UPWIND

Genoa	2009 One	Good Condition
Storm Jib	2009 One	Dacron never used

DOWNWIND

Spinnaker 2000

Never used

Price may be changed without notice

Boat is offered subject to still being available

The particulars are believed to be correct but not guaranteed

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS







































Page 31 of 31

CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004