

BLUE PEARL — SABRE YACHTS



Builder: SABRE YACHTS

Year Built: 2013

Model: Cruiser

Price: PRICE ON APPLICATION

Location: United States

LOA: 48' 0" (14.63m)

Beam: 15' 4" (4.67m)

Max Draft: 3' 9" (1.14m)

Cruise Speed: 26.938263502 Kts. (31 MPH)

Max Speed: 32.152120954 Kts. (37 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Blue Pearl — SABRE YACHTS** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Blue Pearl — SABRE YACHTS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	9
Dimensions	9
Speed, Capacities and Weight	9
Accommodations	9
Hull and Deck Information	10
Engine Information	10
PHOTOS	11
CONTACTS	21
Contact details	21
Telephones	21
Office hours	21
Address	21

SPECIFICATIONS

Overview

Steering System Joystick Control Standard Equipment & Specifications

- **HULL**

- Modified Deep “V” Planing hull design, with shallow pod drive tunnels.
- 14° deadrise at transom, 23° deadrise amidships.
- ISO NPG white gelcoat w/vinylester back-up resin.
- Bottom, topsides and transom VIP resin infused biaxial E-glass with Airex C70 foam core.
- Stringer system biaxial E-glass with foam core.
- Bulkheads vacuum-bagged biaxial E-glass with polypropylene honeycomb core.
- Molded E-glass swim platform with molded-in anti-skid surface.
- Hull side rubbing strakes.
- PVC rub rail with stainless steel cap.
- Painted (IMRON) double boot top.
- Gold recessed cove stripe.

- **DECK and HARDTOP**

- ISO NPG gelcoat.
- VIP resin infused biaxial E-glass with balsa core.
- Molded-in anti-skid deck surfaces.
- Bi Fold aft salon door to port.
- Sliding windows in salon on cabin sides.
- Electric opening window in salon aft bulkhead.
- Hinged access door to side deck at helm.
- Flush, outward opening, transom door with latch.
- Anchor locker with slam latch.
- Large lazarette/engine room access hatch in cockpit sole with compression latches.

- **DECK HARDWARE**

- 1 1/4" Diameter type 316 stainless steel perimeter rail system.
- (8) 12" Stainless steel cleats (2 fwd, 4 mid ship, 2 in aft cockpit).
- (1) 10" Stainless steel cleat to starboard of windlass as anchor rode tie off.
- (4) Custom cast stainless steel mid-rail line chocks.
- (2) Custom cast stainless steel skene chocks forward.
- (2) Custom folding stainless steel mooring cleats aft.
- Bow pulpit with dual anchor roller for 44# CQR or Delta anchor and “lunch hook”.
- Quick anchor windlass, electric rope-chain type.
- Flag staff and socket on taffrail.
- Burgee staff on bow pulpit.
- (6) Low Profile stainless steel hatches w/screens.
- (6) Custom stainless steel opening port lights.

- Teak toe rails.
- Teak cabin side eye-brow.
- Custom cast stainless steel “SABRE” medallion.
- **HELM STATION**
- Cummins DTS single lever electronic controls.
- Cummins Smart Craft display (engine data, tank levels, vessel data, alarms).
- Triple windshield wipers with washers.
- Ritchie Compass.
- Switch controls for horn, running lights, anchor light, engine room blower and optional equipment.
- Stazo 400mm custom teak steering wheel with tilt helm and Sabre logo.
- (2) Stidd helm and mate seat with Ultraleather fabric.
- **PROPULSION**
- Twin Cummins QSC 8.3 550 hp electronic, fresh water-cooled - 255hrs
- Twin CMD Zeus 3800 pod drives, with integrated steering and trim
- 120A, 12V alternators each engine.
- (2) Exhaust by-pass mufflers.
- Engine room blower.
- Engine room vent ducts.
- Engine room floor with FRP anti-skid.
- White gelcoated engine room
- Mylar face foam noise barrier.
- **FUEL SYSTEM**
- (2) 250 USG diesel fuel tanks port and starboard.
- Racor fuel filters with water in fuel probes.
- (2) 2” “Diesel” deck fill plates.
- **STEERING and TRIM SYSTEMS**
- CMD helm, with joystick.
- Trim tabs integrated in CMD Zeus pod drives.
- Autopilot integrated in CMD Zeus system.
- “Skyhook” GPS position hold system with dedicated GPS receiver.
- **12VDC ELECTRICAL SYSTEM**
- Two AGM Group 31 dedicated engine start batteries.
- Three AGM 4D deep cycle ship's service batteries.
- One AGM Group 24 generator start battery.
- Remote control battery switches with controls at helm.
- Manual emergency battery crossover switch.
- Illuminated main circuit breaker distribution.
- Digital battery monitor
- High output LED lights in the overhead.
- Halogen bar lighting in appropriate locations.
- Fluorescent engine room lighting.
- Cockpit courtesy lights.
- Marine-grade, tinned wire throughout.

- **120VAC ELECTRICAL SYSTEM**

- Onan 11.5 kw generator including:
- Interfaced to Cummins Vessel View display
- Dedicated start battery.
- Water lift muffler.
- Cooling water intake strainer.
- Sound shield.
- Transfer switch.
- 50A shore power service with Glendinning Cablemaster & 50 ft. cord.
- Fail safe galvanic isolator.
- Illuminated main circuit breaker distribution panel.
- Digital AC system monitor
- 120V GFCI protected outlets in each cabin and engine room.
- 50amp, 3-bank battery charger
- Reverse cycle heat/ air conditioning in (3) zones.

- **MASTER STATEROOM AMIDSHIPS**

- Spacious island berth athwartship layout with laminated trim.
- Hull side deadlight over head board
- Shoji style passageway doors
- Shoji style portlight screen panels
- Cherry hull ceilings.
- Drawers under berth and in bulkhead aft of berth.
- (2) hanging lockers fore and aft of bed.
- LED flat screen TV and DVD player.
- Teak and holly sole.
- Sound deadening soft headliner panels.
- Pocket door to master head compartment.

- **MASTER HEAD**

- Private access from master stateroom
- Custom tile in WC and shower sole
- Glass vessel style sink
- High gloss finish over solid cherry counter.
- Vanity cabinet below sink
- Storage outboard
- Mirror above vanity, cherry framed
- Separate shower stall with clear bi-fold enclosure and glass tile accent wall within
- Electric shower sump pump
- Opening port to side deck
- Deck hatch with blind/screen overhead
- Ventilation blower
- Stainless steel towel bars

- **GUEST STATEROOM**

- Spacious island berth, with laminated trim.
- Cherry hull ceilings.

- Drawers under berth, A/C return grille beside.
- Storage lockers, drawers and shelves.
- Teak and holly sole.
- Sound deadening soft headliner panels.
- Pocket door to passageway.
- Private access to forward head and shower
- **GUEST HEAD**
- Stainless steel under mount sink.
- Shower stall with seat and locker outboard.
- Hot and cold pressure water
- Electric shower sump pump.
- Storage lockers.
- Solid surface vanity top with bull nose.
- Towel bars
- Soap dispenser
- Cherry wood trimmed mirror over sink.
- Ventilation blower.
- **GALLEY**
- Solid surface galley counter top.
- Stainless steel under mount sink with cover and pull-out faucet
- Stainless steel under mount prep sink with cover.
- Soap dispenser
- Isotherm stainless steel stand-up refrigeration/freezer
- Two burner electric cook top
- Convection microwave with stainless steel face
- Drawers and storage lockers below counter.
- Built-in waste basket and recycle bin below companionway steps.
- **MAIN SALON**
- “L” settee to starboard, 5” foam cushions, with storage and Sabre tool drawer under.
- High Gloss finished table with hi-low pedestal and angled slide mechanism. Lowers to coffee table height.
- Entertainment unit to port including: flat screen LCD TV on lift with DVD player
- Sound deadening, soft headliner panels.
- Raised mates L-shaped settee to port of helm chair
- Stainless steel bi-fold door to cockpit
- Electrically operated window aft of L-settee
- Swing door at helm to starboard side deck
- Deep chart table forward of L-settee
- **DÉCOR**
- Varnished cherry interior finish.
- Screens on all opening ports.
- Ocean Air screen/blinds on deck hatches.
- Ocean Air pleated blinds on side windows and side door

- Drapes on aft curved windows
- Dovetailed, varnished maple drawer boxes
- **FRESH WATER SYSTEM**
- Water capacity 160 gals.
- Stainless steel, 20 gal. water heater, operates on 110-VAC or engine heat.
- Temperature control valve on hot water supply.
- Hot and cold water pressure system 12V.
- Fresh water spigot in engine room.
- **WASTE DISPOSAL**
- Polyethylene holding tank with 70 gallon capacity.
- Jabsco Quiet Flush fresh water MSD in guest head
- Tecma Eco MSD in master head
- Diaphragm waste pump on holding tank.
- **SAFETY**
- Single Kahlenberg chrome trumpet horn with compressor
- Fire extinguishers, (5) at 2 1/2 lbs.
- Marelon sea valves on all thru-hull fittings below waterline.
- Bonding system to safeguard against galvanic corrosion.
- Automatic fire extinguishing discharge system in engine space with override.
- (3) Automatic 12V electric bilge pumps.
- (3) high water switches and alarm

Upgrades, Custom Options & Additional Equipment

- **EXTERIOR AND DECK**
- Electric sunroof with sunscreen in lieu of standard two (2) pilot hatches
- FRP molded mast, separate radar platform & satellite pad(s) for sedan hardtop
- Teak deck on FRP swim platform
- Teak decking in aft cockpit including steps
- **ELECTRICAL**
- Additional 12V DC outlet in guest cabin
- Additional 12V DC outlet in master cabin
- Additional 12V DC outlet in cherry helm drop box
- Install LED strip lighting in guest cabin under side hull cabinets
- Install LED strip lighting behind shoji sliders in master cabin
- Install (2) Hella turbo cabin fans in utility space
- **FIBERGLASS**
- Dark hull color - Flag Blue
- Deck color - Sabre White
- Anti-skid color - Beige
- **INTERIOR**
- Wet bar with Ice maker and Corian countertop aft of helm seat
- Install Kenyon cooktop with pop-up pot holders in lieu of std.
- Install tall mirror recessed into the bulkhead behind master head door

- Install a pull out laundry locker hinged at bottom with bag in master stateroom
- Install magnifying mirror in guest and master head
- Custom Latex mattress' in master and guest stateroom
- Custom hanging locker inboard of workbench in utility room
- Accord Shades on all opening ports
- Ultraleather upholstery on STIDD seats
- Furniture grade Sunbrella throughout the salon
- Crew quarters/utility room with separate washer & dryer
- **MECHANICAL**
- Reverso oil change system
- Kahlenberg double chrome horns
- **PLUMBING**
- Hot and cold transom shower
- Shore water inlet
- Single Seagull water purifier on galley cold water
- **MISC. CUSTOM OPTIONS**
- Custom Corian in galley
- Burlled Walnut helm pod face
- Added single cup holder port and starboard on the shelf behind the curved windows
- Power STIDD seat
- Beam central vac system
- Cockpit seat covers - L-settee and aft facing bench
- Exterior window covers
- Flag and burgee covers
- Custom cockpit bimini

Navigational Electronics

- Garmin 7215 MFD
- Second Garmin 7215 MFD
- Garmin 4kW HD open array radar
- Garmin AIS600 transceiver
- Garmin GMI 10 Display
- Garmin satellite weather receiver
- Garmin VHF200 AIS black box w/ one station at helm
- Garmin 20 degree bronze transducer 600W
- ICOM 504 VHF with loud hailer
- FLIR Navigator 2 - Thermal Imaging Camera
- KVH Tracvision Satellite TV with (2) Receivers
- Colormatched - Sabre White - GPS antennas, VHF, FLIR, TV Domes, Hailer Horn, Radar, and Spotlight.
- IR Video camera for the engine room
- SmartCraft module for engine data to connect from VesselView to Garmin

Disclaimer The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Basic Information

Category: Cruiser

Sub Category: Downeast

Model Year: 2013

Year Built: 2013

Country: United States

Vessel Top: Hardtop

Cockpit: Yes

Dimensions

LOA: 48' 0" (14.63m)

Beam: 15' 4" (4.67m)

Max Draft: 3' 9" (1.14m)

Speed, Capacities and Weight

Cruise Speed: 26.938263502 Kts. (31 MPH)

Max Speed: 32.152120954 Kts. (37 MPH)

Water Capacity: 160 Gallons

Holding Tank: 70 Gallons

Fuel Capacity: 525 Gallons

Accommodations

Total Cabins: 3

Total Berths: 3

Sleeps: 6

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Hull Configuration: Deep Vee

Hull Color: Flag Blue

Engine Information

Engines: 2







Manufacturer: Cummins









Model: QSC 8.3L

Engine Type: Inboard

Fuel Type: Diesel

PHOTOS

























CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004