

SEA FEVER — SUNDEER



Builder: SUNDEER

Year Built: 1997

Model: Cruising Sailboat

Price: PRICE ON APPLICATION

Location: United States

LOA: 60' 0" (18.29m)

Beam: 13' 9" (4.19m)

Max Draft: 6' 0" (1.83m)

Cruise Speed: 7 Kts. (8 MPH)

Max Speed: 10 Kts. (12 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Sea Fever — SUNDEER** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Sea Fever — SUNDEER** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Hull and Deck Information	4
Engine Information	5
DETAILED INFORMATION	6
Dimensions	6
Engines	6
Tanks	6
Accommodations	6
Galley	8
Deck Equipment	9
Pilothouse	10
Navigation and Electronic Equipment	10
Electrical Equipment	11
Mechanical Equipment	11
Sails & Rigging	11
Plumbing	12
Heat and Air	12
Safety Equipment	12
Miscellaneous and Spares	13
Background with Owners Comments	13
Remarks	13
Exclusions	14
Disclaimer	14

PHOTOS	15
CONTACTS	18
Contact details	18
Telephones	18
Office hours	18
Address	18

SPECIFICATIONS

Overview

No hurricane damage but she suffers from deferred maintenance, a major price reduction to reflect current condition.

This boat needs work but has good bones that will be a sound bluewater cruiser after a refit.

I had the pleasure of working with the original owner and as a dealer for Sundeer Yachts. Sea Fever was built at TPI Composites, the original owner spared no expense in her construction and maintenance. Sea Fever has a unique forward layout that offers a better sea berth with separate head & shower compartments.

Basic Information

Category: Cruising Sailboat

Model Year: 1997

Year Built: 1997

Country: United States

Dimensions

LOA: 60' 0" (18.29m)

Beam: 13' 9" (4.19m)

Max Draft: 6' 0" (1.83m)

Clearance: 65' 0" (19.81m)

Speed, Capacities and Weight

Cruise Speed: 7 Kts. (8 MPH)

Max Speed: 10 Kts. (12 MPH)

Displacement: 36500 Pounds

Water Capacity: 400 Gallons

Fuel Capacity: 235 Gallons

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 1

Manufacturer: Yanmar

Model: Turbo Diesel

DETAILED INFORMATION

Dimensions

Max Draft: 6 Ballast: 11500 Displacement: 36500

Engines

Total Power: 88 Cruising Speed: 7.2 Max Speed: 10

Tanks

Fuel: 235 Fresh Water: 400

Accommodations

Sea Fever has the Dashew designed master stateroom forward with watertight bulkhead separating the huge forepeak storage compartment from the living accommodation. This private stateroom consists a port side Queen-size berth (Upgrade Plan B) with storage under and individual reading lights. Four drawers and three large storage compartments are located underneath the bed for more easily accessible storage. There are three extra large hanging lockers to starboard, with a large fiddled shelf above. A vanity is located on the starboard side with a polished stainless steel sink. The vanity counter top has storage and easily accessed plumbing beneath, and a curved, opening bin storage compartment behind it. Besides the two reading lights, there is also a fluorescent light over the berth, and an adjustable light for the vanity. The master stateroom has two fixed, non-opening ports, a large 24"x24" Bomar opening hatch, two dorade vents with Vetus air scoops, and three 12VDC Caframo fans. Forward of the stateroom is a full-size head with storage cabinets to port and a Raritan 2 manual toilet connected to a 40-gal holding tank when inshore, and a separate full-sized shower with a seat to starboard. There is additional storage space in the shower. Leaving the forward master stateroom and moving aft, one enters the salon that contains an L-shaped dinette with dining table and seating for six to port. The dinette and starboard settee are custom upholstered. The salon contains an AM/FM radio/stereo cassette/CD/MP3 player with two external Bose speakers. There are two additional outdoor marine speakers in the pilothouse. The teak cabin sole has walnut shell non-skid strips, and all teak trim is varnished. The cabin soles and lockers and drawers have positive locking latches for added safety at sea. Settees are fitted with lee cloths and may be used safely as offshore berths. Above and outboard of the settee backs are flat shelf type storage areas that have custom teak bookshelves. The multiple fixed ports found in the vertical hull surfaces in the salon and throughout Sea Fever below decks have hideaway-pleated shades to reduce daylight and keep dockside-prying eyes at bay! The overhead ceilings are vinyl foam backed material covered on Velcro removable panels. There are two large 31"x31" opening

Bomar hatches in the salon, and two Bomar 10"x10" opening hatches above the nav station and galley, multiple dorade vents, fans and lighting throughout, making for a very well ventilated boat, especially when underway. The 200-gallon each matching port and starboard molded outboard freshwater tanks form the base of the settee backs. These tanks may be used to a moderate degree as water ballast to assist ship's trim offshore. Beneath the eight settee seats are storage compartments for bulk items. Toward the aft end of the salon and to port is the U-shaped galley with centerline island. Contained in this area and outboard of the centerline double sinks is the gimballed Force 10 three-burner stove with oven and broiler. On centerline in the galley are located the twin, deep double stainless steel sinks with pressure hot/cold water and cabinet storage beneath. The composite Corian Fountaintop counter tops allow access to the large top loading freezer as well as the top and side-loading refrigerator. The storage in the galley area continues! Outboard are two more Corian counter work surfaces with curved front bin storage compartments, a huge vertical food storage locker, pot and pan locker, and storage on centerline beneath the sink and five-drawer storage at the end of the galley island. Aft of the starboard settee is the sit down ships office/navigation center. There is storage beneath the navigator's seat, in the lift up chart desk and outboard in a curved bin. Behind the navigator's seatback is a large hanging locker with shelf. To the right of the navigator is the DC/AC Paneltronics distribution panel. In the overhead is a 10" Bomar opening port and dorade. At the desktop navigation station is all the electronic equipment: Trimble GPS, Furuno radar, ICOM IC-710 SSB, Horizon VHF, B&G Hydro 2 instrument head and Iridium satellite phone (see Electronics for specifics). There is also a large LCD screen connected to a powerful, dedicated Pentium-4 computer for running email and Maxsea navigation software. Aft of the navigation station on the starboard side are the aft ship's head with Raritan 2 manual toilet connected to a 40 gal holding tank when inshore, a washbasin with ample storage space below, and a shower with curtain plus a portable washer. Across from the navigation area and aft of the galley is the private guest stateroom with upper and lower berths, with lee cloths, Dorade vent, opening hull port, large opening port to the cockpit with optional screen, Caframo fan, and overhead and bunk lighting. You will find more storage in two vertical lockers on centerline and beneath the lower berth. With minimum motion and separated from the main cabin, these make excellent berths for the off watch while underway. A custom watertight Bomar hatch low on the starboard side provides excellent access to the port side of the engine (starter motor, raw water impellor and alternator). The large, comfortable living area has no thru-hulls, completely eliminating the possibility of below waterline hull leaks in the living areas. There is an enormous amount of storage throughout the interior. The large forepeak accommodates a full sail inventory, fenders, dock lines, spare sheets and halyards, spare anchors, a sea anchor and much more. These items are securely contained in stainless pipe storage bins with the all chain main anchor rode contained in a large PVC vertically mounted self-stowing tube mounted directly beneath the on deck windlass. Also located in this compartment is the forward bilge pump. The compartment is lit by 12VDC fluorescent lighting and contains the remote control for the windlass. Access is via a deck mounted 24"x24" Bomar hatch, and a swinging stainless ladder. The depth and speed transponders are accessible through hatches in the flooring. There are two more very important safety features in Sea Fever, custom installed when she was built. The house batteries are accommodated in the top of the keel, but in this case have been enclosed in two watertight compartments, each with three access hatches and ventilation. Secondly, there is a belt-operated

emergency pump on the forward starboard end of the engine, connected to a two-inch PVC pipe extending the length of the boat, with valves in the forward peak, the saloon, the battery compartment and the engine room. If any one becomes flooded, the relevant valve can be opened, the engine started and a switch on the nav station control panel will start evacuation of the water at a considerable rate. The aft engine room is separated from the main cabin by a sound insulated watertight bulkhead. It has standing headroom, a workbench with vise, and storage bins on the starboard side. There is excellent overhead lighting. In this compartment you will find all of the ship's machinery and thru-hulls to keep noise, heat and possible leakage out of the living areas. There are two fuel saddle tanks of approximately 117 gallons each. Fuel may be shifted from tank to tank by a 12VDC fuel transfer pump. These tanks may also be used, in conjunction with the water tanks, as ballast tanks. The engine room is accessed through the starboard cockpit bench seat. When open one has full standing room for work on a substantial workbench with a large vise. Above the bench is the Balmar 40 gals/hour water maker, (presently pickled) which makes water while the batteries are being charged, as it is driven by a belt-driven high-pressure Cat pump powered by an 8-kw Kubota diesel engine. The stainless steel fuel tanks are mounted to port and starboard and fitted with access cleaning hatches and drain valves for draining and cleaning. A 12VDC remote oil change system pumps out both the generator and the main engine's oil for fast and easy oil changes. The lazarette is enormous and will accommodate all the necessary items for a world voyage. The area is accessible via two deck hatches at the aft starboard end of the cockpit, and is equipped with approximately fifty drawers where all the smaller spare parts are stored – all perfectly listed in a most comprehensive Excel spreadsheet. The deck area, as with all of Steve and Linda Dashew's vessels, is designed for ease of sailing and is uncluttered. The cockpit is located aft with a fixed, custom-built aluminum pilothouse (see following description). There is a custom radar/antennae mast, cockpit cushions, swim platform, etc. All sail control lines are led aft to the cockpit. The propane locker is mounted in its own sealed compartment aft to port and contains two 20 lb. aluminum propane bottles. In the unlikely case of propane leakage, the compartment drains safely overboard. The deck has been designed with fresh water fills located aft port and starboard to allow for rain catchment so you may fill the ships tanks without going to a dock to replenish!.

Galley

- Pleated shades on all ports
- Corian Fountainhead counter tops
- Caframo Fans
- GE Microwave oven with turntable
- Refrigerator temperature gauges.
- All interior teak trim varnished
- Walnut shell strips (non-skid) on cabin floors
- Teak insect screens for all cabin hatches.
- Insect screen for companionway hatch plus lockable washboards.
- Screens for all opening Bomar hatches

Deck Equipment

- No teak trims on deck (No varnish!)
- Magma BBQ (new 2006) grill mounted on stern rail and plumbed to main propane tank
- Three pad eyes in cockpit for safety harnesses
- New lifelines (2004) 1/4 inch vinyl coated uppers, and SS lowers
- Additional stainless steel handholds on deck, protecting the Dorade's
- Flat nylon webbing jack lines, port and starboard for snap-on life harness tethers
- Lifesling, MOB3, throw rope and MOB equipment mounted on aft stern rail
- SSB aerial mounted on port transom
- 6-man Switlick life raft (last serviced 2006) mounted on quick release on aft rail
- Two reef lines installed, third can quickly be rigged
- Custom radar pole on transom with swinging radar mount, various antennae and a 5-part pulley adjustable lifting rig for dinghy motor or man overboard
- Two Edson brackets for outboards on stern rail
- Swim platform with swim ladder and stainless steel handholds to board from dinghy
- Hot and cold fresh water shower, with hose bib on swim platform in separate compartment
- Dock lines, and four large fenders.
- Stainless steel bail welded on bowsprit for spinnaker
- Shurflo fresh-water washdown pump
- Two 31" by 31", Two 24" by 24" (One located over forepeak) and two 10" by 10" Opening Bomar aluminum hatches
- Ten Vetus 5 inch diameter ventilator horns and Dorade vents with screens and closure devises
- Antenna mast: Custom made by New England Boatworks, Newport, RI at swim platform
- Dinghy:
- AB RIB 320 (3 point 2 meters) with bow locker and deck floor
- Yamaha Enduro Outboard 15HP, (new 2005)
- Johnson 4HP spare (2004)
- Dinghy anchor with line
- Two spare fuel tanks and spare parts
-
- Ground Tackle:
- Main anchor 55 kg Bruce
- Maxwell VCW 3500 electric windlass
- Fortress 55 anchor with 300 Feet of 3/4 inch line and 30 feet of 3/8" inch chain
- 20 lb Danforth anchor
- Drogue
- Paratech sea anchor with 2, 250' three quarter inch braided nylon
- 200 feet of five eighth inch diameter line.
- 200 feet of Acco Hi-Tensile 5/16 chain
-
- Deck Canvas:
- Bimini between radar and pilothouse, for complete sun protection, with attachable side

awnings on three sides

- Extensive full-length, battened awning from forestay to aft of pilothouse (overlaps bimini). Allows for hatches to be open during rain in tropics! (2006)
- Winch and hatch covers
- Outboard motor covers
- BBQ grill cover
- Life raft cover

Pilothouse

The substantial aluminum pilothouse was custom built by New England Boat Works of Rhode Island. There are four ten inch Bomar opening hatches overhead and one large 24 by 24 inch Bomar hatch on the forward face for additional ventilation. The ILxan windows of the pilothouse were replaced with new tinted plexiglass in 2006. There are aluminum handrails all around outside. A custom inclosure can be rigged to protect feet and cushions from rain when sleeping in the pilothouse.

- Cockpit cushions (re-covered 2002)
- Secondary Furuno radar display with NMEA input
- Three B&G Hydra 2 instrument heads, with customizable displays (wind direction/ speed, boat speed, depth, etc.)
- Two B&G auto-pilot handheld controllers
- (2) Stereo speakers
- Overhead light with white or red for night vision
- Reading lights

Navigation and Electronic Equipment

- ICOM IC-M710 SSB radio with tuner, 75 square feet of copper foil ground molded in hull.
- HP Deskjet 592C printer
- Trimble NT200D GPS with NMEA to B&G instruments, radar, computer, and autopilot.
- B&G Hydra Pilot system with dual control heads, dual remote controls, dual processing units, two fluxgate compasses and one B & G T2 pump and one Simrad hydraulic pump. Pumps new in 2006, one processor upgraded to 40 amps in 2005 and new remotes in 2006.
- Magellan handheld GPS
- West Marine and Standard handheld VHF radios
- B&G Hydra instruments – two FFD (for speed, wind, depth, etc) in cockpit and one at navigation station
- FM/AM/CD/MP3 stereo with two external Bose speakers in cabin and two outside speakers in cockpit
- Barometer and clock

- Iridium satellite 9505 telephone with fixed antenna
- Garmin 5208 GPS
- Garmin Sonar
- Garmin WX Satellite Weather integrated to screen at helm

Electrical Equipment

- (2) 50 Foot 30 Amp 120 Volt shore power cables
- One 100 Foot 14-3 cord for long electrical runs

Mechanical Equipment

- Main engine is an 88 hp Yanmar 4-cylinder turbo, with approximately 5,542 hours (May '07)
- Upgraded feathering VP MaxProp (pitch can be quickly adjusted externally while in the water, does not have to be disassembled)
- Spurs Line Cutter
- Balmar/Kubota 20hp diesel generator with 250-amp direct drive alternator delivering 12V directly to the main batteries, with a Balmar MC-512 voltage regulator. The generator is installed with a direct drive to a Cat-Pump for the watermaker, so both battery charging and 40 gph of pure water can be done at the same time.
- Second Balmar MC-512 voltage regulator added for the single 200-amp main engine alternator.
- Large custom 6" diameter engine air vents built in to engine room to prevent diesel fumes from reentering and polluting the engine room.
- PSS driplless seal replaced in 2006.

Sails & Rigging

- Forespar carbon fiber spinnaker pole
- Spinnaker pole track, with control lines
- Storm trysail track on mast
- Boom preventers, port and starboard, with blocks forward and lines led to cockpit
- Forespar Yacht-Rod vang with line led to cockpit
- Primary winches upgraded to Lewmar self tailing 58s – starboard side electric for raising mainsail, tightening reef clew lines, and controlling mainsheet during normal sailing
- Two additional Lewmar self tailing 44 winches added on the aft deck for preventer and running backstays
- Spectra main and spinnaker halyard
- Lazy jacks on mainsail
- Removable inner forestay
- Running backstay retrievers, led to cockpit

- Main and jib by Custom Sails (2001)
- Sail cover
- Hank-on staysail
- Trysail, with separate track
- Asymmetric spinnaker (1997)
- Cruising spinnaker with snuffer sock (2000)
- Harken Battslide system and track for mainsail

Plumbing

- 4 separate bilge pumps with individual float switches for forepeak, main cabin, battery box, and engine room
- Portable high volume Edson hand pump.
- Permanently installed hand pump in cockpit with inlet plumbed into main cabin.
- High volume emergency water pump with direct drive from engine with plumbing and valves for each of four watertight compartments.
- Custom installed manual Whale Gusher 30, operated from the cockpit to satisfy Ocean Racing specs required by the Arc Rally organizers.
- Standardized and interchangeable Shurflo water pumps for fresh water, fresh water deck wash, hot-water recirculation pump, and fridge cooling.
- Four station tank tender quantity gauges for both fuel and water tanks.

Heat and Air

Air conditioning system tied to fridge compressor (fridge compressor motor is upgraded to three quarter HP.) 11,000 BTU capacity blower is mounted in matching timber box at aft end of forward stateroom. Cool airflow can be directed into sleeping cabin, salon, or split between these areas. When refrigerator system comes on, the A/C automatically shuts down until box temperature is attained.

Safety Equipment

- Lifesling mounted on stern rail (new cover in 2003)
- Nylon flat webbing jack lines, bow to stern
- Three cockpit pad eyes for safety harness attachment.
- 8 Coast Guard approved life jackets
- Four inflatable life vests/safety harnesses with strobe lights.
- Extra Solas flares, day and night.
- Switlik six man life raft (inspected and certified in 2006), located on stern in custom stainless steel cage for easy deployment, with cover for protection.
- Pur Survivor 06 water maker, for life raft

- Waterproof emergency VHF (channel 16 and 6 only)
- Collision mat

Miscellaneous and Spares

- Forepeak storage bins (port and starboard) made from stainless pipe, with mesh restrainers, and tube/mesh shelves over bins
- Portable Daewoo washer/spinner
- Aluminum collapsible gangplank, approximately 8ft in length for Mediterranean mooring (stern to dock).
- Many individual spares including Trimble NT200D GPS with antenna, spare autopilot pump, engine starter, head rebuild kits, Balmar alternator, Yanmar spares, macerator pump and heads for galley, Shurflo pumps, and Balmar regulator.

Background with Owners Comments

Sea Fever was built in early 1997, and launched in August the same year. The original owners proceeded to sail her over 30,000 nm in the ensuing eight years, making three transatlantic crossings (with a fourth made under a competent hired captain). In the 2000 Arc Rally for Cruisers there were 225 entries including many larger boats; Sea Fever finished the 2,800 nm course in 14 days, averaging 7.96 knots, coming in 10th over the line. She beat all the many Oysters including two 60s and one 70 across the line. In 2002 she entered the Caribbean 2000, a rally/race from Hampton, VA to Harbourtown, Tortola, BVI, and became one of a select few boats to ever finish the Caribbean 1500 in less than 7 days. Two of the others were Dashew's 80-footer in one of his previous entries, and a brand new (light and empty) custom Hunter racing 50-footer sailed by two previous Around the World single-handers, who beat Sea Fever by four hours in the same race. During that race, Sea Fever did a noon-noon distance of 232 nm, for an average speed of 9.6 knots. Bear in mind that Sea Fever was in normal cruising trim, with full tanks, generator, cruising supplies, spares, bicycles, etc., not a stripped out racer! From March 2005 to May 2007 Sea Fever sailed around the world by the owners son, his wife and two young children. An extract from an e-mail reads "The strong trade winds (20-35kts) allowed us to make quick work of these passages and we typically had boat speeds in the 8-10 knot range with occasional bursts up to 13 knots." Note that this was with the husband and wife crew only in full cruising mode. "Sea Fever" was built by TPI Composites, Inc. in Warren, Rhode Island. She is a true world voyaging blue water performance cruising yacht that was sailed by its co-owner/son, wife and two small children. Easily handled by two people, designed for comfort, speed, and above all, safety. Sea Fever's estimated replacement value is in excess of \$1,000,000. In the opinion of the present owner/seller there is no better boat for a short-handed circumnavigation than a Sundeer 60.

Remarks

As the listing broker I also had the pleasure of working with the original owner/seller and his family as project manager during Sea Fever's construction, commissioning and lengthy sea trials. The seller spared no expense in her construction and safety equipment. As stated the vessel was well tested including a 900+ mile flawless delivery from Newport, RI to Hilton Head SC. The present owners/sellers have continued to maintain and care for Sea Fever in the highest standards. Many upgrades have been added along with a continued excellent maintenance schedule.

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS







CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004