

2013 AZIMUT 64 FLY W/ SEAKEEPER "VIVERE" — AZIMUT



Builder: AZIMUT

Year Built: 2013

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 64' 0" (19.51m)

Beam: 16' 7" (5.05m)

Cruise Speed: 28 Kts. (32 MPH)

Max Speed: 34 Kts. (39 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs. We have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht 2013 Azimut 64 FLY w/ Seakeeper "VIVERE" — AZIMUT or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	4
Hull and Deck Information	4
Engine Information	4
DETAILED INFORMATION	5
Options	5
Flybridge	6
Bow/Side Walkways	6
Cockpit and Platform	7
Wheel House	7
Interior	8
Electrical System	11
Systems	12
Exclusions	14
Disclaimer	14
PHOTOS	15
CONTACTS	19
Contact details	19
Telephones	19
Office hours	19
Address	19

SPECIFICATIONS

Overview

This gorgeous Azimut was built with an open checkbook. Upgrades and options include Seakeeper, Xenta Joystick with bow and stern thrusters, Raymarine G Series Electronics, and teak decking throughout. Interior highlights include an upgraded decor package featuring wood floors in the salon, galley, dinette, and helm station. A central vacuum system and Emperador Marble galley top are only a few of the extras waiting inside.

Basic Information

Category: Motor Yacht

Sub Category: Flybridge

Model Year: 2013

Year Built: 2013

Country: United States

Registration #: DO1243378

Coast Guard #: 1243378

Dimensions

LOA: 64' 0" (19.51m)

Beam: 16' 7" (5.05m)

Clearance: 17' 0" (5.18m)

Speed, Capacities and Weight

Cruise Speed: 28 Kts. (32 MPH)

Max Speed: 34 Kts. (39 MPH)

Displacement: 77161.7917 Pounds

Water Capacity: 258.88861096 Gallons

Holding Tank: 92.4602182 Gallons

Fuel Capacity: 1030.2710028 Gallons

Accommodations

Total Cabins: 3

Total Berths: 6

Sleeps: 6

Total Heads: 3

Captain Cabin: True

Crew Cabin: 1

Crew Berths: 2

Crew Sleeps: 2

Crew Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Deck Material: Teak

Engine Information

Engines: 2

Manufacturer: Caterpillar

Model: C18

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Options

- Seakeeper Stabilizer
- Custom AV Package w/ HD SAT TV
- Hardtop
- Teak Side Decks
- Teak Flybridge Floor
- Winecooler
- Stern Thruster
- Bow Thruster 10kW
- Joystick Control Xtena for Engines & Thrusters
- Raymarine G Series USA
- Barbeque on Flybridge
- Chaise Lounge for Flybridge
- Cockpit Chair
- Glendenning Cable Master
- Flagpole
- Wooden Floor in Salon
- Sofa "C" Shape - without bed
- Linens
- Linens-Crew Cabin
- Linens for Sofabed
- Galley Top in Emperador Marble
- Wooden Floor in Galley, Dinette, Helm
- Double Racor Filters
- Hi-Lo System for TV
- Washer/Dryer Separate Units
- 2 Refrigerator, 1 Freezer/Galley
- UPGRADING OF DECOR
- Stbd Side Couch w/Hi-Lo
- Central Vacuum System
- Quilted settee, Salon/Master
- Sunlounge on Flybridge-Aft
- Second bed in Crew quarters
- Install 2nd Glendinning
- Icemaker on Fly
- VIP-2 Wood Shelves, Bedside Tables
- Master- 2 Wood Shelves, Bedside Tables
- WC position modified-Master
- Guest-2 Wood Shelves
- Master- Cavity for Bose Amplifier

- Master- Mirror w/Spotlight
- Master- 2 spotlights over vanity
- 2 Add'l Shelves in Galley Furniture
- Bottles/Glasses Holder on Fly
- Guest- Dimmer LED Strips
- VIP- Dimmer LED Strips
- Master- Dimmer LED Strips
- Master- Wooden Storage Under Porthole
- Custom Coffee Table in Salon

Flybridge

- Can be accessed from the left side of the cockpit via a 7-rung GRP ladder (steps in teak).
- Access door:hinged opening with hatch-way in aluminium and Plexiglas.
- Smokey Plexiglas windbreak with stainless steel frame
- Helm seat for 1 person, with manual depth adjustment
- Fore sundeck with cushions
- Seating for up to 8 people on starboard side, with under-seat locker
- Table for up to 8 people, with teak top
- Roll bar in GRP with mirror windows on the sides
- Pilot console: Raymarine Bronze Package
- Flybridge cabinet with barbecue, sink, fridge and ice-maker
- Navigation lights
- Adjustable manual spot

Bow/Side Walkways

- 1500W winch
- Anchor winch controls
- Chain locker with drainage and fender housing
- Chain wash pump
- Fenders
- DELTA 40kg galvanized steel anchor
- 75-meter high-resistance gauged chain, diameter 10mm
- Stainless steel anchor nose for Delta anchor
- 2 windscreen wipers for the fore wind-screen
- 2 stainless steel bitts
- Hatchway (emergency exit)
- 2 grabrail handles in bow for sunbed cushions
- Side net window and wind screen covers
- Sunbed cushions and glass-holder
- Access via door on both port and starboard sides

- Stainless steel pulpit on side washboard
- Chocks on the washboard
- Tempered glass windows glued to the surrounding structure without any metal frame
- Sliding rectangular side windows in bow
- Steel fender holder
- Diesel and fresh water refills on side walkways
- Black water tank discharge outlet on side walkways
- 2 midway bitts per side

Cockpit and Platform

- Access to cockpit from platform, via GRP ladder on starboard side
- Bitts
- Saloon door with 3 stainless steel panels (2 sliding) in curved tempered glass
- "C"-shaped cockpit bench with cushions and locker, for 5 people
- Side lockers and compartments
- Engine room access
- Teak flooring
- Lighting: LED spotlights on ceiling
- Watertight loudspeakers
- Emergency panel-controls for service, engine and generator battery cut-out, mushroom-head button for emergency engine shutdown, activation of fire-extinguishing system in engine room
- Lift platform with teak covering and 500kg capacity
- Access to crew cabin with watertight door
- LED lighting on swimming platform
- Shower with hot and cold mixer tap
- 3-rung manual telescopic swimming ladder on port side

Wheel House

- Pilot console: Raymarine G Series Package
- Adjustable spot
- Helm seat on starboard side, with electric depth/height adjustment
- Adjustable rudder
- Chain meter counter
- Magnetic compass
- 24V+220V electric panel
- 12V socket
- Controls for:

- Engine start-up- Bow anchor winch activation- Adjustable spot activation- Audible alarm-

Navigation light activation- Windscreen washer activation- Activation of bilge pumps- Activation of fire fighting pump- Opening of side windows (port and starboard)- Emptying of black and gray water tanks- Engine room ventilation- Shore power sockets- Chain wash pump
Gauges for:- Diesel level gauge- Fresh water level gauge- Black water level gauge- Gray water level gauge

Interior

Salon

- Wood floor
- (2) 3-seater sofas on port side, with cabinet on starboard side
- Radio on left column
- CUSTOM Coffee table
- TV cabinet
- TV system setup
- Roman blinds on side windows
- Salon door drapes
- LED spotlights

Dinette

- Wood floor
- "C"-shaped sofa for 5 people on starboard side
- Rectangular table with removable central part to facilitate people's movement
- Below deck accommodation ladder on port side, with carpeted illuminated treads
- Dinette table lit by direct LED spotlights
- Roman blinds on side windows
- TV system

Galley

- Wood floor
- UPGRADED countertop in Emperador Marble
- Salon/dinette furniture in oak
- Stainless steel sink with mixer tap
- Fixed LED spotlights on varnished ceiling panel, and fixed spotlights under the wall unit between the galley/salon
- Four-knob glass ceramic range with stainless steel pan holder
- Hood with active carbon filters
- Microwave oven+grill
- Fridge/freezer with drawers

Owners Cabin

- Located midship

- Folding double bed with lockers, with headboard on port side
- Mattress, pillows and bedspread
- Vanity table with sofas on starboard side, cabinet under the stairs with safe box and shelves
- Open wardrobe with full-height hanger bar and shelves
- 2 LED lights on the central ceiling panel
- 2 halogen lamps on the wall
- Rectangular windows
- 2 openable portholes on each side
- TV system
- Emergency exit from ceiling, above the table on the starboard side
- Carpeted floor
- Grabrail

Owner's Head

- TECMA toilet
- Wash basin in cognac resin glass, with mixer tap
- Cabinet with brown or cream varnished finish (for the other heads too), with large drawer in oak
- Shower with thermostatic mixer tap
- Shower enclosure with glass door, seat and wooden floor
- Mirrors
- Wooden flooring
- LED spotlights
- Openable porthole with Venetian blinds
- Air extractor in the shower enclosure
- Head accessories

VIP Cabin

- Located towards the bow of the below deck area, it is accessed via a central corridor
- Folding double bed with lockers
- Mattress, pillows and bed spread
- 2 wardrobes (one per side) in whitened oak with interior in cedar-wood
- 2 wall units (two per side) with folding panel above the windows
- 2 halogen lamps on the wall
- LED lighting with spotlights on ceiling above the bed, and as main lighting
- 1 openable porthole on each side
- Panoramic windows on both sides
- Hatchway for accessing the bow sun- deck
- TV system
- Carpeted floor

VIP Head

- TECMA toilet
- Washbasin in cognac resin glass, with mixer tap
- Cabinet with brown or cream varnished finish, with large drawer in whitened oak
- Shower with thermostatic mixer tap
- Shower enclosure with 1 flat glass door
- Mirrors
- Wooden flooring
- LED spotlights
- Openable porthole with Venetian blinds
- Air extractor in the shower enclosure
- Head accessories

Guest Cabin

- 2 fixed parallel single beds
- Mattress, pillows and bedspread
- Central nightstand
- Wardrobe with hanger bar and shelves
- 2 openable round portholes
- 2 LED wall lights
- LED lighting with spotlights on ceiling
- Carpeted floor

Guest Head

- Access from guest cabin and from corridor
- TECMA toilet
- Washbasin in cognac resin glass, with mixer tap
- Cabinet under the washbasin with front in whitened oak, and towel rail
- Wall unit with 2 sliding mirror panels
- Shower with mixertap
- Shower enclosure with 2 overlapping doors
- Wooden flooring
- LED spotlights
- Openable porthole with Venetian blind
- Air extractor in the shower enclosure
- Head accessories

Corridor

- Carpeted floor
- Lighting on the steps, LED spotlights on corridor ceiling
- Grabrail

Crew Cabin

- Access from water tight door on platform
- Single bed
- Mattress, pillows and bedspread
- Wardrobes, cupboards and under-bed lockers
- 1 oval porthole
- GRP non-slipfloor
- Fabric curtain for porthole

Crew Head

- Access from crew cabin
- TECMA toilet
- Wash basin with chrome mixertap with extractable showerhead
- Shower with transparent Plexiglass door
- Thermostatic shower mixertap
- Head accessories

Electrical System

- 24VDC,12VDC
- 60Hz

Shore Power Sockets

- 2 shore power sockets 60Hz Glendenning
- The AC power sources are controlled from the main electric panel in the crew cabin, with a digital multimeter for the 230V network
- The power sources are protected by a power circuit breaker, and introduced into the network by means of remote control switches

Batteries and Battery Charging

- 10 batteries 90Ah 24V, including:
 - 6 for services
 - 4 for engine start-up
- 1 battery GM 50Ah 12V for generator
- 1 battery charger 12V 10A for generators
- 1 battery charger 24V 80A for service and start-up batteries

Electric Panels

- The main electric panels are installed in the crew cabin (main panel) and wheelhouse (auxiliary panel)
- Junction boxes are installed in all areas

Lighting

- 24V lighting: LED spotlights on ceiling, emergency lighting, and ceiling lights

Systems

Bilge

- 3 automatic motor pumps 24V, capacity 224L/min, in the cabin area, engine room and utility room
- 1 super sub smart 650 electric bilge 24V (24l/min-2,040l/h, with 1m head)
- 2 manual pumps BP9013 WHALE GUSHER URCHIN + MH0350 HENDERSON COMPAC 50 in the engine room and owner's cabin.
- 3-way valve on engine cooling (emergency intake in engine room connected to one of the two engine seawater intakes)
- 3 bilge level alarms

Fire Extinguishing System

- 2 powder extinguisher with nozzles, 12kg, on the engines and marine gear

Fuel System

- 2 steel tanks, 1950-liter (515-gallon) capacity
- Electronic diesel level gauge on Motronica display for the port tank
- Optical level gauge on starboard diesel tank
- Filling on each walkway, and venting on the bulwarks
- 2 single filters

Fresh Water System

- 980-liter (258.8-gallon) stainless steel tank beneath the fore tray, towards the middle of the boat
- Level sensor with electronic gauge on Motronica display
- Filling on the starboard side walkway
- 80-liter (21.1 gallon) water heater 220V-1200W
- Pressure pump
- Hot and cold water in all the bathrooms, galley and platform shower head
- Cold water in engine room, cockpit and flybridge
- Fresh water toilet flushing

Black Water System

- 1 tank with 385-liter (101.7 gallon) capacity in fore area
- Level sensor-tank drainage is controlled manually from the wheelhouse
- Vent on bulwark, with anti-odor filter
- TECMA toilet
- Drainage from pier, on port side walkway

Gray Water System

- Water drainage into tank (200-liter (52.8-gallon) capacity) in fore area
- Level sensor with automatic pump and alarm control from the wheelhouse
- Water drainage via manifolds (24V membrane pump)
- Additional tank (9-liter capacity) in polyethylene beneath the crew cabin
- Level sensor with automatic pump activation

Engine Gas Exhaust System

- Submerged discharge system with minimum external by-pass
- Stainless steel drainage manifolds
- Structural mufflers in GRP

Sea Water System

- Engine cooling with 2 dynamic 3" seawater intakes with filter and valves
- Generator cooling with 1 seawater intake (1") with filter and valve submerged outlet
- Conditioner cooling with 1 dynamic sea- water intake (1") with filter and valve submerged outlet
- Chain wash pump with 1 dynamic sea- water intake (1") with valve

Ventilation/Extraction System

- Head extraction system via 24V gas extractors with control in head
- 2 fans and 2 extractors with flow diverter in engine room

Air Conditioning System

- CONDARIA cooling system for air conditioning (water system), World version- 92,000 BTU
- A/C COMPRESSOR

- 1 single compressor in engine room, on port side of generator, with electric panel facing towards the middle of the boat

- FANCOILS:

- 6,200 + 14,800 BTU for the salon + dinette

-16,000 BTU for the galley

-16,000 BTU for the wheelhouse area and windscreen

- 9,200 BTU for the owner's cabin, with delivery in owner's head

-9,200 BTU for the VIP cabin, with delivery in VIP head

-6,200 BTU for the guest cabin

-6,200 BTU for the crew cabin

- for the salon, a single panel for managing all the fancoils; for the cabins, 1 panel for each room
- 24V electro-hydraulic pump for trim tabs
- 24V electro-hydraulic pump for gangway and swimming platform
- 24V electro-hydraulic pump for davit

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS









CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00 EDT**

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004