

CARNIVORE — BENETEAU



Builder: BENETEAU

Year Built: 1990

Model: Cruising Sailboat

Price: PRICE ON APPLICATION

Location: United States

LOA: 28' 0" (8.53m)

Beam: 9' 7" (2.92m)

Min Draft: 3' 8" (1.12m)

Max Draft: 3' 8" (1.12m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Carnivore — BENETEAU** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Carnivore — BENETEAU** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	5
Overview	5
Basic Information	5
Dimensions	5
Speed, Capacities and Weight	5
Accommodations	5
Hull and Deck Information	6
Engine Information	6
DETAILED INFORMATION	7
WALK THROUGH	7
COCKPIT	7
DECKING & RIGGING	7
SALON	8
GALLEY	8
NAVIGATION STATION	8
ACCOMMODATIONS	8
HEAD	9
ELECTRONICS & NAVIGATION FEATURES	9
MECHANICAL	9
ELECTRICAL	9
DISCLAIMER	9
Exclusions	10
Disclaimer	10
PHOTOS	11
Beneteau 285 - Aft Profile	11
Beneteau 285 - Port Side Decking	11
Beneteau 285 - Starboard Side Decking	11

Beneteau 285 - Forwadr Deck Anchor Locker	12
Beneteau 285 - Forwadr Deck	12
Beneteau 285 - Forwadr Deck Anchor Locker (Open)	12
Beneteau 285 - Forwadr Deck Aft	12
Beneteau 285 - Starboard Side Decking to Aft	13
Beneteau 285 - Port Side Decking to Aft	13
Beneteau 285 - Cockpit Helm Station	13
Beneteau 285 - Cockpit Port Forward	13
Beneteau 285 - Cockpit Starboard Forward	14
Beneteau 285 - Main Salon from Companionway	14
Beneteau 285 - Companionway Stairs	14
Beneteau 285 - Salon Dinnette	14
Beneteau 285 - Salon Sette to Starboard	15
Beneteau 285 - Salon Dinnette Open	15
Beneteau 285 - Navigation Station	15
Beneteau 285 - Salon Sette to Port	15
Beneteau 285 - Forward Berth Under Storage	16
Beneteau 285 - Forward Berth	16
Beneteau 285 - Forward Berth - Forward Storage	16
Beneteau 285 - Galley	16
Beneteau 285 - Galley Storage	17
Beneteau 285 - Galley Pic II.	17
Beneteau 285 - Galley Range with Understorage	17
Beneteau 285 - Galley Range	17
Beneteau 285 - Aft Berth Under Storage - House & Starter Batteries	18
Beneteau 285 - Aft Berth Privacy Door	18
Beneteau 285 - Head	18
Beneteau 285 - House & Starter Battery Controls Aft Berth	18
Beneteau 285 - Engine - Volvo Penta 2000 Pic II	19

Beneteau 285 - Engine - Volvo Penta 2000	19
Beneteau 285 - Engine Access Panel Aft Berth	19
CONTACTS	20
Contact details	20
Telephones	20
Office hours	20
Address	20

SPECIFICATIONS

Overview

The Carnivore is a sleek looking Beneteau First 285. Features include helm pedestal and spacious cockpit, Bimini, easy to see/easy to use in-cockpit electronics, good mail sail (with cover) and roller furler, spacious salon with dinette/settee with port and starboard seating, L-shaped functional galley, navigation station and forward and aft berths. This is a nice, clean Beneteau and with the shallow draft wing keel, she is set up for day sailing, weekend warring and long voyage cruising. Best of all, it's a Beneteau, a well know and quality manufacturer. Priced right and ready to go!

Basic Information

Category: Cruising Sailboat

Model Year: 1990

Year Built: 1990

Country: United States

Dimensions

LOA: 28' 0" (8.53m)

LWL: 14' 3" (4.34m)

Beam: 9' 7" (2.92m)

Min Draft: 3' 8" (1.12m)

Max Draft: 3' 8" (1.12m)

Clearance: 39' 11" (12.17m)

Speed, Capacities and Weight

Displacement: 6160 Pounds

Water Capacity: 26 Gallons

Holding Tank: 20 Gallons

Fuel Capacity: 16 Gallons

Accommodations

Total Cabins: 2

Total Berths: 4

Total Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Hull Configuration: Monohull

Engine Information

Engines: 1

Manufacturer: Volvo Penta

Model: 2000

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

WALK THROUGH

Boarding the Beneteau First 285 is to port and starboard sides of the aft cockpit. Wide gangways allow easy access to the mast and main sail, jib, forward lines, and anchor locker. Down three steps from the cockpit, through the companionway, is the salon. To port is the L-Shaped galley. To starboard is the navigation station. Aft of the galley is the aft double berth. The head is located aft of the navigation station. Forward and mid cabin the combination dinette/settee with the fixed centered table. Forward of the dinette is the main V-berth. The engine is located beneath the companionway stairs.

COCKPIT

The distinctive feature of the cockpit is the pedestal helm station. The helm station includes stainless steel wheel, engine controls (throttle/gears), compass and convenience table with cup holders. The cockpit is spacious enough to captain the boat from aft, port or starboard of the wheel. Easy to use and easy to see instrumentation, consisting of wind, speed, depth gauges, are mounted on the starboard salon bulk head. Engine gauges are located to the aft section of the cockpit bench seat. Full cockpit bench seating (with cushions) is located to port and starboard. Under seat storage is provided as well as access to the top of the fuel tank, inverter, battery charger and water heater. Sail lines and winches are mounted on the aft section of the salon to both port and starboard. Additional winches are located along the cockpit coming to port and starboard. The cockpit has a full bimini top, helm station cover and main sail cover. To aft and mounted on the transom is the swim ladder and access to wash down/shower. There is also an transom locker for the LPG tank.

DECKING & RIGGING

A nice feature of this boat is the wide side deck gangways and the inward mounted stays that make traversing forward and aft for sail management easy and unencumbered. Sails include: - Main Sail (200 sq ft) - Genoa (256 sq ft) - Jib (144 sq ft) - Spinnaker (646 sq ft) - spinnaker pool mounted on boom Rigging includes: - Harkin Traveler (mounted in the cockpit area) - Boom Vang - 4 Lewmar winches (2 Lewmar #8 & #16 single speed winches mounted on the salon cabin top / 2 Lewmar #30 two speed, self tailing winches mounted on the cockpit coming) - Deck Stepped Mast - Split (adjustable) back stay - All sail lines run from the mast base aft (3 port/3 starboard) to the cockpit - Roller furler Deck safety features include molded in non-skid fiberglass surface, teak hand rails to assist in traversing the deck, stainless steel bow and stern railings and full lifelines from bow to stern. Mounted on the stern railing is the rescue ring. The swim ladder is mounted to the stern of the vessel. On the foredeck is the anchor lock equipped with a Danforth anchor, chain and rode.

SALON

The salon offers spacious living with galley and navigation to aft and combination dinette and settee mid cabin. The dinette/settee offers full seating to port and starboard with the seating converting to single berths. There is ample storage below the seating and additional shelf storage above. The stationary dinette table has retractable leaves and can be used as a work surface with one leaf up or full dining with both leaves. Additional storage is located under center of the dinette. Lighting is enhanced with an overhead hatch and fixed windows port and starboard.

GALLEY

The galley features a full-size Optimus LPG double burner range and oven to port. This unit is mounted with swivel brackets and pot holder brackets allowing for use under sail. To forward of the range/oven is the Formica type surface counter top with the in-mounted ice box and oval single stainless-steel deep well sink and pressurized hot and cold faucets. Storage is provided above and below the oven as well as to the starboard side of the galley counter. There is a working portal window above the oven cook area.

NAVIGATION STATION

To starboard from the galley is the navigation station that features: - Working surface with under storage - Hanging locker - Electrical panel - Standard Verizon VHF radio - West Marine combination am/fm/ CD/MP3 stereo (speakers are mounted on the forward bulkhead of the salon) - Two USB ports - Shelf storage - Convenience outlets

ACCOMMODATIONS

The Beneteau First 285 features two single berth and two double berths (one forward and one aft). The single berths are comprised of the dinette/settee seats at mid-cabin. The aft berth is located aft of the galley and is considered a $\frac{3}{4}$ berth. It has a hard privacy door, convenience lighting and port window into the cockpit. There is also engine room access from this berth as well as controls for the battery bank (house and starter) which are located beneath the berth cushions. The forward V-berth is spacious with 6 $\frac{1}{2}$ ft plus in length on the port and starboard sides to make 2 single berths or can be converted to a full double berth with the added insert. There is adequate storage below the berth, along the shelves on the port and starboard side walls and a centered cubby above and forward of the berth. An overhead hatch provides lighting and ventilation.

HEAD

The combination head / shower is located aft of the navigation station to starboard. The head is a manual and in good working condition. The in-molded sink has pressurized hot and cold water with a handheld pull out shower fixture. There is under counter storage, access to the backside of the cockpit electronics, and an locker to access the AC electrical system components. The Seaward, 6 USG, water heater is locked in the head locker as well.

ELECTRONICS & NAVIGATION FEATURES

Electronics onboard include: Cockpit - Raymarine ST50 Tri Data wind gauge - Raymarine ST60 Tri Data speed gauge - Raymarine ST60 Tri Data depth gauge - Navico Wheel Pilot (Autopilot) - 6in Ritchie Compass Navigation Station - Standard Horizon, Eclipse, VHF - West Marine combination stereo (am/fm/cg/MP3 compatible)

MECHANICAL

The vessel is powered by a Volvo Penta 2000 (20hp) diesel engine. This is a single inboard with direct drive (1in Stainless Steel shaft). Two propellers are provided with the boat. The existing collapsible feather propeller and a fixed spare. The engine is located under the companionway steps and is easily accessed by removing middle step and access panel. Additional engine access is available through panel doors in the head and aft berth areas.

ELECTRICAL

The boat has 30Amp - 120 Volt AC electrical system fitted with a Marinco 30 Amp shore power cable and AC electrical distribution panel (located in the head locker). The main power panel is protected by dual 30 amp breakers. The engine starter battery is located in the lazette under the cockpit bench seat. DC power is provided by a battery bank (2) located beneath the aft berth. All batteries are Group 27 Lead Acid. Battery controls/switches are located along the interior wall in the aft berth area. The DC electrical panel is located at the navigation station and have Beneteau branch (push) breakers. The Turbo Charge 10, battery charger, is located in the standing locker behind the head along with the West Marine Inverted.

DISCLAIMER

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

Beneteau 285 - Aft Profile



Beneteau 285 - Port Side Decking



Beneteau 285 - Starboard Side Decking



Beneteau 285 - Forwadr Deck



Beneteau 285 - Forwadr Deck Anchor Locker



Beneteau 285 - Forwadr Deck Anchor Locker (Open)



Beneteau 285 - Forwadr Deck Aft



Beneteau 285 - Port Side Decking to Aft




Beneteau 285 - Starboard Side Decking to Aft



Beneteau 285 - Cockpit Helm Station



Beneteau 285 - Cockpit Port Forward



Beneteau 285 - Cockpit Starboard Forward



Beneteau 285 - Main Salon from Companionway



Beneteau 285 - Companionway Stairs



Beneteau 285 - Salon Dinette



Beneteau 285 - Salon Sette to Starboard

Beneteau 285 - Salon Dinnette Open



Beneteau 285 - Navigation Station

Beneteau 285 - Salon Sette to Port



Beneteau 285 - Forward Berth Under Storage

Beneteau 285 - Forward Berth



Beneteau 285 - Forward Berth - Forward Storage



Beneteau 285 - Galley



Beneteau 285 - Galley Pic II.



Beneteau 285 - Galley Storage



Beneteau 285 - Galley Range with Understorage

Beneteau 285 - Galley Range



Beneteau 285 - Aft Berth Privacy Door



Beneteau 285 - Aft Berth Under Storage - House & Starter Batteries



Beneteau 285 - House & Starter Battery Controls Aft Berth



Beneteau 285 - Head



**Beneteau 285 - Engine - Volvo Penta 2000
Pic II**



Beneteau 285 - Engine - Volvo Penta 2000



Beneteau 285 - Engine Access Panel Aft Berth



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004