

NO NAME — CRANCHI



Builder: <u>CRANCHI</u> **LOA**: 47' 4" (14.43m)

Year Built: 2008 **Beam**: 13' 6" (4.11m)

Model: Cruiser

Price: PRICE ON APPLICATION

Location: United States

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **No Name** — **CRANCHI** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **No Name — CRANCHI** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

No Name — CRANCHI Page 2 of 15

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	9
Dimensions	10
Speed, Capacities and Weight	10
Accommodations	10
Hull and Deck Information	10
PHOTOS	11
CONTACTS	15
Contact details	15
Telephones	15
Office hours	15
Address	15

No Name — CRANCHI Page 3 of 15

SPECIFICATIONS

Overview

Magnificent Italian Yacht - YOU MUST SEE!

- Loaded with All Factory Options!
- OWNER WILL ENTERTAIN ALL OFFERS!
- RETRACATABLE ELECTRIC HARDTOP
- GARAGE FOR TENDER UNDER COCKPIT SUNPAD
- COMFORTABLE SEATING IN COCKPIT W/ TRIPLE HELM PAD SEATS
- ITALIAN STYLING, FABRICS AND DETAILS THROUGH-OUT
- TURN-KEY READY TO GO!
- PLEASE REVEIW ADDITIONAL SPECS
- Built In Italy in State-of-theArt Facilities Since 1870, and Today one of the Best Known Yacht Builders in Italy

Specs Builder: Cranchi Yachts Flag of Registry: United States Hull Shape: Deep Vee Dimensions LOA: 47 ft 4 in Beam: 13 ft 6 in Dry Weight: 29980 lbs Engines Engine 1: Engine Brand: Volvo Penta Engine Model: D9 EVC Engine Type: Inboard Engine/Fuel Type: Diesel Engine Hours: 1089 Engine Power: 357 HP Engine 2: Engine Brand: Volvo Penta Engine Model: D9 EVC Engine Type: Inboard Engine/Fuel Type: Diesel Engine Hours: 1089 Engine Power: 357 HP Tanks Fresh Water Tanks: (111 Gallons) Fuel Tanks: (412 Gallons) Accommodations Number of single berths: 4 Electronics Radio Compass Navigation center - GARMIN 3006 GPS CHARTPLOTTER VCR Radar Detector Cockpit speakers Depthsounder Radar - NOBLETEC ADMIRAL MAX PRO 10.0 / RADAR OVERLAY VHF Computer - DELL OPTIPLEX GX620 COMPUTER DVD player - 2 DVD's CD player Autopilot - RAYMARINE ST8002 SMART PILOT GPS - RAY 240 Log-speedometer -VOLVO PENTA EVC DISPLAY Plotter - WITH 15 TV set - 2 TV'S - 1 23 Inside Equipment Electric bilge pump Battery charger Electric head Marine head Hot water Microwave oven Bow thruster Air conditioning Fresh water maker Sea water pump Heating Deep freezer Manual bilge pump Refrigerator Electrical Equipment Generator - 12K Fisher Panda 170 Shore power inlet Outside Equipment/Extras Cockpit cushions Swimming ladder Teak cockpit Cockpit shower Electric windlass

CRANCHI HARD-TOP MEDITERRANEE

The hard top, a whim, an "accessory" seen by todays clientele as symonymous with a trend, and which even CRANCHI hasn't been able to resist. The H.T. line entices because it creates differences, provokes new emotions and offers the "hard top types" (those who love to sail whatever the weather) an even more slender and elegant boat. Te introduction of the H.T. structure, apart from bringing undoubted practical advantages, doesn't weigh down the line of the boat at all - on the contrary, it is perfectly proportioned. The upper part of the roof is movable, with a sliding system,

No Name — CRANCHI Page 4 of 15

and with an electric opening system, while the cabin is cooled by an air conditioning system. Those who chose a Hard Top boat always know what they want: the freedom to just the sky limiting the space above their heads, the impression of being at one with nature, the indescribable pleasure of the breeze caressing their faces...

CRANCHI FEATURES

Cockpit and helm position:

- Self-draining cockpit
- Central antennas support
- Locker for mooring lines
- U shaped dinette
- Storage locker
- Glass holder
- Object holder
- Teak table
- Steps for access to side decks (teak and grp)
- Wet-bar with sink, refrigerator lt. 65 24/230 V and tap
- Waste bin
- Cooking grate
- Swimming platform and cockpit floor hatches teak-laid
- Foldaway swimming ladder with handle
- Shower with mixer
- Garage for small tender with servo-assisted opening under sunbed
- Pressure reducer
- Lighting
- Servo-assisted inspection hatches for engines, stern compartment
- Boathook
- Access door to cockpit
- Small rubber hose

Helm position:

- Radio control
- dual color dashboard aluminium and grey
- Central pilot area with 3 seats
- Pilot seat electrically adjustable
- Volvo Penta electronic single levers engine control
- Complete engine instruments: oil pressure and water temperature gauges, voltmeters and hour-counter
- Engine warning lights and acoustic alarm
- Chain meter counter
- Wood and leather wheel height adjustable
- Ritchie magnetic compass

No Name — CRANCHI Page 5 of 15

- Hydraulic steering + power steering
- Rudder-angle indicator
- Fuel level gauge
- Tridata Echo-logtemp. (Echosounder + total and trip mile-counter + temp.)
- Autopilot
- GPS + chartplotter (colours)
- VHF/DSC
- Horn and wiper switches
- Navigation lights switch
- Anchor windlass control
- Hydraulic trim tab controls
- Bilge pump controls
- Chart table and object holder
- 12V cellular phone power socket
- Owner?s manual

CRANCHI APPOINTMENTS

- Furniture in male-oak and wengé wood
- Glossy laquer
- Fabrics: cotton, silk, Alcantara®
- Corian® toilet and galley tops
- Salon teak laid floor

ELECTRICAL US SPECS

- N. 2 160 Amp 24 V batteries for the engines and n. 2 160 Amp 24 V for services
- AC and DC uses magneto-thermal protected
- 32 amp quay socket with quay cable
- 7,7 Kva generator
- 35 Amp automatic battery charger
- 220 v differential fuse and single protection on all uses
- Galvanic isolator
- Power sockets
- Electric panel switch for shore power/on-board generator
- Battery switch with electric remote control
- Manual battery switch to activate battery parallel services/engines
- Manual battery switch for emergency dx engine
- Manual battery switch for emergency sx engine
- Acousite and visible alarm for bilge pump
- AC and DC power digital control

CRANCHI SAFETY SPECS

No Name — CRANCHI Page 6 of 15

Bilge pumps:

• Bilge drainage ensured by: 1 automatic high flowrate electric pump with manual switch for cabin compartment

- 1 automatic high flow-rate electric pump with manual switch for engine compartment
- 1 automatic high flow-rate electric pump with manual control for stern storage compartment
- 1 hand pump for engine compartment
- 1 hand pump cabin compartment
- Bilge micro-suction system

Fire-Extinguishers:

- N. 3 automatic fire extinguishers in the engine compartment
- N. 1 manual fire extinguisher in the cabin
- N. 1 manual fire extinguisher in the cockpit

CRANCHI ENGINE ROOM FEATURES

- Access to engine compartment and fuel tank through 2 hatches
- · Possibility of special inspection with removal of cockpit flooring
- Daytona® floor
- Complete engine compartment acoustic insulation
- Engines installed on antivibration and steel transverse supports
- Side air vents for compartment ventilation
- S. steel mufflers
- Underwater engine exhaust gas system with by-pass for better dispersal of noise and exhaust fumes
- Engine room forced ventilation
- Engine compartment lighting with external switch
- Portable emergency lamp
- Direct shaft system with s. steel shafts and AB2 alloy counter-rotating propellers
- propellers in a semi-tunnel
- Balanced AB2 alloy rudders
- Oil-hydraulic TS shaft gland with AVS joint
- Complete cathode electrolysis protection for engines, fuel tank, sea-intakes, rudders etc.
- Water and rubber hose connection to wash the engine room
- Buckskin, sponge, bucket
- Safety valves on all sea intakes

Additional CRANCHI FEATURES

Foredeck locker for mooring lines

No Name — CRANCHI Page 7 of 15

- S. steel stempost protection
- Teak on foredeck
- 1.200 W electric anchor windlass with remote control and winch for retrieving lines and warping bell
- Bow thruster 5 Kw
- Chain-washing pump
- 20 kg. type Bruce anchor
- 50m chain mm 10
- 2 aluminium stern line guides
- 2 bow, 2 spring and 4 stern AISI 316 s. steel cleats
- 1 electric windshield wiper, with washer
- Bow thruster 4 kW
- S. steel pulpit with front opening, and s. steel filiere
- Bow fender holder with 6 fenders
- · Bow kit (sun cushions with reclinable backredstrefrigerator
- 2 speakers-bimini top-shower-covers)
- Deck s. steel safety lines and railing
- S. steel rubbing band
- Directional searchlight
- Side walks lighting
- Horn
- Double s. steel fuel filler cap
- Double fuel tank air vent with anti-flame and anti-spray net
- S. steel water filler cap
- Water tank air vent
- S. steel port and starboard discharge suppers
- Navigation lights
- Bow / transom lights kit
- Bow and stern ?U? hooks
- Hydraulic trim tabs with 2 cylinder each flap
- Moulded non-slip deck
- N. 4 mooring lines

CRANCHI Hard-Top fittings

- GRP and tempered safety crystal structure
- Opening plexiglass roof (electrical)
- Tempered safety crystal side-windows, stopsol, dark blue
- Tempered safety crystal front windshield, stopsol, dark blue
- Roof blind

CRANCHI Saloon and galley

Sliding cabin access door

No Name — CRANCHI Page 8 of 15

- Lighting on cabin access stair
- Leather dinette sofa
- Removable wood table, adjustable
- Galley corner including: pyroceram stove top, s. steel sink with mixer, Corian® counter-top
- Microwave and conventional oven
- 140 lt. refrigerator and 40 lt. freezer
- Waste bin
- Cupboards and cabinets for stowing crockery
- Set of crockery, cuttlery and glasses (6 pax)
- Saucepan set
- Bar cabinet
- Cabinet for TV (extra)
- TV wiring and antenna pre arran-gement
- Radio Stereo/CD with amplifier, subwoofer, saloon and cockpit poudspeakers, dashboard control and infra-red remote control
- Clock
- Barometer
- Hygrometer
- 230V power sockets
- Electric panel with magnetothermal protections
- 1 big non opening porthole
- N. 4 opening portholes with mosquito nets

Cranchi Features

- 1200 w anchor winch
- Cockpit refrigerator lt. 65, BBQ cooking grate
- Central pilot area with 3 seats
- Chain meters counter
- Generator 12K Fisher Panda with 170 Hours
- Bow thruster 5 Kw
- Foredeck kit (sun cushion with reclinable backrest-refrigerator-2 speakers-bimini top shower-covers)
- Garmin 3006C G.P.S. + Chartplotter + 15" MONITOR
- Autopilot RAY MARINE ST8002 Smart Pilot
- V.H.F.- DSC
- Nobletec Admiral Max Pro -10.0 Radar overlay
- Ray Marine & Garmin GPA Antennas
- Anchor winch remote control
- Tridata echo/speedlog/temp.
- Rudder angle indicator
- Searchlight
- Bow/Transom lights kit

No Name — CRANCHI Page 9 of 15

- Platform and cockpit teak-laid floors
- Teak on foredeck
- Teak laid saloon floor
- N. 4 mooring lines
- Set of crockery, cutlery and glasses (6 pp)
- Saucepan set
- Radio stereo/CD in saloon
- Radio subwoofer
- TV antenna and wiring
- N. 2 manual fire extinguishers
- N. 3 automatic fire extinguishers in the engine room
- Cockpit and sidewalks courtesy lights

Engine Notes

Twin Motor Diesel: - 1089 Original Hours!

- Volvo Penta 2 x D9 EVC (2x410 Kw)
- Volvo Penta 2 x D9 EVC (2x357 Kw)

Accommodations

The Cranchi Med 47' has two staterooms with generous headroom. The master stateroom is forward and is 6' 4" at it's highest point. A pedestal queen berth is accessible from 3 sides. Outstanding lay out with ample hanging lockers and storage. The ensuite head features a circular shower. the Mid-Cabin Stateroom features twin side by side berths and also has its own head with circular shower.

Salon

Features:

- Brazilian Cherry Interior with Italian craftsmanship!
- Ultra leather Sofa
- Skylight with Grab Rails

Basic Information

Category: Cruiser Model Year: 2008

Year Built: 2008 Country: United States

No Name — CRANCHI Page 10 of 15

Dimensions

LOA: 47' 4" (14.43m) **Beam**: 13' 6" (4.11m)

Speed, Capacities and Weight

Displacement: 29980 Pounds Water Capacity: 111 Gallons

Fuel Capacity: 412 Gallons

Accommodations


Total Cabins: 2 **Total Heads**: 2

Hull and Deck Information


Hull Material: Fiberglass

 $\label{eq:no-Name-RANCHI} \textbf{Page 11 of 15}$


PHOTOS




 $\label{eq:no-Name-RANCHI} \textbf{Page 12 of 15}$



 $\label{eq:No-Name-RANCHI} \textbf{Page 13 of 15}$



 $\label{eq:no-Name-RANCHI} \textbf{Page 14 of 15}$



No Name — CRANCHI Page 15 of 15

CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

Telephones

USA: **+1(954)274-4435**

Office hours

Monday - Saturday: **9:00 - 21:00** EDT Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004