

## SAFE HAVEN — TARTAN



**Builder:** TARTAN

**Year Built:** 2012

**Model:** Sloop

**Price:** PRICE ON APPLICATION

**Location:** United States

**LOA:** 47' 0" (14.33m)

**Beam:** 14' 1" (4.29m)

**Min Draft:** 5' 4" (1.63m)

**Max Draft:** 6' 3" (1.91m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Safe Haven — TARTAN** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **Safe Haven — TARTAN** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

---

# TABLE OF CONTENTS

---

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	9
Dimensions	9
Speed, Capacities and Weight	9
Accommodations	9
Hull and Deck Information	9
Engine Information	10
DETAILED INFORMATION	11
Manufacturer Provided Description	11
Sail Area	11
Keel Details	11
Exclusions	12
Disclaimer	12
PHOTOS	13
CONTACTS	21
Contact details	21
Telephones	21
Office hours	21
Address	21

---

# SPECIFICATIONS

---

## Overview

---

### Builder/Designer

Builder: Tartan Designer: Tim Jackett

### Dimensions

LOA: 47 feet LWL: 39 feet Beam: 14.67 feet Ballast: 9750 pound

### Tankage

Fuel: 120 gallon Water: 200 gallon

**Engine 1** Year: 2012 Type: Inboard Propeller Type: Folding propeller Maker: Volvo Model: 2D-75 Fuel: Diesel Transmission: Sail Drive Power: 75.0 HP

### Sails & Sail Handling

Carbon Fiber Mast

Doyle Conventionally Raised & Full Battened Main

Integral Sail Cover w/ Lazy Jacks

Doyle Reacher

Doyle Self Tending Jib

Harken Battcar System - (Switch Track)

Harken Electric Furler For Reacher

Harken Electric Jib Furler Unit-2E 12V -22 Rod 5/8" Pin

All Foresail Halyards Though Clutches Mounted On mast

Integral Split Hydraulic Back-stay Adjuster

Park Avenue Boom

Solid Vang

Custom Mast Step & Butt, Water Tight & Drains To Sump Box

Lightning Ground System In Mast

Spinnaker Halyard Led To Mast Winch

Spinnaker Pad-eyes Mounted On Toe-Rail

Polished Stainless Steel Toe-rail Mounted Genoa Track w/ Lead For Reacher

Harken 46.2 STA Radial Mast Winch

Harken 46.2 Main Halyard Self Tailing Winch - Electric

Harken 60.6 Main Sheet Self Tailing Winches Electric

Harken 60.6 Self Tailing Primary Cockpit Winches

Mast height is 69ft off the water... He allows 71ft to cover the antenna and lightning rod.

## **Electronics & Electrical System**

### **Raymarine Instruments:**

- Wind, Speed, Depth
- i70 Displays Above Companionway - 2
- i70 Displays At Helm & Nav. Station
- Raymarine Hydraulic Autopilot Type-2 Linear Drive, X30 Corepack w/ p70 Control Head At Helm
- Wireless Autopilot Remote, Smart Controller
- e125 GPS/Chart-plotter/Radar At Helm
- e125 GPS/Chart-plotter/Radar At Nav. Station
- 4KW RD418HD HD Digital Radome Scanner
- Edson Radar Mast Mast w/ Antenna Bracket
- Radar Mast Television Bracket
- Radar Mast GPS Antenna Bracket
- VHF Mounted At Nav. With Mast Antenna Ray 55 Class DSC
- Ram Remote At Helm For VHF
- Raymarine AIS 650 Class B AIS Transceiver
- I-Pad 3 Holder At Nav. Station
- Volvo NMEA Gateway Interface To Raymarine System
- Cell Phone & WiFi Booster - Wilson Electronics & Rogue Wave

### **Electrical System:**

- Dual 30amp Shore Power Services
- True Sine Wave Inverter: Mastervolt - 2kw
- Battery Charger
- House & Start Batteries - 2 8D AGM House & 1 27 GEL Starting Battery
- Battery Covers In MEP Room
- Battery Selector Switch

- 12 VDC & 110 VAC Digital Metered Distribution Panel
- Grounding System for SSB
- Generator - 6KW Northern Lights
- Galvanic Isolator: Promariner Prosafe FS60
- 12v DC Outlet - Nav. & Helm
- 12v Outlet At Anchor Locker/Storage Locker
- Marine Air Reverse Cycle Air Conditioning - 3 Units w/ Condensation Collection/Siphons
- Shore Power Cord
- 2 -280 Watt Solar Panels - set to charge the whole system
- MPPT Smart Controller
- Batteries replaced in June 2017

### **Stainless Steel Arch to hold Solar Panels and Antenna Array installed in 2018**

### **Kato Marine Davits installed 2016**

#### **Tender:**

Highfield 2.9m Rigid Hull Inflatable - serial #HFM44584E516 Motor: serial #0154F-611387 - 15hp Suzuki

#### **Entertainment:**

- AM/FM/CD MP3 Radio w/ Interior & Cockpit Speakers
- LED/LCD Flatscreen TV/DVD In Main Cabin
- LED/LCD Flatscreen TV/DVD In Forward Cabin
- TV Cable Inlet From Shore w/ A&B Antenna Selector Switch

#### **Galley & Head**

Galley Located Mid-Ship Port

Dual Sink w/ Hot & Cold Pressure Water System

Refrigeration & Freezer Compartments

Propane Stove & Oven

Dockside Pressure Water System

Pur Seagull Drinking Water At Galley

Microwave Oven

2 Heads, Forward & Aft w/ Showers

Electric Flushing Heads - Raritan Electric Heads

---

## Engine & Bilge

**Engine:** Volvo

**Model:** D2-75

**H.P:** 75

4 Blade Flexafold Prop

Fuel Polishing System: KTI System Filter Boss Commander, DC60 w/ 10 M-Filters

100-amp Output Alternator

Lead Lined Engine Insulation

Pedestal Mount Single Lever Controls

Bow Thruster w/ Joystick Control At Helm

Manual Bilge Pump

Electric Bilge Pump w/ Float & Manual Override

Sump Pumps w/ Float

## Hull & Bottom

Hull Color - Meridian Green

Deck Color - White & Sand

Boot Color - White

Cove Color - White & Gold

Clear Gelcoat Lamination

Copper Coat Anti-fouling w/ Epoxy Barrier Coat

Steel Storage Cradle

Custom Tim Jackett Designed Lead Keel w/ 5'9" Draft

Rub-Rail

Hull Molded w/ Epoxy Resin

## Canvas & Misc. Gear

---

Custom Built Dodger - Bimini and Joiner

8 - Stainless Steel Unlimited Offshore CD Approved Deck Hatches

8 - Cabin Side Mounted Stainless Steel Opening Port Lights w/ Fly Screens

3 - Cockpit Mounted Opening Port Lights w/ Fly Screens

2 - 4" Chrome Dorade Vents With Stainless Steel Guard

Solid Teak Hatch Board

### **Safety Gear**

Large Fenders w/ Tartan Covers

Electric Lewmar Windlass

60lbs. Mason Supreme Anchor w/ shackle

100' Rode & 100' Chain

Stowage For Fortress Anchor In Boson's Locker

Dock Lines

Flares

Fire Ext.

Fog Horn

Fire Aid Kit

Horse Shoe Life Ring W. Rail Mount

Radar Reflector

Life Jackets

Fog Bell

### **Cockpit & Deck**

Pedestal Wheel Steering

54" Wheel w/ Leather Cover

Pedestal Canvas Cover

Teak Cockpit Combing

---

Teak Cockpit Floor

Swing Down Platform Transom w/ Integral Swim Ladder

Stainless Steel Handrails On Cabin Top

Hot & Cold Cockpit Shower

Deck Wash Down

Teak Stern-Rail Quarter Seats

Outboard Motor Mount On Stern Rail

### **Interior & Berth Size**

Three Cabin Layout w/ Private Heads & Showers

Hand Fit Cherry Finish Throughout Interior

Solid Stock Raised Panel Varnished Cherry Cabinet Doors

Cherry Cabin Doors With Ventilation Slots

Varnished Solid Cabin Teak Sole

Custom Solid Teak Salon Table w/ Inlaid Tartan Logo

Crew Quarters Located Mid-Ship Starboard

Lee Cloths For Crew Quarter Berths

Forward & Aft Cabins w/ Extensive Lockers Hanging Locker & Dovetail Drawers

Hanging Wet Locker Out board Of Shower Seat In Main Cabin Head

Cherry Hand Rails Throughout Interior

Insulate Under Forward Cabin Berth For Noise Reduction From AC Unit.

Central Vacuum: Dirt Devil

Gun Storage Locker In Forward Cabin Hanging Locker w/ Lock

Custom Green Interior Cushions



---

## Basic Information

---

**Category:** Sloop

**Sub Category:** Cruising Sailboat

**Model Year:** 2012

**Year Built:** 2012

**Country:** United States

---

## Dimensions

---

**LOA:** 47' 0" (14.33m)

**LWL:** 39' 0" (11.89m)

**Beam:** 14' 1" (4.29m)

**Min Draft:** 5' 4" (1.63m)

**Max Draft:** 6' 3" (1.91m)

---

## Speed, Capacities and Weight

---

**Displacement:** 28000 Pounds

**Water Capacity:** 200 Gallons

**Fuel Capacity:** 80 Gallons

---

## Accommodations

---

**Total Cabins:** 3

**Total Berths:** 4

**Total Heads:** 2

---

## Hull and Deck Information

---

**Hull Material:** Fiberglass

**Hull Configuration:** Monohull

---

## Engine Information

---

**Engines:** 1

**Manufacturer:** Volvo

**Engine Type:** Inboard

**Fuel Type:** Diesel

---

# DETAILED INFORMATION

---

## Manufacturer Provided Description

---

The arrangement plan for the 4700 features a three cabin, two head layout. Both the forward and aft staterooms berths are queen sized and each cabin has a head accessible from the cabin. Both heads include a stall shower. The starboard crew cabin is fit with upper and lower single berths that kids will love. The onboard cook will appreciate the ample space allocated to the galley; a double sink, large front and top load icebox, 4-burner LPG stove and large storage areas. Taking full advantage of the raised coach roof, extensive ventilation, light and airy are the best descriptions for the main salon and navigation station area of the boat. Whether it's long weekends aboard, summer cruises or offshore destination cruising, the 4700 can be tailored to satisfy your sailing lifestyle.

The 4700's deck features wide side decks, extensive ventilation in a wide array of stainless steel port lights and hatches, and a large and comfortable cockpit with all sail controls led aft for sailing convenience. Tartan owners put sailing performance first, and the 4700 deck plan is optimized to allow her crew to efficiently tweak sail shape and trim from the security of the cockpit and helm areas. Her all chrome winches and polished stainless hardware are from the best suppliers in the industry. Few yachts can match the ventilation of a Tartan and the 4700 continues the theme with 12 opening port lights and 9 deck hatches. Dockside or sailing, the cockpit is the center of on board activities, rack and pinion steering, long contoured seating and a walkthrough transom platform provide comfort and convenience.

Efficient sailing performance is at the core of every Jakkett designed Tartan. The new 4700 has been fit with the CCR sail plan, which was originally introduced on the Boat of the Year award winning Tartan 3400.. The rig features a tall fractional working sail plan with a self tacking jib for upwind work and a masthead 155% reacher for great off wind performance. A carbon fiber pocketboom with integral lazy jacks and sail cover help tame the main, while still allowing the sail maker the latitude to build a fully battened, high performance mainsail. Of course a large sail plan requires great stability, and the all lead bulb keel and light and strong carbon fiber mast combine to provide excellent sail carrying ability, a high range of positive stability and a sea kindly motion offshore.

## Sail Area

---

RIG DIMENSIONS: I SELF TACKING JIB - 59.5 FT I REACHER - 62.7 FT J SELF TACKING JIB - 16.5 FT J REACHER - 17.5 FT P - 57.0 FT E - 19.2 FT SAIL AREA: MAINSAIL 547.2 SF 100% FORE TRI, SELF TACKER - 490.075 SF 100% FORE TRI, REACHER - 548.625 SF TTL W/ST 100% FORE TRI - 1,038.075 SF TTL W/REACHER 100% FORE TRI - 1,095.83 SF

## Keel Details

---

Ballast: 9750 lbs (All Lead)

## Exclusions

---



Owner's personal belongings.

## Disclaimer

---


The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

# PHOTOS





















# CONTACTS

---

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

## Contact details

---

Email: [andrey@shestakovyachtsales.com](mailto:andrey@shestakovyachtsales.com)

Web: [shestakovyachtsales.com/en/](http://shestakovyachtsales.com/en/)

## Telephones

---

USA: +1(954)274-4435

## Office hours

---

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

## Address

---



Harbour Towne Marina, 850 NE 3rd St,  
STE 213, Dania, FL 33004