

REEL FREEDOM — HATTERAS



Builder: HATTERAS

Year Built: 2018

Model: Sport Fisherman

Price: PRICE ON APPLICATION

Location: United States

LOA: 54' 0" (16.46m)

Beam: 17' 3" (5.26m)

Min Draft: 4' 2" (1.27m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **REEL FREEDOM — HATTERAS** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **REEL FREEDOM — HATTERAS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	4
Hull and Deck Information	4
Engine Information	4
DETAILED INFORMATION	5
Description	5
Custom Electronics	5
Exterior Color	7
Interior Color	7
Exterior Finish & Construction	7
Hardware & Miscellaneous	8
Engine Compartment & Bilge	8
Electrical Systems	9
Flybridge	9
Cockpit	10
Salon	10
Companionway	11
Master Stateroom	11
Bow Guest Stateroom	11
Optional Bow Guest Stateroom	12
Starboard Guest Stateroom	12
Master Head	12
Guest Head	12
Certification	13

Disclaimer	13
Exclusions	13
Disclaimer	13
PHOTOS	14
CONTACTS	22
Contact details	22
Telephones	22
Office hours	22
Address	22

SPECIFICATIONS

Basic Information

Category: Sport Fisherman

Model Year: 2018

Year Built: 2018

Country: United States

Dimensions

LOA: 54' 0" (16.46m)

Beam: 17' 3" (5.26m)

Min Draft: 4' 2" (1.27m)

Speed, Capacities and Weight

Water Capacity: 180 Gallons

Holding Tank: 95 Gallons

Fuel Capacity: 1200 Gallons

Accommodations

Total Cabins: 3

Total Heads: 2

Captain Cabin: True

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: CAT

Model: C32

Fuel Type: Diesel

DETAILED INFORMATION

Description

New to market "Reel Freedom" has just entered the brokerage market as the new owner has decided on a different style of boating. Built by a long time Hatteras client and knowledgeable yachtsman, this 54GT has extensive thought into every option.

Extended CAT warranty (3 Years 900 Hours). The expiration date for these is 4/10/21 or 900 engine hours whichever comes first.

Notable features:

CAT 1700 hp SeaKeeper #5 (2) Full teak package Release Marine: Helm Chairs & Baddle Saddle Transom Livewell with window Cockpit Air Conditioning Upgraded 56,000 BTU air conditioning system Custom Simrad Electronics package Bow thruster

Avoid the wait time of a new build and take advantage of this "once in a lifetime" opportunity.

Show by appointment.

Custom Electronics

Bridge Simrad - NSO evo3 19" System Pack: High performance 19-inch multifunction display system with GPS, keypad and accessories (2) Simrad - NSO evo3 19" Display Only Navionics - MSD/906P+ Platinum Cartography US SOUTHEAST & N BAHAMAS SOUTH CAROLINA, FLORIDA, BAHAMAS NORTH From Cape Fear to Long Island to Cedar Keys, including the entire FloridanKeys, Dry Tortugas and Cay Sal Bank

Cockpit Display Simrad - NSS16 evo3, 16-inch display with GPS, sounder, Wi-Fi & HDMI out. Include Insight Charts

Radar Simrad - HALO-6 Pulse Compression Radar. With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable SeaView - Direct Mount Adapter Plate f/Simrad HALO™ Open Array Radar

Sounder/ Transducer Simrad - S5100 Sonar Module Simrad - CM599LH-W AIRMAR CHESTMOUNT: Black 9 pin connector: Cable length 10 m (33.0 ft)

Autopilot Simrad - NAC-3 Autopilot Computer Simrad - AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display Simrad - The

Precision-9 Compass. Outputs Heading (20 hZ), Rate of Turn (20hZ), Roll & Pitch (10 hZ) over the NMEA 2000 Network Simrad - RF25N, Rudder Feedback Unit: With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable Simrad - RPU160US: Reversible Pump. For Cylinder Displacement of 9.8 - 33.5 cu. in. (AC42 required). Hydraulic Lines Custom Fabricated to Meet Specific Needs. fittings / adapters / fluid / sealant.

Weather Simrad - WM-3 SIRIUS SAT WEATHER & RADIO MODULE Low Profile Pipe Antenna Mount - Round Base - Stainless Steel

Network N2K CANbus starter kit (6ft cable,30ft cable, power cable, 2 T's, M terminator, & F terminator) Simrad - NEP-2 Network Expansion Port (2) Simrad - Ethernet cable - yellow 5 pin - 50ft. NMEA 2000 4-way Tee Connector N2K CANbus cable - 30ft extension M-F DeviceNet connectors N2K CANbus cable - 6ft extension M-F DeviceNet connectors Simrad - SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone 0.5m (1.6 ft)

AIS/VHF/Antennas COMROD - 16' Collared VHF Antenna 1/14 Threads, S/S/Ferrules S/S Adapters Simrad - NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector Icom - M506 VHF Fixed Mount w/Front Mic & NMEA 0183/2000® - Black Hailer Horn - 30Watt @ 8ohm rectangular white ABS plastic CENTERPIN PL-259 VHF ANTENNA CONNECTOR Low Profile Pipe Antenna Mount - Round Base - Stainless Steel

Sat TV KVH - TracVision HD7 w/Ku/Ka-band TriAD technology for DIRECTV HDTV CyberPower EC850LCD Ecologic 850VA/510-Watts Energy Efficient Desktop LCD UPS KVH shipping charges: Larger satellite dishes are mounted to pallets with a plywood box built around it. DirecTV - H25 High Def Satellite Receiver DirecTV - RF remote for Direct TV receivers. DirecTV - H25RFO-19, External RF Adapter (Antenna)

FLIR FLIR - M-324S Stabilized Thermal Camera (320 x 240, 30Hz NTSC) with Joystick Control Kit

Engine room cameras (2) Iris - Stainless Steel bullet camera

Spotlight ACR - RCL-100D Remote Controlled Searchlight - 12V Installation Materials: Sealant, stainless hardware, minor wire sections, terminals, wire management materials, consumable supplies for cutting, drilling, & cleaning, etc. Hatteras Navigation and Sat TV installation

Exterior Color

Blue

Interior Color

Teak, Flush Fill, High Gloss Finish

Exterior Finish & Construction

UPGRADE: Bow Deck Freshwater Wash Down **UPGRADE:** Teak, Flush Fill, High Gloss Finish **UPGRADE:** Port and Starboard Bow Deck Hatches **UPGRADE:** Pipewelders hardtop **UPGRADE:** Faux teak toerail and transom **UPGRADE:** Painted transom name Isophthalic gelcoat, exterior layer, white Blister-resistant vinylester resin in hull bottom skin coat Hull and superstructure linear polyester/polyurethane coating Polymer/copper-based anti-fouling bottom paint Boot stripe, linear polyester/polyurethane coating Decks, non-skid surface, polyurethane paint with

polymeric beads Solid fiberglass hull bottom Hull sides and superstructure laminated with PVC foam core Fiberglass stringers Steel laminated in stringers at key locations to bolt engine mounts Engine room bulkheads and decks of resin-infused composite construction using PVC foam core with layers of fiberglass laminate on each side Painted black mask

Hardware & Miscellaneous

UPGRADE: Electric Bow Thruster **UPGRADE:** Fiberglass Pulpit with Anchor Chute and Windlass, 1700 Pound, Rope-Chain with Deck Mount Control Switches

UPGRADE: Underwater Lights **UPGRADE:** Air Conditioning Upgrade (56000 BTU Capacity) **UPGRADE:** Anchor rope to be chain rope assy 25' of 1/2" G43 spliced 600' 3/4" rope w/ sivel Wood bulkheads, cabinetry and trim with a polyester finish in cherry or African mahogany All hardware in satin nickel Fortress FX-55 anchor, anchor line and deck hawse pipe with anchor tensioner Four polished stainless-steel springline cleats with chafing strips, through-bolted in aluminum backing plate Polished stainless-steel bow cleats and chocks with chafing strips, through bolted in aluminum backing plate Two polished stainless-steel stern cleats and hawse pipes, through-bolted in aluminum backing plate Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates Fog bell Dual air/electric horn Zincs on rudders and shafts Black braided nylon mooring lines (6) Alloy 22 high-strength propeller shafts, 3" Manganese bronze dripless rudder seals Dripless shaft seals with spare seals Life jackets (6) Life ring Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards Interceptor trim control Manganese bronze struts Stainless-steel rudders 7-blade propellers, Nibral high performance Reboarding steps to cockpit Black fenders (3) Deck plates for fuel and water fills and waste pump out Heavy duty engine couplings Anchor locker on bow deck

Engine Compartment & Bilge

UPGRADE: Freshwater Back Up Pump **UPGRADE:** Watermaker - 1200 GPD

UPGRADE: Twin CAT C-32A 1700 BHP Diesel Engines **UPGRADE:** Air horn

UPGRADE: Extended CAT warranty (3 Years 900 Hours) **UPGRADE:** Seakeepers (2)

UPGRADE: Generator upgraded to 21.5 KW Pultruded fiberglass rudder shelf AC fluorescent lights DC lights DC exhaust blowers Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals One 21.5kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, seawater strainer, remote start, fuel/water separator, hour meter, exhaust water separator and sound enclosure. Polyethylene water lines Freshwater connection 24-volt

DC bilge and sump pumps: three at 3700 gph, two at 2000 gph and four at 1100 gph, with heavy-duty float switches and protective guards Auxiliary emergency bilge pump, 150 gpm in lazarette Bronze/chrome plated ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout Pressurized 230 volt AC freshwater pump 230-volt AC 20-gallon electric water heater Integral fiberglass fuel tank constructed with fireretardant resin and bronze fittings, and coated with fire-retardant paint Polyethylene water tank Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller 24-volt DC oil changing system for engines, gear and generator with Hatteras patented quick disconnect U.L. Marine-listed fuel filter/water separator, generator Sealed shower sump U.L. Marine-listed duplex fuel filters/water separators with bypass manifold, engines Powder coated grab rails Painted polyurethane engine room and bilges Air conditioning compressors and pumps United States Coast Guard type A1 U.L. Marine-listed fuel lines Isolated discharge sea chests 1" stainless-steel steering tie bar with pivoting selfaligning ball joint connection at all cylinder and tie bar connections Insulation in deck Pick-up sea chests DC voltmeter in battery panel Start / stop switches and hour meter Rubber deck mat between engines Transducer well, glycol filled

Electrical Systems

Two 24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes U.L. 1426 listed boat cable, tin coated with insulation 240-volt automatic/programmable battery charger, 50/60 Hz Automatic battery paralleling system with switch at control console One 240 volt, 50 amp, retractable shore cord with over-current protection (cockpit) One 240 volt, 50 amp, shore cord inlet with cord AC and DC LED lights and fixtures AC duplex outlets with ground fault protection Battery control panel with fuses and isolation switches DC electronics panel with magnetic circuit breakers (flybridge) AC and DC distribution panels with magnetic circuit breakers AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches Navigation lights Ground fault protection on AC receptacles and lighting circuits Air conditioning, 42,000 BTU, with reverse-cycle heating, with A/C compressors, individually controlled by SMX controls Omni-directional TV antenna Ventilation fans in attic space

Flybridge

UPGRADE: Air Conditioning - Flybridge **UPGRADE:** Teak Helm Pod, High Gloss Finish **UPGRADE:** Hatch on flybridge deck above bridge ladder Systems monitor with programmable logic controller readout, visual and audible signals for engine, alternator, high bilge water, fire warning in engine compartment, fire extinguisher discharge, AC power loss, smoke detectors, battery voltage, 3/4 full holding tank monitor, and carbon

monoxide detectors Molded fiberglass Icom VHF, Furuno RD30 depth and temp Polished anodized welded aluminum rails and stanchions Two bench seats with removable vinyl-covered polyfoam cushions and storage underneath Control station with all necessary switches and dimmable lighted instrument panel Compass with dimmable light Pod console with custom wheel and single-lever clutch and throttle controls (electronic) with emergency back-up, engine synchronization, and trolling valve control switches Hydraulic power-assisted steering (2) Adjustable helmchairs DC AM/FM stereo receiver with CD player and speakers Neutral interlock switches allowing engine to start in neutral only Fuel level gauges Rod storage space in port bench seat Top-loading insulated drink box Additional storage areas beneath seat(s) and console Powder-coated grab rails

Cockpit

UPGRADE: Custom Release Marine helm chairs & Baddle Saddle **UPGRADE:** Lift Up Coaming Gate **UPGRADE:** Teak Coaming Boards **UPGRADE:** Teak Covering Boards **UPGRADE:** Teak Cockpit Sole **UPGRADE:** Air Conditioning **UPGRADE:** Starboard in-Deck Refrigerated Fishbox **UPGRADE:** Wing Board Pompanette Rod Holders (6), 3 Port and 3 Starboard **UPGRADE:** Eskimo Ice Machine **UPGRADE:** Teak Mezzanine Deck **UPGRADE:** 12V Electric Reel Outlets in Cockpit (2) **UPGRADE:** Faux teak salon door **UPGRADE:** Tri-color coaming lights **UPGRADE:** Trasmon livewell and window **UPGRADE:** Helm and mezzanine covers Molded fiberglass, 135 square feet including mezzanine with seating Seating with cushions across upper mezzanine Polished anodized aluminum ladder to flybridge with acrylic steps Transom door Fiberglass cockpit boarding step box with storage Hinged glass door to deckhouse Stereo speakers with volume control DC LED overhead lights under flybridge overhang Molded-in grab rails on cabinside Hatch with chrome plated brass lock to engine compartment Freshwater wash down outlet Shore water connection with pressure-reducing valve Bait and Tackle Center with 3 drawers 5.4-cubic-foot bait freezer, port mezzanine Insulated storage box in mezzanine Storage tub, lower port mezzanine Removable 80" fish box with macerator, flush in deck Storage in steps to deckhouse with chill box in top step Lazzaretto access through hatch Aluminum mounting plate laminated in deck for fighting chair Polished stainless-steel rod holders, flush mount, set of 4 Scuppers in cockpit and cockpit hatches

Salon

UPGRADE: Pneumatic Sliding Salon Door **UPGRADE:** Carpet runners for salon, companionway stairs **UPGRADE:** Salon cockpit table Carpeting Fabric headliner with wood accents installed on track system for service access Hinged glass door to cockpit 32" HD LCD TV with omni-directional antenna Bose home theater with AM/FM, CD/DVD, and surround sound speakers Fixed frameless windows with tinted safety glass DC LED lighting DC dimmable lights AC duplex outlet(s) with ground fault protection L-

shaped lounge with rod storage, loose cushions, arm rests and double needle stitching
Throw pillows Air conditioning dispersed through wood valances, port and starboard
Carbon monoxide detector Smoke detector SMX HVAC compartment controlled
Polished stainless-steel threshold at salon door

Companionway

Carpeting Fabric headliner installed on track system for service access Fabric covered hullside(s) and bulkhead(s) installed on track system for service access Flush-panel wood doors to master stateroom, guest stateroom and guest head Steps to salon DC LED lighting Access to port & starboard storage, electric panels, and electric water tank gauge with DC light Wainscoting

Master Stateroom

Carpeting Fabric headliner installed on track system for service access Fabric covered hullside(s) and bulkhead(s) installed on track system for service access Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders Upholstered berth base HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E) Cedar-lined hanging locker with doors, shelf and automatic light Nightstands with drawers Dresser with drawers 19" LCD TV Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers Full-length mirror DC LED lighting DC dimmable lights DC low-voltage lights under berth AC duplex outlet(s) with ground fault protection Private access to head Smoke detector Carbon monoxide detector Air conditioning dispersed through wood valance SMX HVAC compartment controlled

Bow Guest Stateroom

UPGRADE: Overhead Lockers in Bow Stateroom Carpeting Fabric headliner installed on track system for service access Fabric covered hullside(s) and bulkhead(s) installed on track system for service access Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath accessed via pneumatic cylinders Upholstered berth base HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets(E) Cedar-lined hanging/storage lockers with automatic light Nightstands, port and starboard DC AM/FM stereo receiver with CD player and speakers Full-length mirror DC LED lighting AC duplex outlet(s) with ground fault protection Private access to head Smoke detector Carbon monoxide detector SMX HVAC compartment controlled Screened overhead hatch with privacy cover Washer/dryer

Optional Bow Guest Stateroom

UPGRADE: Rod storage locker Carpeting Fabric headliner installed on track system for service access Fabric covered hullside(s) and bulkhead(s) installed on track system for service access Double sized berth to port and single sized berth to starboard, with storage underneath Upholstered berth base HMC System 1 mattresses, spreads, throw pillows, pillows, pillow shams, mattress pads and sheets(E) Cedar-lined hanging/storage lockers with automatic light DC AM/FM stereo receiver with CD player and speakers Full-length mirror DC LED lighting DC low-voltage lights under berth AC duplex outlet(s) with ground fault protection Private access to head Smoke detector Carbon monoxide detector SMX HVAC compartment controlled Screened overhead hatch with privacy cover Linen storage, port Washer/dryer

Starboard Guest Stateroom

UPGRADE: 20" Class LED TV with DVD/Stereo in Starboard Stateroom Carpeting Fabric headliner installed on track system for service access Fabric covered hullside(s) and bulkhead(s) installed on track system for service access Side by side twin berths with storage underneath outboard berth via pneumatic cylinder Upholstered berth bases HMC System 1 mattresses, spreads, pillows, pillow shams, mattress pads and sheets(E) Double cedar-lined hanging locker with doors, shelf and automatic light Nightstand with drawers Full-length mirror DC LED lighting AC duplex outlet(s) with ground fault protection Private access to head Smoke detector Carbon monoxide detector SMX HVAC bow compartment controlled

Master Head

Amtico vinyl flooring Fabric headliner installed on track system for service access Wallcovering Solid-surface countertop, backsplash, and side splash with integral sink Hardwood baseboards Stall shower with door and automatic sump pump Storage cabinet with mirror above sink Base cabinet with storage Towel bar Headhunter freshwater toilet 120 volt AC air freshener blower DC LED lighting AC duplex outlet(s) with ground fault protection Plexi-mirror around upper cabinet Air conditioning discharge Holding tank 3/4 full indicator lights

Guest Head

Amtico vinyl flooring Fabric headliner installed on track system for service access Wallcovering Solid-surface countertop, backsplash, and side splash with integral sink Hardwood baseboards Stall shower with door and automatic sump pump Storage cabinet with mirror above sink Base cabinet to match interior finish with storage Towel bar Headhunter freshwater toilet 120 volt AC air freshener blower DC LED lighting AC

duplex outlet(s) with ground fault protection Plexi-mirror around upper cabinet Air conditioning discharge Holding tank 3/4 full indicator lights

Certification

Extended CAT warranty (3 Years 900 Hours)

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.




Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS


















CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004