

ILLIQUID — CHEOY LEE



Судостроитель: <u>CHEOY LEE</u> **Длина общая**: 72' 0" (21.95m)

Год постройки: 2004 **Ширина**: 20' 2" (6.15m)

Модель: Моторная яхта **Макс. осадка**: 5' 0" (1.52m)

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: Dominican

Republic

Купить ILLIQUID — CHEOY LEE а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **ILLIQUID** — **CHEOY LEE** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ILLIQUID — CHEOY LEE

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Основная информация	3
Размеры	3
Скорость, вместимость и масса	3
Размещение	3
Корпус и палуба	3
Информация о двигателе	4
ПОДРОБНОЕ ОПИСАНИЕ	5
72' Cheoy Lee Motor Yacht ILLIQUID	5
Main Salon	5
Galley	5
Lower Helm	6
VIP Stateroom	7
Guest Stateroom	7
Master Stateroom	7
Electrical Equipment	7
Engine Room	8
Deck and Hull	9
Исключения	9
Отказ от ответственности	10
ФОТОГРАФИИ	11
КОНТАКТЫ	14
Контактная информация	14
Телефоны	14
Время работы	14
Адрес	14

ILLIQUID — CHEOY LEE Cтраница **3** из **14**

ХАРАКТЕРИСТИКИ

Основная информация

Тип судна: Моторная яхта Модельный год: 2004

Год постройки: 2004 Страна: Dominican Republic

Размеры

Длина общая: 72' 0" (21.95m) **Ширина**: 20' 2" (6.15m)

Макс. осадка: 5' 0" (1.52m)

Скорость, вместимость и масса

Вместимость воды: 600 Gallons **Объем топливного бака**: 2025

Gallons

Размещение

Всего кают: 3 Всего ком. состава: 3

Каюты экипажа: 2

Корпус и палуба

Материал корпуса: Fiberglass Комплектация корпуса: Planing

ILLIQUID — CHEOY LEE Cтраница 4 из 14

Информация о двигателе

Двигатели: 2 Производитель: Caterpillar

Модель: C-18 **Тип двигателя**: Inboard

Тип топлива: Diesel

ILLIQUID — CHEOY LEE Cтраница **5** из **14**

ПОДРОБНОЕ ОПИСАНИЕ

72' Cheoy Lee Motor Yacht ILLIQUID

72' Cheoy Lee Motor Yacht ILLIQUID Cheoy Lee Yachts was founded in 1870 and is still owned by the same family 148 years later. Currently yachts are only part of the overall business of Cheoy Lee, building many types of commercial vessels, such as tug boats, patrol boats, fishing and utility boats. The commercial heritage of these work boats is obvious in the engine rooms of all Cheoy Lee yachts built today. This 72' Cheoy Lee yachtfisherman was built for a boater who wants the cockpit of a sport fish with the amenities of a motor yacht. A big low to the water cockpit with ice chipper and baitwell has a removable sun shade for fishing time but shade for cruising. The deck is synthetic teak and there is no exterior varnish to keep maintenance easier. Three staterooms with ensuite heads plus two crew cabins give plenty of room for family and guests and the big galley makes feeding them easy. The flybridge has a full recent enclosure.

Main Salon

The main salon is entered from the aft deck through a stainless framed sliding glass door. To starboard is a built-in "U"shaped couch with ample storage below. More storage is available in the custom cubes that fit to together to make a "coffee table" or ottomans. Across from the couch is the entertainment center with the television on a lift to stow away out of sight. Forward of the television is a day head, a wonderful convenience for guests rather than going below decks. The floor of the salon has been updated recently with Amtico engineered wood flooring for a clean look and ease of care. As with most Cheoy Lee yachts, the windows are large to let in natural light, and low enough for a great view out when on the couch. The side decks are covered walk around decks, so that there is a of sun shade from the covered decks and the shades do not need to be drawn all the time to keep the sun and heat out. For privacy or to keep the sun out, the windows have pleated box shades.

Galley

The galley is forward a few steps up to keep it separate from the salon. The flooring is the same Amtico synthetic wood for a warm look with ease of care. The counter tops are dark granite, with natural cherry wood cabinets and updated stainless appliances and sink. There is a large window over the sink to brighten the area and give a great view when in the galley. The kitchen is "U" shaped with a forward counter to divide the area from the dining area forward to port. The couch seating has plentiful storage below the cushions. A curving circular stairway, a work of art in curved wood and stainless steel, leads to the flybridge so there is access to the bridge both from the aft

ILLIQUID — CHEOY LEE Cтраница **6** из **14**

deck and from the galley area.

- Dinette sofa with Ultra-leather Brisa black Onyx
- KitchenAid refrigerator
- KitchenAid convection oven (2015)
- KitchenAid electric cook top (updated 2015)
- KitchenAid trash compactor (2015)
- KitchenAid microwave oven (2015)
- KitchenAid dishwasher (2015)
- Cherry wood dinette table (2015)
- Corian counter tops
- Hot water tap
- Corian counter top and sink
- LED ceiling lights
- Under cabinet lights
- Amtico 3" Plank flooring

Lower Helm

A black leather Stidd helm seat gives a great view for operation underway at the lower station. A full complement of electronics allows the skipper to run this yachtfisherman in any weather. There are doors from the pilothouse to both port and starboard side decks for ease of docking and line handling. Stairs lead down to the cabins from the helm.

- Garmin 3010C GPS plotter
- Rudder angle indicator
- Ritchie Powerdamp compass
- ACR 100 search light remote control station
- Defroster windshield fan
- Twin Disc Power Commander electronic engine controls
- Twin Disc Wired remote control box with remote Plug-In Station
- (2) Caterpillar engine displays
- Custom stainless steel steering wheel
- Watermaker start stop remote control
- Maxwell windlass remote control
- Simrad AP 20 Autopilot
- Simrad CA 54 radar
- ICom M 602 VHF Radio
- SEA 235 SSB Single sideband radio
- American Bow thruster hydraulic control
- American bow thruster cooling pump selector
- Ships Alarm system panel
- Northern Lights Generator Start & Stop Controls

ILLIQUID — CHEOY LEE Cтраница 7 из 14

VIP Stateroom

Access to the staterooms is from a curved carpeted stairway from the pilothouse. Forward is the VIP stateroom in beautiful gloss woods with padded vinyl panels to keep the stateroom lighter, with a large hatch overhead for natural light. Storage cabinets to port and starboard at head level plus under the queen berth gives room for extended cruising. The ensuite head has black granite countertops with white and black tile floor. The stall shower has a bench seat.

Guest Stateroom

This stateroom has three single berths, one to each side as typically seen, plus a third berth over the headboard area to give the most versatility. If there are only two guests the third bunk makes a great catch-all area for fishing gear, dive gear and beach clothes, if the extra room is needed the extra bunk comes in handy. The ensuite head has the same black granite counter top and a stall shower. The flooring is also white tile with black diamond shape tile inserts.

Master Stateroom

The master stateroom is full beam, midship, for the most comfort underway or on the hook. The center-line walk around berth is king-size with storage below. There are two good size cedar lined closets with a safe in one. To starboard is a high-top dresser and to port is storage with an additional single berth for a child, or a place to stow some cruising gear. It would be a simple conversion to change this to a high-top dresser with a dressing bench. The ensuite master head has a full-size water jet tub plus a separate stall shower. The counter top is black granite and the flooring, like the other cabins, is white tile with diamond shape black tile inserts.

Electrical Equipment

- 220/110V AC 60 cycle and 24/12V DC electrical panels, main panels in engine room and zone panels throughout vessel
- ACR 100 Searchlight with dual station remote control
- Halogen overhead light fixtures throughout
- (2) Banks of 24V DC 210 amp-hour batteries for engine starting and ship service
- Emergency engine start battery parallel system, dual station
- 12V DC 175 amp-hour battery for generator starting
- 12V DC 20 amp-hour battery charger
- (1) 24V DC 210 amp-hour gel battery bank, with 24V DC 60 amp battery charger

ILLIQUID — CHEOY LEE Cтраница 8 из 14

and 50 amp Vanner 12V DC power supply, with spare 24/12V DC circuit breakers in sub-panel for electronic use

- Glendenning Cablemaster shore power cable retrieval system for 220V AC 50 amp service, with 100 ft. cable
- Voltmeters and ammeters for supply circuits
- LCD touch screen control/alarm monitoring system with audible and visual signals displayed on Programmable Logic Controller (PLC) located in p

Engine Room

Access to the engine room is from a door in the cockpit so that mechanics and crew do not have to go through the stateroom areas. There is an emergency access hatch from the master stateroom however. Going into the engine room which is clean and bright there is a scuba tank filling dive compressor mounted to starboard, with the water maker aft. Twin 20kW Northern Lights generators in sound shield enclosures are mounted with easy access to both sides. The Caterpillar C-18 engines are forward, and they also have good access to all sides of the engines. There is a watertight bulkhead door leading to the crew quarters with two separate single berth cabins. There is a separate shower stall and separate head. Both cabins have televisions.

- Racor fuel filters for the main engines, manifolded to allow filter change underway
- Racor filter for generator
- Water heater, 30 gallon, dual element, quick recovery type
- Automatic bilge pumps, for each separate compartment in the vessel
- Grunfos 1hp AC water pump with accumulator tank, for fresh water pressure system
- Hart Tank Tender gauges for fuel, fresh water, black water and grey water tanks
- Black water tank level indicator and high level alarm
- Engineered sound vibration and noise attenuation system for engine room spaces consisting of lead tile sound barriers and mylar faced synthetic lead-foam insulation covered with white painted aluminum perforated sheeting
- Drip trays under engines
- Stainless steel rudder blades
- Nibral propeller shaft struts
- Nibral class S, dynamically balanced propellers
- PYI packless shaft seals
- Watertight transom engine room door
- Watertight emergency escape hatch from engine room/utility space to master stateroom
- Portable electronic engine control boxes on 25' cords with (2) remote plug in stations
- American 12" Trac hydraulic bow thruster with dedicated battery bank
- Village Marine Tec STW 800 800gpd water maker, with pilothouse control panel

ILLIQUID — CHEOY LEE Cтраница 9 из 14

 Twin Caterpillar C-18 1,000 bhp each, diesel engines, fresh water cooled, electronic injection/governor

- Z/F Transmissions model ZF 550A
- Underwater exhausts with bypass and fiberglass mufflers
- 220V AC reverse cycle chilled water air conditioning
- Centek combo generator muffler, air/water separator type, with hull side exhaust
- (2) Northern Lights 20kW generators in sound shields with 4855 hours and 4060 hours
- Power hydraulic steering
- Engine drive emergency bilge pumping system for engine room bilges
- Lube oil change system with manifold and hoses to all engines and gearboxes
- Ice chipper

Deck and Hull

- Hull, deck and superstructure of Divinycell cored fiberglass
- Extensive use of bi-axial and multi-axial E-glass reinforcement
- Integral fiberglass fuel, fresh water and holding tanks with baffles and cleaning manholes
- Tinted (except pilothouse) tempered, glass windows, utilizing high strength, adhesion style window system
- Awlgrip non-skid exterior decks
- Vinylester laminate and epoxy barrier on hull bottom
- All hardware chrome on brass, 316 stainless steel or anodized/painted aluminum
- Stainless steel bow rails 1.25", with mid rail
- Walkaway lighting on side deck overhangs
- Foredeck molded seat (storage under) with upholstered cushions
- Boarding gates, port and starboard
- Maxwell VWC3500, 24V DC, 3500lb. vertical anchor windlass with 3/8" chain cathead and rope capstan, deck pipe and chain stopper
- 24V DC, 175amp-hour battery, stored in forward stateroom for windlass service
- 66lb. Bruce anchor stowed on roller assembly on bow
- Fresh water anchor wash down
- Twin trumpet air horn
- KitchenAid stainless steel barbeque grill on boat deck
- Nautical structures HDC-1500-2 electro/hydraulic davit for tender
- Dinghy excluded from sale

Исключения

При продаже яхты исключаются личные вещи владельца.


ILLIQUID — CHEOY LEE CTраница 10 из 14

Отказ от ответственности


Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ILLIQUID — CHEOY LEE Cтраница **11** из **14**


ФОТОГРАФИИ



ILLIQUID — CHEOY LEE Cтраница **12** из **14**



ILLIQUID — CHEOY LEE Cтраница **13** из **14**



ILLIQUID — CHEOY LEE CTраница 14 из 14

КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: Web: shestakovyachtsales.com

andrey@shestakovyachtsales.com

Телефоны

Краснодарский край: +7(918)465-66-44

США, Майами, Флорида: +1(954)274-4435

Время работы

Понедельник - Суббота: 9:00 - Воскресенье: Закрыто

21:00 EDT

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004