

MARJACHAN IV — CARVER VOYAGER



Builder: Carver Voyager

Year Built: 2012

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: Canada

LOA: 56' 3" (17.15m)

Beam: 15' 3" (4.65m)

Min Draft: 4' 7" (1.40m)

Max Draft: 4' 9" (1.45m)

Cruise Speed: 19 Kts. (22 MPH)

Max Speed: 22 Kts. (25 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Marjachan IV — Carver Voyager** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Marjachan IV — Carver Voyager** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	9
Dimensions	10
Speed, Capacities and Weight	10
Accommodations	10
Hull and Deck Information	10
Engine Information	10
PHOTOS	11
CONTACTS	18
Contact details	18
Telephones	18
Office hours	18
Address	18

SPECIFICATIONS

Overview

FRESHWATER CARVER 54 VOYAGER

The Most Optioned Carver 54V Ever Built

Will Deliver Anywhere in the World!

\$599,000

2012 Carver Yachts 54 Voyager: The Ultimate Yacht for Today's Yachtsman

Carver's Voyager class yachts are designed and outfitted for people who love to explore faraway places. Built for long range cruising, a Carver Voyager class yacht will deliver its owners and their passengers to exciting new harbors in ultimate comfort and grand style. The Carver 54V is built on the proven and popular Voyager Series platform. The yacht's eye catching profile is configured as a true pilot house yacht, incorporating a spacious extended fly bridge – **with access from the interior** – and lower helm and highly functional salon and cockpit that come together in a logical symmetry that blend into the yacht's character.

Below decks you will be impressed with the rich combination of Zatarra oak hardwood, luxurious fabrics and quality appliances, and **composite hardwood floors**. The designers at Carver have integrated these materials in a way that creates a more spacious and more comfortable environment than other similar sized yachts. The unique Zatarra oak is used to craft cabinets, bulkheads and cabin doors. Zatarra is an exotic cut of wood that is finished using a process unique to Carver. This durable finish protects the wood while highlighting the rich, natural character of the select oak hardwood's grain and golden hue.

The seller will fly and accommodate qualified buyers at a unique G7 Resort /) for inspection. This unique Carver 54 Voyager can be delivered anywhere in the world.

Specifications

Dimensions

LOA: 56 ft 3 in Beam: 15 ft 2 in Maximum Draft: 4 ft 9 in Bridge Clearance: 20 ft 1 in Headroom: 6 ft 11 in Deadrise: 14 ° at Transom Dry Weight: 51500 lbs

Engines

Total Power: 1150 HP

Engine 1: Engine Brand: Volvo Penta Year Built: 2012 Engine Model: D9 EVC-575 Engine Type: Inboard Engine/Fuel Type: Diesel Location: Starboard Engine Hours: 340 Drive Type: Direct Drive Engine Power: 575 HP

Engine 2: Engine Brand: Volvo Penta Year Built: 2012 Engine Model: D9 EVC-575 Engine Type: Inboard Engine/Fuel Type: Diesel Location: Port Engine Hours: 340 Drive Type: Direct Drive Engine Power: 575 HP

Cruising Speed: 19 knots Maximum Speed: 22 knots

Tanks

Fresh Water Tanks: 1 Plastic (200 Gallons) Fuel Tanks: 2 x 400 Gal. Aluminum (800 Gallons) Holding Tanks: 1 Plastic (100 Gallons)

Accommodations

Number of double berths: 2 Number of cabins: 2 Number of heads: 2

Electrical Equipment

Electrical Circuit: 220V

Outside Equipment/Extras

Electric windlass Hydraulic swimming platform

Construction

Oak wood bulkheads, cabinetry & trim throughout cabin, with satin finish Fabricated aluminum floor frames with stainless steel stanchions Hand-laid, molded fiberglass components featuring composite laminate hull sides, decks & cabin tops One piece molded fiberglass stringer system Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat Structural engine mountings - longitudinal stringer span mounting with reinforced, double-gusseted angle steel plates Tinted, tempered safety glass frameless window systems Unitized deck, cockpit, & cabin top construction with integral aluminum truss reinforcement in cabin top structure

Mechanical

Carver Docking System includes a 8.7, 9.8" (25cm) diameter Side Power bow and stern thruster providing 286 lbs. of thrust with helm controls & wireless docking remote control Command bridge electronic engine controls with synchronization Cutlass bearings - synthetic rubber composite Exhaust mufflers - inboard engines, generator Fresh water cooling - engines Fuel tanks (2) - 400 gallons each, welded and baffled 5052 aluminum Internal seawater strainers Propellers - manufacturer - certified, 4

blade Propeller shafts – 2.5" Rudders & struts – 421 manganese bronze Teleflex
SeaStar hydraulic steering Trim tabs 54" x 12"

Electrical

AC/DC distribution panels with magnetic circuit breakers & integral generator & bilge blower controls, AC/DC voltmeters & ammeters Batteries (6) – Deka Marine master, heavy duty commercial, deep cycle 8D series , marine (12V) cold cranking rating of 1375 amps, reserve capacity of 430 minutes at 25 amp draw, 200 amp / hour rating [(4) engine & (2) ship service] Battery – (1) Deka Marine Master dedicated 31 series, deep cycle (12V) , cold cranking rating of 950 amps, reserve capacity of 225 minutes at 23 amp draw, 100 amp / hour rating [(1) generator] Battery chargers – (1) 60 amp charger for the engines and ship service batteries , (1) 20 amp charger for the generator battery Generator – 23KW 60Hz Kohler with sound shield, dedicated 31 series battery & 5 year warranty Ground Fault Circuit Interrupt (GFCI) protection – all electrical outlets Inverter – Charles marine / Vanner, 2600 watt/120 amp, charger Shore power cord (2) – 50amp (32 amp 220 V), 50' (15,2m) white Wiring system – tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

Decks

Bow lockers (2) – in-deck, self-draining, for fender storage & anchor chain locker access Bow rail – 1.25" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward Bow rail stanchions – double – welded (inside & outside), stainless steel, anchored to aluminum backing plates laminated into deck Grab rail – stainless steel, over cabin windows, running length of cabin & above windshield Cleats – [12" stainless steel: anchor (1) bow (2) with chafe plates] ; [stern (2) inboard-mounted with stainless steel hawse pipes] [10" stainless steel : spring (4) - bolted through aluminum backing plate Molded deck toe rail, forward Pilothouse door – starboard side deck, sliding, 11" stainless grab rail Rub rail molding - heavy - duty, 1" and 3/4" 316L stainless steel insert Sunpad Windshield weather covers – black mesh

Water & Holding Systems

Central gray water system Fresh water storage tanks (2) – 100 gallons each, polyethylene Fresh water tank level monitor Grey water sump pump - automatic / manual operation ITT Jabsco Fresh Water System - variable speed drive pump sensor, Max, 4.5 gallon/minute flow rate, high flow filter Shore water connection with pressure-reduction valve Transom hand shower – fresh water, hot & cold Washdown – fresh water, bow & transom Waste holding tanks (2) – 50 gallons each with filtered vents & dockside pumpouts Waste tank level monitors (2) Water & waste lines – constructed of molecularly cross-linked polyethylene Water heater – 20 gallons

Safety & Navigation

65-5-5-5 marine grade bronze seacocks for thru-hulls on hull bottom; marine grade composite on hull sides Anodes – zinc, sacrificial Battery master disconnect switches Battery restraint brackets, battery protective boxes Bilge alarm (2) – high water Bilge blowers Bilge pumps (3) – 2000 gph automatic and manual operation CO detectors in salon & staterooms Engine alarms – temperature & oil pressure Galvanic isolator / zinc saver Horns - dual, electric (12V) trumpet Internal bonding system with 8 gauge size wire, ABYC compliant Isolation transformers on the internal shore power lines Windlass package with 60 LB anchor, 200' of 3/8" chain, shackle & line with snap hook Molded nonskid surfaces on all walk decks - diamond pattern Navigation lights - USCG / COLREGS approved Spotlight – electronically controlled, ITT Jabsco Ritchie Compass - illuminated, dual-read, flush mount 4 1/2" dial

Cockpit

Aft seat with storage beneath – approx., 66 square feet – integral to hull & deck, self-draining Bridge access from the interior Electrical outlet, weather protected with safety cover Extended hardtop is 58" from cabin toward stern, providing overhead sun/weather protection Grab rails (2) - stainless steel, by side deck stairways & on top of transom Hatch - engine room access, 3' x 5', guttered, watertight, supported by gas shocks Lights (4) - courtesy, recessed, with exterior-mounted switch Lights (2) - overhead, recessed, with exterior-mounted switch Safety chain - across companionway to aft bridge extension Side deck stairways (2) - integral to deck Stereo speakers (2) - pre-wired Transom door - aluminum, secures closed, stainless steel latch & hardware

Salon

AC/DC distribution panels Countertops – oak wood with oak wood trim Matching Designer Décor throughout Electrical outlets Entrance door – stainless steel frame, curved, sliding, handle lock, deadbolt, neutral density glass with interior screen Entertainment group – 32" LCD TV (built to durable marine grade standards), Sony 5-disc progressive scan DVD/CD changer, Sony stereo system, Sirius satellite radio system & Apple iPod dock Flooring – composite dark patina Lights (9) - xenon, overhead, recessed Rocker light switches Sofa - U-shaped lounge starboard, sofa port Table – solid wood top, adjustable height, aluminum pedestal base, connects to dinette or berth Wetter with sink Storage doors (7) Storage drawer (2) Stemware storage with glass doors Additional refrigerator & freezer Wine cellar

Low Profile Command Bridge

63 square feet – aft bridge extension Bridge hardtop Electrical outlet, weather protected Electronics arch – welded premium grade aluminum painted with AWLCRAFT 2000 acrylic urethane topcoat for use in harsh marine environment Electronics arch access plates (3) – corrosion-resistant polymer attached with non-corroding screws & waterproof sealant Lights (4) – courtesy, recessed Lights (6) – xenon, overhead, recessed Lounge – double-wide, starboard side with storage beneath Lounge – U-

shaped, port side wraparound seating accommodates 6 adults Seat covers Self-draining deck Stereo speakers (2) – pre-wired Bridge table, fiberglass top Composite flooring

Helm

Access panel – Bridge provides access to wiring below helm Accessory space – for installing navigation equipment Adapter – 12V Beverage holders (2) – recessed, integral Dash – molded fiberglass with black leather accents Displays - digital LCD; engine instrumentation and diagnostics Gauges – analog; fuel level and rudder angle (1 for each tank)Helm seat – swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rest Light – courtesy, recessed Rocker switch controls Tilt steering wheel Windshield – Venturi, tinted, wraparound, stainless steel frame

Boarding Platform

Boarding ladder – telescoping, with grab rail, concealed in boarding platform Hand rail – stainless steel port & starboard transom Extended electric/hydraulic swimming platform

Pilot House

Circuit breakers – for helm controls Command bridge interior access stairway Electrical outlet Helm – metallic brown with decor matched accents Helm seat Lights (6) – xenon, overhead, recessed Pilothouse entrance door - weather-tight, secures closed with 3 gas shocks, provides access to pilothouse, with stainless steel handrail Night operations light – xenon, red illumination Rocker light switches Windshield wipers & defoggers (3) – pulse, each with fresh water washer

Master Stateroom

Berth – oversized queen, pillow top innerspring mattress, island with storage beneath Berth end tables (2) – oak wood with oak wood trim Carpet – tufted cut pile, crush-resistant, 100% nylon Designer decor Dresser – integral, oak wood with oak wood trim top, 5 drawers Entrance door - solid oak wood frame, oak wood panels interior , pocket-style, secures open & closed, stainless steel hardware Electrical outlets Hanging lockers (2) - overhead shelf, automatic light Hull port lights (4) - 2 1/2" round, opening with screen, fixed hull glass with mini blind Lights (8) – xenon, overhead, recessed Rocker light switch Storage cabinets (3) Storage drawers (4)

Galley

Countertops – solid surface Designer decor Electrical outlet Flooring – composite dark patina Lights (2) – xenon, over sink, recessed Microwave/Convection Oven – stainless steel Range – electric, 3 burner, smooth top Refrigerator/freezer – drawer vitri-frigo Rocker light switches Sink – integral Storage cabinets – (5) Storage drawers – (3) Washer/Dryer – side by side

Master Head

Rocker light switch Towel set with embroidered Carver logo – wash cloth, hand towel & bath towel

Master Vanity

Electrical outlets Flooring – composite dark patina Hull port light Lights (4) – xenon, overhead, recessed Medicine cabinets (2) – 3 shelves, fascia Mirror Rocker light switch Vanity – solid surface top & backsplash, 2 shelves beneath with doors

Master Head Compartment

Entrance door – wood with frosted glass, secures closed, stainless steel hardware Head fan Hull port light w/screen & mini blind Lights (2) – xenon, overhead, recessed Nonskid sole Rocker light switch Toilet – VacuFlush, pedestal Toilet paper holder

Master Shower Stall

Entrance door – wood with frosted glass, secures closed, stainless steel hardware Bench seat – molded into the full fiberglass lined tub Hull port light – frosted privacy glass, with screen Lights (2) – xenon, overhead, recessed Nonskid sole Shower curtain Shower head – adjustable height, detachable for use as hand-shower Towel bar

VIP Stateroom

Berth – angled to port, oversized queen, inner-spring mattress, island with storage beneath Carpet – tufted cut pile, crush-resistant, 100% nylon Clothes hooks (2) – chrome, on door to head Designer decor Electrical outlets Entrance door – 2-panel, solid cherry wood frame, cherry wood panels interior, secures closed, stainless steel hardware Hanging lockers (2) – carpeted Lights (2) – xenon, overhead, can be directed for reading Lights (6) – xenon, overhead, recessed Headboard Hull port lights (2) opening, (2) non-opening Overhead hatch – translucent, lockable, inside screen Private VIP head access Rocker light switches Sheet set embroidered with Carver logo – fitted sheet, flat sheet, pillowcases Stereo speakers (2) Storage drawers (2)

VIP Stateroom Head

Cloths hooks (2) Electrical outlet Entrance doors (2) – secures closed, stainless steel hardware [VIP stateroom, cherry wood]; [Companionway, solid oak wood frame, oak wood panels interior] Head fan Lights (2) – xenon, overhead, recessed Lights (2) – xenon, over vanity, recessed Medicine cabinet - mirrored fascia with three shelves Nonskid sole Rocker light switches Toilet – VacuFlush, pedestal Towel ring & toilet paper holder Vanity – solid surface top & backsplash, undercount sink, 2 shelves beneath with doors

VIP Stateroom Shower Stall

Bench seat – solid surface top, modeled into the full fiberglass lined shower stall Light – xenon, overhead, recessed Nonskid sole Shower door – frameless glass, secured open & closed Shower head – adjustable height, detachable for use as hand-shower Towel bar

Factory Upgrades

Propulsion: Diesel Engine Upgrade *Volvo Penta D9 EVC-575 hp*

Electrical: *Air conditioning – Marine Air Systems, 4-zone, 72,000 BTU with reverse cycle heat. Generator – Kohler 23kW 60Hz. Dual Cablemaster for shore power*

Water & Holding Systems: *After tank overboard discharge system with pump*

Navigation Electronics Package: *Bridge Package - Raymarine E-wide Series E120 multifunction navigation display & Raymarine 240 VHF (hand set)*

Bridge & Lower Helm Package plus Radar - Includes above bridge & Lower helm package

Amenities: Bridge Wet Bar & Refrigerator - Nova Cool and Grill

Exterior: Bridge stereo with waterproof Clarion AM/FM/CD D5 Player, Clarion, Sirius satellite radio receiver & Apple iPod dock

Underwater lighting

Bow Rails: Standard – Continuous double welded high polished

Galley: Dishwasher – holds 6 place settings & uses as little as 2 gallons of water per load, Fisher & Paykel

Salon: Central vacuum system – WaVac, Pillow set- decorator 6 - piece, optional aft seating

Master Stateroom : 26" Sole LCD TV & DVD/CD/Mp3 player, Stereo – AM/FM/CD player & Apple iPod dock

Basic Information

Category: Motor Yacht

Sub Category: Flybridge

Model Year: 2012

Year Built: 2012

Country: Canada

Fly Bridge: Yes

Dimensions

LOA: 56' 3" (17.15m)

LWL: 54' 0" (16.46m)

Beam: 15' 3" (4.65m)

Min Draft: 4' 7" (1.40m)

Max Draft: 4' 9" (1.45m)

Clearance: 20' 1" (6.12m)

MFG Length: 54' 0" (16.46m)

Speed, Capacities and Weight

Cruise Speed: 19 Kts. (22 MPH)

Max Speed: 22 Kts. (25 MPH)

Displacement: 51000 Pounds

Water Capacity: 200 Gallons

Holding Tank: 100 Gallons

Fuel Capacity: 800 Gallons

Accommodations

Total Cabins: 2

Total Berths: 4

Sleeps: 6

Total Heads: 2

Hull and Deck Information

Hull Material: Composite Fiberglass

Hull Color: Black

Engine Information

Engines: 2



Manufacturer: Volvo Penta


Model: D9-575

Engine Type: Inboard


Fuel Type: Diesel

PHOTOS
















CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004