

# FEELING — JEANNEAU



Builder: JEANNEAU

Year Built: 2010

Model: Sloop

Price: PRICE ON APPLICATION

Location: Thailand

LOA: 49' 0" (14.94m) Beam: 14' 11" (4.55m) Min Draft: 7' 6" (2.29m) Cruise Speed: 8 Kts. (9 MPH) Max Speed: 9 Kts. (10 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs Feeling — JEANNEAU from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht Feeling — JEANNEAU or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

# **TABLE OF CONTENTS**

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	4
Dimensions	5
Speed, Capacities and Weight	5
Accommodations	5
Hull and Deck Information	5
Engine Information	5
DETAILED INFORMATION	6
Main Characteristics	6
Dimensions	6
Capacities	7
Speed and Range data	7
Construction	7
Accommodations	7
Mechanical	9
Galley	9
Electrical Equipment	10
Technical Features, and Options	11
Accessories	12
Deck Equipment	12
Safety & Fire Protection	13
Sail inventory	13
Option Lists	14
Exclusions	15
Disclaimer	15
PHOTOS	16

CONTACTS	19
Contact details	19
Telephones	19
Office hours	19
Address	19

# SPECIFICATIONS

### **Overview**

A very tidy example of the popular Sun Odyssey 50DS. This 2010 50DS is a fully equipped Performance version fitted with North Sail main and a new Rolly Tasker 120% Genoa + a wardrobe of spinnakers. She would be the ideal club racer and or family cruiser. Lightly used but always taken care of by her careful owners. Fully air conditioned with 3 cabins and the master cabin aft. The forward two cabins can be converted into a huge double berth making her a spacious two cabin yacht. Electric winches, genset, and a full Raymarine electronic package. This Sun Odyssey 50DS is offered by a keen seller, due to her good condition we are not expecting her to be on the market for long. For a full specification or to make an appointment to view please contact Lee Marine today.

### FEATURES

- Performance version
- Electric Winches
- Yanmar 4JH-TE 75hp with shaft and folding prop
- Onan 5.5kW genset
- Fully air-conditioned
- Full Raymarine electronics package
- Bow thruster
- Watermaker
- Wind generator
- Master cabin aft
- 3 cabin 3 bathroom
- Convertible forward cabin
- Chart plotter in cockpit
- Forward sail and storage locker

### **Basic Information**

Category: Sloop

Model Year: 2010

Country: Thailand

Year Built: 2010

Sub Category: Cruising Sailboat

Vessel Top: Bimini Top

### **Dimensions**

LOA: 49' 0" (14.94m)

Beam: 14' 11" (4.55m)

Min Draft: 7' 6" (2.29m)

# Speed, Capacities and Weight

Cruise Speed: 8 Kts. (9 MPH)	Max Speed: 9 Kts. (10 MPH)
Displacement: 29541.943108 Pounds	Water Capacity: 163.258328136 Gallons
Holding Tank: 15.85032312 Gallons	Fuel Capacity: 63.40129248 Gallons

### Accommodations

Total Cabins: 3

Total Berths: 6

Total Heads: 3

### Hull and Deck Information

Hull Material: GRP	Deck Material: Teak and Fiberglass
Hull Configuration: Deep Fin	<b>Exterior Designer</b> : Philippe Briand / V. Garroni

Interior Designer: Philippe Briand / V. Garroni

## **Engine Information**

Engines: 1

Manufacturer: Yanmar

Model: 4JH-TE

# **DETAILED INFORMATION**

# **Main Characteristics**

BUILDER: Chantiers Jeanneau

DESIGNER: Philippe Briand / V. Garroni

MODEL: Jeanneau Sun Odyssey 50DS

YEAR: 2010

HIN NUMBER: FR-SPB NY130J910

CLASSIFICATION: Sloop

STRUCTURE: GRP

FLAG: Langkawi

PASSENGERS: 6 berth / 3 cabins

LOA: 49 ft / 14.75 M

WATERLINE LENGTH: 43.04 ft / 13.12 M

BEAM: 14.73 ft / 4.49 M

DRAFT: 7.06 ft / 2.15 M

DISPLACEMENT: 13,400 kg.

STANDARD KEEL WEIGHT: 3,750 kg.

SHOAL DRAFT: 5.55 ft / 1.69 M

SHOAL KEEL WEIGHT: 4,100 kg.

CE CATEGORY: A10/B12/C14

ENGINE: Yanmar 4JH-TE

GENERATOR: Onan 5.5kw 230v

## Dimensions

LOA: 49 ft / 14.94 M

BEAM: 14.73 ft / 4.49 M

DRAFT: 7.06 ft / 2.15 M

### Capacities

FUEL CAPACITY:	240 liters / 63 US gallon
FRESH WATER CAPACITY:	615 liters / 162 US gallon
HOLDING TANK CAPACITY:	85 liters / 22 US gallon
WATERMAKER CAPACITY:	70 liters / hour

### Speed and Range data

MAX SPEED: 9 knots

CRUISE SPEED: 8 knots

RANGE: 300 nm. ++

### Construction

**DECK** hand-laid fiberglass deck, ISO gelcoat surface, discontinuous balsa block coring, interior fiberglass deck counter mold

**HULL** solid, hand-laid fiberglass, ISO gelcoat surface, vinyl ester resin in outer skin protective barrier coat to protect against osmosis

**STRUCTURE** 3rd generation inner fiberglass grid, high-load zones cut out and re-laminated, drainage system through structure, special emergency repair zone in keel area

### Accommodations

DOUBLE BERTH: 2

SINGLE BERTH: 2

HEADS NUMBER: 3

#### HEAD TYPE: Jabsco quiet electric flush

#### SHOWER: 3+1

ACCOMMODATION NOTES: 3 cabin + 3 bathroom layout with master aft and two fwd cabins convertible to one large forward cabin.

#### FORWARD CABIN

- **Twin forward cabins** transformable into single cabin by easily removable longitudinal bulkhead, storage for bulkhead under berth
- Double berths with PREMIUM mattresses (2x2,06 x 1,45 m)
- Storage under berth with deep cabinet with shelves and hanging rod in each cabin
- Fabric hull liner
- 2 head compartments forward with sink, shower, clothes hook, mirror, towel holder, toilet paper holder, wastebasket, cabinet above sink and shower sump with grate and electric drainage pump

#### AFT CABIN

- Aft owner's cabin with reading lights at head of berth
- Central double berth with wood trim and padded headboard, PREMIUM mattress (  $2,02\ x$  1,5 m )
- Storage compartments along hull with indirect lighting underneath and closed hanging lockers to either side of berth
- Seating to either side of the berth
- Wood and white upholstered panels along hull
- Private aft owner's head compartment with stainless steel sink, separate shower with folding plexiglass door, mirrors,

#### HEADROOM

- 1.92 M of forward cabin
- 1.90 M of AFT cabin
- 2.04 M of companionway
- 1.98 M of saloon
- 2.18 M of galley

#### SALOON

- **Saloon** with u-shaped seating area to starboard, wrap-around cushions and storage under seating area
- Saloon dining table with fiddles, removable pedestal legs
- Storage cabinets along hull
- Lounge seating to port
- 2 removable storage bins located under floorboards

 Companionway made of laminate and solid wood trim with curved, hinged for access to engine, leather-wrapped handrails to either side

### **Mechanical**

ENGINE: Yanmar 4JH4-TE 75HP, 55Kw, turbocharged, latest generation of environmentally friendly engines

ENGINE NUMBER: E13296

ENGINE HOUR: 875 (January 2019)

CONTROLS: Morse cable

GENSET MODEL: Onan 5.5kw 230v

GENSET HOUR: 1046 (January 2019)

PROPELLERS: Folding prop (Stainless steel propeller shaft)

GEARBOX: Yanmar #35828

AIR CONDITION: Fully air-conditioned

THRUSTER: Bow Thruster side power 7hp

#### ADDITIONAL FOR ENGINE

- Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin
- Fuel/water separator
- Built-in muffler, forced air ventilation and stainless-steel exhaust fitting aft
- Fixed 3-blade bronze propeller

## Galley

GALLEY LOCATION: Port side midships

STOVE: Eno stove and oven - gas

SINK: Twin stainless sinks with washing up drying area

REFRIGERATOR: Vitrfridge fridge top and side loading,2<sup>nd</sup> freezer/fridge top loading

MICROWAVE: Sharp microwave

GAS ALARM: Yes, Co2 and CO

GALLEY NOTE: L shaped galley with great storage and bench space.

### **Electrical Equipment**

DEPTH SOUNDER: Raymarine ST70

LOG SPEED: Raymarine ST70

AUTOPILOT: Raymarine Ray 218E

WIND INSTRUMENTS: Raymarine i70S

RADAR: Raymarine C90w 2kw scanner

RADIOS: Raymarine Ray 218e

CHARTPLOTTER: Raymarine C90w

GPS: Raymarine C90w

SHORE POWER: 240v AC

TV: Samsung 40 STEREO: MP3 player with Bose speakers in saloon BATTERY HOUSE: 2 x 110 amp BATTERY HOUSE AGE: 2014, replaced 2 in bow 2019 BATTERY ENGINE: 1 x 110/amp

BATTERY ENGINE AGE: 2014

BATTERY CHARGER: 220v 40amp

BATTERY OTHER: 2 batteries for bow thruster

ELECTRICAL CIRCUIT

- 80A 12v alternator output
- Charge distributor/isolator
- 110 Ah Engine start battery capacity
- 330 Ah Domestic battery bank capacity
- Extra 110Ah domestic battery PREMIERE
- Positive battery switch for engine bank, positive battery switch for domestic bank and negative general cut-off switch
- 230v shore power inlet with differential breaker
- 60A battery charger, multi-phase PREMIERE

- Electrical panel with 12v breakers, 230v breakers, LCD display with 12v voltmeter,
- 12v consumption meter, fuel and water tank gauges, backlight
- One 230v and 12v plug per cabin, 230v plugs in galley, saloon and nav station

## **Technical Features, and Options**

#### LIGHTING

- LED navigation lights and anchor light PREMIERE
- Flush mounted LED chromed brass ceiling lights in saloon, head compartments and cabins
- On/off switches in saloon for overhead lights
- Indirect LED lighting under side decks in saloon
- Red/white combination light for night vision at nav station

#### PLUMBING

- Hot and cold pressurised water distributed through-out the boat via semi-rigid hose
- "heavy-duty" water pump and accumulator tank for consistent water pressure
- 40 litre hot water tank that is connected to engine heat exchanger and to 230v electrical system
- Chromed shower faucets in washrooms
- Shower sumps equipped with individual electric pumps and on-off switches
- Large manual pump marine toilets

#### COMFORT

- 4 Fixed hull ports with track-mounted curtains
- 6 Opening cockpit and roof ports with curtains
- **5 Opening deck hatches** forward-facing with sun blinds and insect screens integrated into headliner
- CD/radio/MP3 player in saloon
- Bose® 2.1 speaker system ACCOUSTIMASS 3, speakers with base unit in saloon PREMIERE
- Cockpit speakers watertight PREMIERE

#### WOOD

- Fine Teak® interior laminated panels with solid wood trim around galley, companionway and cabinetry, finished in satin UV stabilised varnish
- Laminate floorboards with light-coloured lines, varnished edges towel holder, toilet paper holder, wastebasket, shower sump with grate and foot switch operated electric drainage pump

#### NAVIGATION STATION

- Navigation station full-function with general electrical panel
- Forward-facing navigation desk with nav seat and storage underneath
- Navigation desk with roll-away top and pass-through for pugs to facilitate the use of a laptop computer
- Leather-wrapped stainless-steel handrail and leather-lined pen holder
- Large storage drawer with divider under nav station/bar cabinet

## Accessories

- Tender Cholamark 2.6m RIB
- Outboard Suzuki 4 stroke 6 HP
- Swim platform Transom steps
- Teak inlay on seating area, transom and transom steps
- **Cockpit lockers** 1 locker under bench seat to port and 2 lazarette lockers under the helm seats for technical access to steering system
- **Cockpit table** folding injected fiberglass table with storage, cup holders, bottle holders, stainless steel handrail, courtesy lighting, 12v plug
- **Gas locker** room for 2 gas bottles with connection to gas system and cut-off valve under stove in the galley
- Wheels 2 leather-covered steering wheels and compasses at each helm station
- Instrumentation dedicated space for instruments within easy reach of helm positions, room for GPS chartplotter mounted at aft end of cockpit table with easy viewing from each helm
- Engine controls throttle and engine panel includes RPM gauge, warning lights, ignition
- Swim ladder stainless steel folding ladder mounted on swim platform
- **Opening transom stairs** hinge up for access to liftraft, can be locked closed, access to optional generator door
- Cockpit shower retractable hot and cold-water shower with tap
- **Deep sail locker** forward, accessible via opening deck hatch with lock, stainless steel ladder, lighting, access to windlass controls.

# **Deck Equipment**

- Bow pulpit open, stainless steel
- Stern pulpits stainless steel with buoy bracket
- Windlass LEWMAR 1500W combination rope and chain 12mm, vertical-mounted in the anchor locker with above-deck line drum, hand-held remote, manual handle
- Anchor roller double stainless-steel fitting with self-launching roller for hands-free launching and retrieving
- Lifelines double level of stainless-steel lifelines with PVC coating and stainless steel stanchions
- Lifeline gates opening gates on each side

- **Toerail** teak profile with integrated stainless steel chocks and drainage for side deck
- Cleats 6 x aluminium mooring cleats
- Handrails sculpted, long stainlesssteel handrails on coachroof for secure movement forward

### **Safety & Fire Protection**

LIFE JACKET: 4

FIRST AID: Yes

LIFE RING: Yes, 1 on board

BILGE MANUAL: Henderson in cockpit

BILGE ELECTRIC: 12v pump with float switch and high-water alarm

WINDLASS: Lewmar 12 v with chain counter at helm

FIRE EXTING: Handhelds throughout boat

ANCHORS: Bruce anchor

CHAIN: 50m

ROPE: Mooring lines and spinnaker sheets

### Sail inventory

RIG TYPE: Sparcraft 2 spreader fractional

RIG MATERIAL: Aluminum

MAST STEP: Deck stepped HEADSAILS: Rolly Tasker 120%

HEADSAILS AGE: 2019

SPIN POLE: Yes

FURLERS: Harken racing furler

COCKPIT CUSHIONS: Blue Sunbrella

BIMINI: September 2015

DODGER: Factory fitted WINCH SYSTEM: Lewmar with primary winches electric

FURLING MAINSAIL: 39 M<sup>2</sup> (high-tenacity Dacron cloth, Sunbrella® UV luff protection, Rutgerson® stainless steel eyes)

FURLING GENOA 140%: 62.1 M<sup>2</sup> (high-tenacity Dacron cloth, Sunbrella® UV luff protection, Rutgerson® stainless steel eyes)

SPINNAKER: 141 M<sup>2</sup> (optimal size for boat not available from Jeanneau)

TOTAL SAIL AREA: 101.1 M<sup>2</sup> (for standard mast and sails)

#### SAIL HANDING

- Genoa tracks adjustable Harken lead cars with control line lead aft to cockpit
- Winch handles 2 x Harken handles with ball-bearing grip
- Line jammers Spinlock, on both sides of coachroof with Harken
- Mainsheet traveler long, roof-mounted Harken traveller with ball-bearing cars, control lines lead aft to cockpit
- Padeyes Wichard for spinnaker turning blocks, tweaker lines, pole downhaul
- **Spinnaker deck hardware** triple Spinlock jammer to starboard and an additional 3-sheave return block on deck

#### MAST AND RIGGING

- Furling mast
- Standing rigging discontinuous 1x19 stainless steel wire
- Backstay fixed, double
- Genoa furler with attachment to stemhead fitting and furling line lead aft to roof winch
- **Running rigging** polyester topping lift, mainsail halyard, genoa halyard, mainsheet, genoa sheets
- Rigid boom vang with gas cylinder and control line lead aft to the cockpit

#### WINCHES

- GENOA WINCHES:60.2 (2 x Harken, self-tailing winches, size)
- COACHROOF WINCHES:46.2 (2 x Harken, self-tailing winches, size)

#### Sail Notes:

- Performance version upgrade
- HYDROVANE Self Steering
- Rutland Wind charger

# **Option Lists**

- Extra for 3 cabins -1 aft 2 fwd
- Upholstery "ambience microfibre"
- Trim level excellence
- Extra performance version 2.35m keel
- 2 electric genoa winch 60.2 stce-h
- Wide blue sprayhood
- Blue cockpit bimini
- Bow thruster 7hp
- Generator onan 5.5kw 230v incl access door
- Microwave 230v
- Alr conditioning 230v
- Holding tank fwd port
- Holding tank fwd strb
- 2kw scanner for radar
- Wood side decks
- Mooring kit
- Anchoring kit
- Steering wheel covers
- Outboard engine bracket
- Double berth
- Sea freight packing w/ keel off
- Blue cockpit cushions
- Spinn4, ker pole + running rigging

### **Exclusions**

Owner's personal belongings.

### Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

# PHOTOS





































# CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

# **Contact details**

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

### Telephones

USA: +1(954)274-4435

### **Office hours**

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

## Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004